Inspire Design & Development

TP1

Sheet 1 of 1

Project Name: Snape Hill Road	**Project No:** 1177	**Dimensions: -** W (0.6) L (2.5) D 2.1	
Location: Darfield		**Levels: -**	**Hole Type** Trial Hole
Client: DJ Atkinson Construction Ltd		**Date:** 15/09/2016	**Logged By** AS

Well	Water (m)	Samples & Testing Depth (m)	Type	SV	Depth (m)	Stratum Description
					0.0-0.45	TOPSOIL: Dark brown silty slightly gravelly clay with frequent rootlets.
					0.45-2.1	Stiff brown slightly sandy gravelly CLAY. Gravel is fine to medium, sub-angular mudstone and siltstone (WEATHERED COAL MEASURES).
						End of Trial Hole at 2.1m bgl

Remarks: No groundwater encountered.
Trial pit sides stable.
Trial pit backfilled with arisings upon completion.

Inspire Design & Development

TP2

Sheet 1 of 1

Project Name: Snape Hill Road	**Project No:** 1177	**Dimensions: -** W (0.7) L (2.2) D 2.14	
Location: Darfield		**Levels: -**	**Hole Type** Trial Hole
Client: DJ Atkinson Construction Ltd		**Date:** 15/09/2016	**Logged By** AS

Well	Water (m)	Samples & Testing Depth (m)	Type	SV	Depth (m)	Stratum Description
					0.0-0.75	MADE GROUND: Dark brown silty gravelly clay with occasional brick and concrete cobbles.
					0.75-2.14	Stiff grey-brown silty slightly sandy gravelly CLAY. Gravel is fine to medium, sub-angular mudstone and siltstone (WEATHERED COAL MEASURES).
						End of Trial Hole at 2.14m bgl

Remarks: No groundwater encountered.
Trial pit sides stable.
Trial pit backfilled with arisings upon completion.

Inspire Design & Development

TP3

Sheet 1 of 1

Project Name: Snape Hill Road	**Project No:** 1177	**Dimensions: -** W (0.7) L (2.2) D 2.3	
Location: Darfield		**Levels: -**	**Hole Type** Trial Hole
Client: DJ Atkinson Construction Ltd		**Date:** 15/09/2016	**Logged By** AS

Well	Water (m)	Samples & Testing Depth (m) Type SV	Depth (m)	Stratum Description
			0.0-1.7	MADE GROUND: Dark grey gravelly sand. Gravel is sub-angular to angular, fine to coarse brick, concrete and ceramic pipework.
			1.7-1.9	Firm becoming stiff grey mottled brown silty slightly gravelly CLAY (WEATHERED COAL MEASURES).
			1.9-2.3	Stiff grey-brown silty slightly gravelly CLAY with tabular siltstone cobbles (WEATHERED COAL MEASURES).
				End of Trial Hole at 2.3m bgl

Remarks: No groundwater encountered.
Trial pit sides stable.
Trial pit backfilled with arisings upon completion.