

1. All work to be in accordance with the current Building Regulations
2. Only written dimensions to be used
3. Discrepancies and abnormalities to be reported.
4. If in doubt Ask.



KERBING KEY

- 125 x 150MM BN KERB 25MM FACE
- 125 x 175MM CHAMFERED KERB 25MM FACE
- 125 x 150MM BN KERB 0-6MM FACE
- TRANSITION KERB 915MM LONG
- 125 x 255MM HALF BATTERED KERB 100MM FACE
- 150 x 50 BACK EDGING/PIN KERB
NOTE THAT AT SHARED DRIVES
THESE ARE TO BE INCREASED TO
300 x 50
- 125 x 150MM FLUSH CHANNEL BLOCK
- 125 x 255MM TRANSITION HB/BN KERB
- 305 x 150MM HB KERB
- 125 x 255MM BN KERB

RISK ASSESSMENT SIGNIFICANT RISKS THAT CANNOT BE DESIGNED OUT	LEVEL OF RISK (D/M)	SUGGESTED ACTION
DEEP EXCAVATIONS ASSOCIATED WITH NEW DRAINAGE WORKS	HIGH	ENSURE ALL EXCAVATIONS HAVE ADEQUATE TRENCH SUPPORTS
THROWING LARGE DRAINAGE MANHOLE RINGS & PIPES	HIGH	USE CORRECT LIFTING EQUIPMENT AND TRAINING OPERATIVES WEAR APPROPRIATE PROTECTIVE CLOTHING/HARD HATS
CONTACT WITH SEWAGE	MED	OPERATIVES TO USE CORRECT BREATHING EQUIPMENT
WRECK	MED	OPERATIVES TO USE CORRECT LIFT PROTECTION
DRAINAGE EXCAVATIONS ADJACENT EXISTING BOUNDARY STRUCTURES	HIGH	ENSURE CORRECT SUPPORTS ARE PROVIDED TO TRENCHES AND BUILDINGS WHERE REQUIRED
EXCAVATIONS IN HIGHWAYS AND CLOSE TO SERVICES	HIGH	ENSURE CORRECT USE OF TRENCH SUPPORTS IN EXCAVATION AND SCREEN BARRIERS TO PROTECT MEMBERS OF THE PUBLIC
MAINTAIN ACCESS TO ADJACENT PROPERTIES AND OCCUPERS	HIGH	ENSURE WORKS ARE PROTECTED WITH BARRIERS AND SIGNS TO AVOID THE PUBLIC WALKING FROM THE WORKS
EARTHWORKS ASSOCIATED WITH PROPOSED DRAINAGE SYSTEMS	HIGH	ENSURE ALL EXCAVATIONS HAVE ADEQUATE TRENCH SUPPORTS AND APPROPRIATE WARNING SIGNS ARE ERECTED
EARTHWORKS ASSOCIATED WITH WATER FEATURES	HIGH	ENSURE ALL EXCAVATIONS HAVE ADEQUATE TRENCH SUPPORTS AND APPROPRIATE WARNING SIGNS ARE ERECTED. WORKS TO BE CARRIED OUT IN ACCORDANCE WITH RECOMMENDATIONS AND REQUIREMENTS OF EN12178
IT IS ASSUMED THE WORKS ASSOCIATED WITH THIS DESIGN WILL BE UNDERTAKEN BY A PERSON OR PERSONS WHO ARE COMPETENT AND HAVE THE REQUIRED LEVEL OF EXPERIENCE AND EXPERTISE		

Copyright © James Eaton Design Limited 2020. All Rights Reserved. Any unauthorised copying or reproduction of this drawing without the consent of the Company will constitute an infringement of copyright.

C. 08/01/24 MWL & BMBC Highways comments Rd 1.
B. 26/06/23 slab level adjustments to suit ExtWorks
A. 23/05/23 design updated to suit Rev J1 Site Layout
Revision.

James Eaton Design Ltd
Design Consultant 1992-2023
Development • Highways • Drainage
Stoneycroft, Brackenhill, Ackworth,
Pontefract, West Yorkshire WF7 7RG.
Tel. 01973 731921
e-mail james@jameseatondesign.co.uk

AO

Client:
Gleeson Homes

Site:
Lockwood Road,
Goldthorpe.

Title:
Road Layout :
Kerbing, Dimensions & Surfacing Details.

Date: April 2023
Scale: 1/500
Drawing No. 23/773/10522C