SIDE ELEVATION

Reinforce using Brickforce SBF30W60 or similar approved at 300mm vertical centres in entire elevation outer leaf.

REAR ELEVATION

Reinforce using Brickforce SBF30W60 or similar approved at 150mm vertical centres where indicated in outer leaf.

300x150 art-stone pad for external light - u/s pad to be 1650 mm above d.p.c. level pad to be 300 mm from door jamb.

SIDE ELEVATION

Reinforce using Brickforce SBF30W60 or similar approved at 300mm vertical centres in entire outer leaf.

NOTE:
PLOT 13 = HANDED.

FRONT ELEVATION

Reinforce using Brickforce SBF30W60 or similar approved at 150mm vertical centres in outer leaf above and below window openings.

SEE TRAY DETAILS' DRAWING - 292/BD/TD -FOR STEPPED CAVITY TRAYS/FLASHING DETAILS.

REV C: 08/06/20: PLANNING AMENDMENTS.
REV B: 02/01/20: GENERAL AMENDMENTS.
REV A: 12/12/19: GENERAL AMENDMENTS.

Arncliffe
ARNCLIFFE HOMES LIMITED
Arncliffe House, Bramley Grange,
Thorner, Leeds LS14 3DW.
Tel: 0113 237 5900 Fax: 0113 265 4458

Proposed Residential Development

HALIFAX ROAD,

THURGOLAND.

BIRKDALE (1438)

ELEVATIONS

SCALE 1:50/1:100

DATE 12/12/2019 DRAWN IanDi

DRG. No. 292/BD/3 REV. C.