

Ordnance Survey, (c) Crown Copyright 2021. All rights reserved. Licence number 100022432

20m 100m

Location Plan 1:1250



10m 50m

Existing Site Plan 1:500



10m 50m

Proposed Site Plan 1:500



Ordnance Survey (c) Crown Copyright 2021. All rights reserved.

Rev.	Date.	Remarks
-	-	-

NOTES

ALL DIMENSIONS TO BE CHECKED ON SITE
ALL SUBJECT TO STRUCTURAL ENGINEERS CHECKS AND CALCULATIONS
TO BE READ IN CONJUNCTION WITH CONSTRUCTION SPECIFICATION
DO NOT SCALE FROM THIS DRAWING EXCEPT FOR THE PURPOSES OF LOCAL AUTHORITY PLANNING
IF ANY VARIATIONS ARE MADE TO SPECIFICATION/DRAWINGS WITHOUT DK DESIGNS KNOWLEDGE, DK DESIGNS WILL NOT BE HELD ACCOUNTABLE FOR NON COMPLIANCE OF PLANNING AND BUILDING REGULATIONS

This drawing and all the information shown is the property of DK Designs and shall not be copied whole, or in part, or used for any other purpose without written permission of the Company

DK DESIGNS
FUTURE PROJECTS TODAY
7A Haywood House, Hydra Business Park
Nether Lane
Sheffield
S35 1ZX
tel office:- 07591 206852
Web:- www.DK-Designs.co.uk
Email :- Designs@DK-Designs.co.uk

Client.
Alex Laycock

74 Clough Road, Hoyland, Barnsley
LOCATION AND SITE PLANS

Scales.	Date.
1:1250 1:50 @ A1	Nov 21
Drawing Number. 2021-170-01	Revision. -
	Drawn by. DCK/KLU

EXISTING

Front Elevation

Side Elevation

Rear Elevation



Side Elevation



Section



Ground Floor Plan

0 1 2 3 4 5

Meter's 1:100 @ A1



First Floor Plan



Second Floor Plan

Rev.	Date.	Remarks
-	-	-

Wall Key

- 100mm External Wall
- 100mm Cavity Wall - Insulation to Specification
- 100mm Internal Wall Blockwork - 22mm Dab/Plaster Board
- 100mm Stud Walls - 15mm Sound Bloc Plaster Board
- Rigid Board - Insulation to Specification
- Insulated Cavity Closer
- Level Rockwool

Materials

- Brickwork
- Render
- Tile Hanging
- Stone
- Roof Tiles

Electrical and Heating

To clients spec

- Pendant Light
- Spot Light
- External Light
- Switch. (All switches 1200mm above floor)
- Double 13 Amp sockets, 450mm min. above floor.
- Double 13 Amp sockets, 1050mm min. above floor.
- T.V aerial socket.(H.L denotes 1050mm high)
- SD Smoke detector wired permanently to a separately fused circuit.
- CD Carbon Monoxide Detector to BS EN 50291:2001
- H Heat Detector
- e.f Mechanical extract fan
- External Tap
- S External 13 Amp sockets, 450mm min. above floor.
- Radiator position.

NOTES

ALL DIMENSIONS TO BE CHECKED ON SITE

ALL SUBJECT TO STRUCTURAL ENGINEERS CHECKS AND CALCULATIONS

TO BE READ IN CONJUNCTION WITH CONSTRUCTION SPECIFICATION

DO NOT SCALE FROM THIS DRAWING EXCEPT FOR THE PURPOSES OF LOCAL AUTHORITY PLANNING

IF ANY VARIATIONS ARE MADE TO SPECIFICATION/DRAWINGS WITHOUT DK DESIGNS KNOWLEDGE, DK DESIGNS WILL NOT BE HELD ACCOUNTABLE FOR NON COMPLIANCE OF PLANNING AND BUILDING REGULATIONS

This drawing and all the information shown is the property of DK Designs and shall not be copied whole, or in part, or used for any other purpose without written permission of the Company

DK DESIGNS
FUTURE PROJECTS TODAY
7a Haywood House, Hydra Business Park
Nether Lane
Sheffield
S35 1ZX
tel office:- 07591 206852
Web:- www.DK-Designs.co.uk
Email :- Designs@DK-Designs.co.uk

Client.
Alex Laycock

74 Clough Road, Hoyland, Barnsley,
EXISTING FLOOR PLANS
& ELEVATIONS

Scales.	Date.
1:50 1:100 @ A1	Nov 21
Drawing Number.	Revision.
2021-171-02	-
	Drawn by. DCK/KLU

PROPOSED

Front Elevation

0 1 2 3 4 5

Meter's 1:100 @ A1



Side Elevation

Rear Elevation



Side Elevation



Section



Ground Floor Plan

0 1 2 3 4 5

Meter's 1:100 @ A1



First Floor Plan



Second Floor Plan

Wall Key

- 100mm External Wall
- 100mm Cavity Wall - Insulation to Specification
- 100mm Internal Wall Blockwork - 22mm Dab/Plaster Board
- 100mm Stud Walls - 15mm Sound Bloc Plaster Board
- Rigid Board - Insulation to Specification
- Insulated Cavity Closer
- Level Rockwool

Materials

- Brickwork
- Render
- Tile Hanging
- Stone
- Roof Tiles

Electrical and Heating To clients spec

- Pendant Light
- Spot Light
- External Light
- Switch. (All switches 1200mm above floor)
- Double 13 Amp sockets, 450mm min. above floor.
- Double 13 Amp sockets, 1050mm min. above floor.
- T.V aerial socket.(H.L denotes 1050mm high)
- SD Smoke detector wired permanently to a separately fused circuit.
- CD Carbon Monoxide Detector to BS EN 50291:2001
- H Heat Detector
- Mechanical extract fan e.f
- External Tap
- S External 13 Amp sockets, 450mm min. above floor.
- Radiator position.

NOTES

ALL DIMENSIONS TO BE CHECKED ON SITE

ALL SUBJECT TO STRUCTURAL ENGINEERS CHECKS AND CALCULATIONS

TO BE READ IN CONJUNCTION WITH CONSTRUCTION SPECIFICATION

DO NOT SCALE FROM THIS DRAWING EXCEPT FOR THE PURPOSES OF LOCAL AUTHORITY PLANNING

IF ANY VARIATIONS ARE MADE TO SPECIFICATION/DRAWINGS WITHOUT DK DESIGNS KNOWLEDGE, DK DESIGNS WILL NOT BE HELD ACCOUNTABLE FOR NON COMPLIANCE OF PLANNING AND BUILDING REGULATIONS

This drawing and all the information shown is the property of DK Designs and shall not be copied whole, or in part, or used for any other purpose without written permission of the Company

Rev.	Date.	Remarks
-	-	-

DK DESIGNS
FUTURE PROJECTS TODAY
7A HAYWOOD HOUSE, HYDRA BUSINESS PARK
NETHER LANE
SHEFFIELD
S35 1ZX
TEL OFFICE:- 07591 206852
WEB:- WWW.DK-DESIGNS.CO.UK
EMAIL :- DESIGNS@DK-DESIGNS.CO.UK

Client.
Alex Laycock

74 Clough Road, Hoyland, Barnsley,
PROPOSED FLOOR PLANS
& ELEVATIONS

Scales.	Date.
1:50 1:100 @ A1	Nov 21
Drawing Number.	**Revision.**	**Drawn by.**
2021-171-03	-	DCK/KLU