


General


 Specified Site
  Specified Buffer(s)
  Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg



Estimated Soil Chemistry Arsenic - Slice A




Order Details

Order Details: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




General


 Specified Site  Specified Buffer(s)  Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg



Estimated Soil Chemistry Cadmium - Slice A




Order Details

Order Details: 67251901_1_1
Customer Ref: 38506 Blythe Street, Wombwell
National Grid Reference: 439160, 403510
Slice: A
Site Area (Ha): 1.11
Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




General


 Specified Site
  Specified Buffer(s)
  Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg



Estimated Soil Chemistry Chromium - Slice A




Order Details

Order Details: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




General


 Specified Site
  Specified Buffer(s)
  Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg



Estimated Soil Chemistry Lead - Slice A




Order Details

Order Details: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




General


 Specified Site
  Specified Buffer(s)
  Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg



Estimated Soil Chemistry Nickel - Slice A




Order Details

Order Details: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell





General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry

Site Sensitivity Map - Slice A




Order Details

Order Number: 67251901_1_1
Customer Ref: 38506 Blythe Street, Wombwell
National Grid Reference: 439160, 403510
Slice: A
Site Area (Ha): 1.11
Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A



Order Details


Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID


Detailed River Network Data

- | | |
|--------------------------|-------------------------------------|
| Primary River | Extended Culvert (greater than 50m) |
| Secondary River | Underground River (inferred) |
| Tertiary River | Underground River (local knowledge) |
| Canal | Downstream of High Water Mark |
| Canal Tunnel | Downstream of Seaward Extension |
| Undefined River | Not assigned River feature |
| Lake/Reservoir | |
| Offline Drainage Feature | |

Contours (height in metres)

- Standard Contour: 105, 100, 95
- Master Contour: 105, 100, 95
- Spot Height: 167.3
- MLW: Mean Low Water
- MHW: Mean High Water

E/NRW Detailed River Network Map - Slice A



Order Details

Order Number: 67251901_1_1
Customer Ref: 38506 Blythe Street, Wombwell
National Grid Reference: 439160, 403510
Slice: A
Site Area (Ha): 1.11
Search Buffer (m): 1000

Site Details

Blythe street, Wombwell

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry

Site Sensitivity Map - Segment A13




Order Details

Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11

Site Details

Blythe street, Wombwell



Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		Administrative County, County Borough or County of City
	Municipal Borough, Urban or Rural District, Burgh or District Council		Borough, Burgh or County Constituency
	Civil Parish		
	Boundary Post or Stone		Police Station
	Church		Post Office
	Club House		Public Convenience
	Fire Engine Station		Public House
	Foot Bridge		Signal Box
	Fountain		Spring
	Guide Post		Telephone Call Box
	Mile Post		Telephone Call Post
	Mile Stone		Well


1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	Mean high water (springs)		Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	2
Yorkshire	1:10,560	1893	3
Yorkshire	1:10,560	1894	4
Yorkshire	1:10,560	1905 - 1907	5
Yorkshire	1:10,560	1931	6
Yorkshire	1:10,560	1938	7
Yorkshire	1:10,560	1938 - 1948	8
Yorkshire	1:10,560	1948	9
Ordnance Survey Plan	1:10,000	1956	10
Ordnance Survey Plan	1:10,000	1966 - 1967	11
Ordnance Survey Plan	1:10,000	1980	12
Ordnance Survey Plan	1:10,000	1989	13
10K Raster Mapping	1:10,000	2006	14
VectorMap Local	1:10,000	2015	15

Historical Map - Slice A



Order Details

Order Number: 67251901_1_1
Customer Ref: 38506 Blythe Street, Wombwell
National Grid Reference: 439160, 403510
Slice: A
Site Area (Ha): 1.11
Search Buffer (m): 1000

Site Details

Blythe street, Wombwell

Yorkshire

Published 1854 - 1855


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

27500	1854	1:10,560
28300	1855	1:10,560

Historical Map - Slice A




Order Details

Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




Yorkshire

Published 1894


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell



Yorkshire

Published 1905 - 1907


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

275SW	1907	1:10,560
283NW	1905	1:10,560

Historical Map - Slice A




Order Details

Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




Yorkshire

Published 1931


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




Yorkshire

Published 1938


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell



Yorkshire

Published 1938 - 1948


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

275SW	1938	1:10,560
283NW	1948	1:10,560

Historical Map - Slice A




Order Details

Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




Yorkshire

Published 1948


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




Ordnance Survey Plan

Published 1956


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A





Order Details

Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell





© Crown copyright and Landmark Information Group Limited 2015. All Rights Reserved.




Ordnance Survey Plan

Published 1966 - 1967


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 67251901_1_1
Customer Ref: 38506 Blythe Street, Wombwell
National Grid Reference: 439160, 403510
Slice: A
Site Area (Ha): 1.11
Search Buffer (m): 1000

Site Details

Blythe street, Wombwell



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


Ordnance Survey Plan

Published 1980


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 67251901_1_1
Customer Ref: 38506 Blythe Street, Wombwell
National Grid Reference: 439160, 403510
Slice: A
Site Area (Ha): 1.11
Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




© Crown copyright and Landmark Information Group Limited 2015. All Rights Reserved.




Ordnance Survey Plan
Published 1989
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 67251901_1_1
Customer Ref: 38506 Blythe Street, Wombwell
National Grid Reference: 439160, 403510
Slice: A
Site Area (Ha): 1.11
Search Buffer (m): 1000

Site Details

Blythe street, Wombwell



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 67251901_1_1
Customer Ref: 38506 Blythe Street, Wombwell
National Grid Reference: 439160, 403510
Slice: A
Site Area (Ha): 1.11
Search Buffer (m): 1000

Site Details

Blythe street, Wombwell




VectorMap Local

Published 2015


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 67251901_1_1
 Customer Ref: 38506 Blythe Street, Wombwell
 National Grid Reference: 439160, 403510
 Slice: A
 Site Area (Ha): 1.11
 Search Buffer (m): 1000

Site Details

Blythe street, Wombwell





Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

67251901_1_1

Customer Reference:

38506 Blythe Street, Wombwell

National Grid Reference:

439160, 403510

Slice:

A

Site Area (Ha):

1.11

Search Buffer (m):

1000

Site Details:

Blythe street

Wombwell

Client Details:

Miss K Daddo-Langlois
Eastwood & Partners Ltd
St Andrews House
23 Kingfield Road
Sheffield
S11 9AS

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	7
Hazardous Substances	-
Geological	9
Industrial Land Use	16
Sensitive Land Use	24
Data Currency	25
Data Suppliers	29
Useful Contacts	30

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In the attached datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2015. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Ove Arup Copyright Notice

The Data provided in this report was obtained on Licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The information and data supplied in the product are derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Peter Brett Associates Copyright Notice

The cavity data presented has been extracted from the PBA enhanced version of the original DEFRA national cavity databases. PBA/DEFRA retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by PBA. In no event shall PBA/DEFRA or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Report Version v49.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 1				7
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 2		1	1	7
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 4			Yes	
Pollution Incidents to Controlled Waters	pg 4				3
Prosecutions Relating to Authorised Processes					
Prosecutions Relating to Controlled Waters					
Registered Radioactive Substances					
River Quality	pg 4		1		1
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 4				(*2)
Water Industry Act Referrals					
Groundwater Vulnerability	pg 5	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 5	Yes	n/a	n/a	n/a
Superficial Aquifer Designations			n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
Detailed River Network Lines	pg 5			Yes	n/a
Detailed River Network Offline Drainage					n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 7				3
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 7				1
Local Authority Recorded Landfill Sites	pg 7				1
Registered Landfill Sites	pg 8				2
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 9	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 9	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 14				5
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
Brine Compensation Area			n/a	n/a	n/a
Coal Mining Affected Areas	pg 15	Yes	n/a	n/a	n/a
Mining Instability	pg 15	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain	pg 15	Yes		n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 15	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 15	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards				n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards				n/a	n/a
Radon Potential - Radon Affected Areas	pg 15	Yes	n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 16		3	12	67
Fuel Station Entries	pg 23			1	
Sensitive Land Use					
Areas of Adopted Green Belt	pg 24			1	
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 24	1			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Discharge Consents Operator: British Coal Corporation, South Yorks Group Property Type: Trade (Unknown/Other) Location: Mitchells Main Pumping Station, Wombwell, Barnsley, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 3756 Permit Version: 1 Effective Date: 14th December 1983 Issued Date: 14th December 1983 Revocation Date: 28th November 1994 Discharge Type: Trade Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Consent revoked: Discharge ceased (Water Resources Act 1991, Schedule 10 & 6) Positional Accuracy: Located by supplier to within 100m	A18SE (N)	513	2	439200 404100
2	Discharge Consents Operator: British Coal Corporation, South Yorks Group Property Type: Trade (Unknown/Other) Location: Mitchells Main Pumping Station, Wombwell, Barnsley, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 3756 Permit Version: 1 Effective Date: 14th December 1983 Issued Date: 14th December 1983 Revocation Date: 28th November 1994 Discharge Type: Trade Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Consent revoked: Discharge ceased (Water Resources Act 1991, Schedule 10 & 6) Positional Accuracy: Located by supplier to within 100m	A18SW (N)	516	2	439100 404100
3	Discharge Consents Operator: Mr William And Mrs Janet Wyatt Property Type: Domestic Property (Multiple) Location: 96, 98 & 100 Netherwood Road, Wombwell, Barnsley, South Yorkshire, S73 8au Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Npswqd007879 Permit Version: 1 Effective Date: 20th May 2009 Issued Date: 20th May 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Dove Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	721	2	439691 404086
3	Discharge Consents Operator: Mr Barrie And Mrs Jillian Barton Property Type: Domestic Property (Multiple) Location: 96, 98 & 100 Netherwood Road, Wombwell, Barnsley, South Yorkshire, S73 8au Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Npswqd007879 Permit Version: 1 Effective Date: 20th May 2009 Issued Date: 20th May 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Dove Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	721	2	439691 404086

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	Discharge Consents Operator: Mr David And Mrs Susan Brown Property Type: Domestic Property (Multiple) Location: 96, 98 & 100 Netherwood Road, Wombwell, Barnsley, South Yorkshire, S73 8au Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Npswqd007879 Permit Version: 1 Effective Date: 20th May 2009 Issued Date: 20th May 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: River Dove Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	721	2	439691 404086
4	Discharge Consents Operator: David John Palmer Property Type: Trade (Unknown/Other) Location: Properties At Aldham Water Mill Aldham Farm, Barnsley Road, Wombwell, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wra7726 Permit Version: 2 Effective Date: 26th July 2012 Issued Date: 26th July 2012 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Receiving Water: Land Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	911	2	438610 404310
4	Discharge Consents Operator: David John Palmer Property Type: Trade (Unknown/Other) Location: Properties At Aldham Water Mill Aldham Farm, Barnsley Road, Wombwell, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wra7726 Permit Version: 1 Effective Date: 21st May 2001 Issued Date: 21st May 2001 Revocation Date: 25th July 2012 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Receiving Water: Land Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17NE (NW)	911	2	438610 404310
5	Local Authority Pollution Prevention and Controls Name: P & L Beds Barnsley Location: Wombwell Mills, Barnsley Road, WOMBWELL, Barnsley Authority: Barnsley Metropolitan Borough Council, Environmental Health and Trading Standards Permit Reference: Epa08 Dated: 1st March 1993 Process Type: Local Authority Air Pollution Control Description: PG6/2 Manufacture of timber and wood-based products Status: Authorisation revokedRevoked Positional Accuracy: Manually positioned to the road within the address or location	A13NE (NE)	113	3	439320 403578
6	Local Authority Pollution Prevention and Controls Name: Billington Structures (Wombwell) Location: Barnsley Road, Wombwell, BARNSELEY, S73 8DS Authority: Barnsley Metropolitan Borough Council, Environmental Health and Trading Standards Permit Reference: Ppc/B/48 Dated: 30th September 1993 Process Type: Local Authority Pollution Prevention and Control Description: PG6/23 Coating of metal and plastic Status: Permitted Positional Accuracy: Located by supplier to within 10m	A18SE (N)	395	3	439206 403981

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Local Authority Pollution Prevention and Controls Name: Rimmington Garage Location: The Garage, Rimmington Road, Wombwell, Barnsley, S73 8DQ Authority: Barnsley Metropolitan Borough Council, Environmental Health and Trading Standards Permit Reference: PPC/B/64 Dated: 4th May 2006 Process Type: Local Authority Pollution Prevention and Control Description: PG1/1Waste oil burners, less than 0.4MW net rated thermal input Status: Permitted Positional Accuracy: Manually positioned to the address or location	A14SW (E)	506	3	439696 403371
8	Local Authority Pollution Prevention and Controls Name: Trend Motor Services Location: 27/29 Rimmington Road, Wombwell, Barnsley, S73 8DQ Authority: Barnsley Metropolitan Borough Council, Environmental Health and Trading Standards Permit Reference: PPC/B/108 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG1/1Waste oil burners, less than 0.4MW net rated thermal input Status: Permitted Positional Accuracy: Manually positioned to the address or location	A14SW (E)	550	3	439723 403315
9	Local Authority Pollution Prevention and Controls Name: Larrys Tyres Exhaust & Mot Centre Location: Littlefield Lane, Wombwell, Barnsley, S73 8DF Authority: Barnsley Metropolitan Borough Council, Environmental Health and Trading Standards Permit Reference: PPC/B/79 Dated: 19th October 2006 Process Type: Local Authority Pollution Prevention and Control Description: PG1/1Waste oil burners, less than 0.4MW net rated thermal input Status: Site Closed Positional Accuracy: Located by supplier to within 10m	A14SE (E)	678	3	439863 403328
10	Local Authority Pollution Prevention and Controls Name: Berrys Dry Cleaners Location: 66 High Street, Wombell, Barnsley, S73 8da Authority: Barnsley Metropolitan Borough Council, Environmental Health and Trading Standards Permit Reference: ppc/b/83 Dated: 11th October 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: Permitted Positional Accuracy: Manually positioned to the address or location	A9NE (SE)	769	3	439873 403106
11	Local Authority Pollution Prevention and Controls Name: Perfecta Bedding Location: Wombwell Mills, Barnsley Road, Wombwell, BARNSLEY, South Yorkshire, S73 8EA Authority: Barnsley Metropolitan Borough Council, Environmental Health and Trading Standards Permit Reference: Not Given Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG6/2 Manufacture of timber and wood-based products Status: Authorisation revokedRevoked Positional Accuracy: Manually positioned to the address or location	A17NE (NW)	850	3	438700 404300
12	Local Authority Pollution Prevention and Controls Name: Galglass Ltd Location: 321 Hough Lane, Wombwell, Barnsley, S73 0LR Authority: Barnsley Metropolitan Borough Council, Environmental Health and Trading Standards Permit Reference: PPC/B/128 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG6/31 Powder coating processes (including sheradizing) Status: Permitted Positional Accuracy: Manually positioned to the address or location	A8SW (S)	928	3	439003 402517
13	Local Authority Pollution Prevention and Controls Name: Snazzys Dry Cleaners Location: 7 High Street, Wombwell, Barnsley, S73 0DA Authority: Barnsley Metropolitan Borough Council, Environmental Health and Trading Standards Permit Reference: PPC/B/77 Dated: 22nd August 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: Permitted Positional Accuracy: Manually positioned to the address or location	A9NE (SE)	982	3	440034 402959

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Nearest Surface Water Feature	A18SE (NE)	357	-	439326 403906
14	Pollution Incidents to Controlled Waters Property Type: Highway/Car Park Location: Netherwood Brdg/Aldham A633 Dove(S) 03 Authority: Environment Agency, North East Region Pollutant: Oils - Petrol Note: Not Supplied Incident Date: 21st January 1994 Incident Reference: 150145 Catchment Area: Not Given Receiving Water: No Pollution Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18SW (N)	538	2	439000 404100
15	Pollution Incidents to Controlled Waters Property Type: Fire Water Location: Bulling Dyke At, Littlefield Lane Authority: Environment Agency, North East Region Pollutant: Oils - Vegetable Oil Note: Fish Killed: No Information Incident Date: 25th July 1997 Incident Reference: SH970356 Catchment Area: Dearne Tributaries Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	789	2	440001 403601
16	Pollution Incidents to Controlled Waters Property Type: Engineering Location: Bulling Dyke Authority: Environment Agency, North East Region Pollutant: Unknown Note: No Fish Killed Incident Date: 31st May 1995 Incident Reference: SH950088 Catchment Area: Dearne Tributaries Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A9NE (SE)	977	2	440100 403100
	River Quality Name: River_Dove GQA Grade: River Quality B Reach: Blacker_Dyke_Wombwell_St Estimated Distance (km): 1 Flow Rate: Flow less than 0.62 cumecs Flow Type: River Year: 2000	A13NE (N)	12	2	439151 403599
	River Quality Name: River_Dove GQA Grade: River Quality C Reach: Wombwell_Stw_River_Dearn Estimated Distance (km): 6.1 Flow Rate: Flow less than 0.62 cumecs Flow Type: River Year: 2000	A19SW (NE)	749	2	439738 404078
	Water Abstractions Operator: British Coal Licence Number: 2/27/08/015 Permit Version: Not Supplied Location: Location Description Not Available Authority: Environment Agency, North East Region Abstraction: General Industrial Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): 1309 Yearly Rate (m3): 395502 Details: Licence Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A15NW (E)	1010	2	440190 403800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Low Laithes Dairy Farm Ltd Licence Number: 2/27/08/029 Permit Version: 100 Location: Spring No2 - Low Laithes Authority: Environment Agency, North East Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Low Laithes, Ardsley, Barnsley Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 9th January 1990 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A23NW (N)	1514	2	439100 405100
	Groundwater Vulnerability Soil Classification: Soils of High Leaching Potential (U) - Soil information for restored mineral workings and urban areas is based on fewer observations than elsewhere. A worst case vulnerability classification (H) assumed, until proved otherwise Map Sheet: Sheet 11 South Pennines Scale: 1:100,000	A13SE (NW)	0	2	439155 403507
	Drift Deposits None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A13SE (NW)	0	4	439155 403507
	Superficial Aquifer Designations No Data Available				
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
17	Detailed River Network Lines River Type: Secondary River River Name: Canal (disused) Hydrographic Area: D004 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Not a Drain Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	A18SE (NE)	359	2	439327 403908
18	Detailed River Network Lines River Type: Tertiary River River Name: Drain Hydrographic Area: D004 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Drain (ditch, Reen, Rhyne, Drain) Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	A19SW (NE)	463	2	439557 403852

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	Detailed River Network Lines River Type: Secondary River River Name: Drain Hydrographic Area: D004 River Flow Type: Primary Flow Path River Surface Level: Surface Drain Feature: Drain (ditch, Reen, Rhyne, Drain) Flood Risk: Other Rivers Management Status: Water Course: Not Supplied Name: Water Course: Not Supplied Reference:	A18SE (NE)	489	2	439420 404004
	Detailed River Network Offline Drainage None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
20	Historical Landfill Sites Licence Holder: Mr C Bell Location: Church Road, North Ferriby Name: North Ferriby Tip Operator Location: Eastgate, Beverley Boundary Accuracy: As Supplied Provider Reference: EAHLD04398 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert, Industrial, Commercial and Household Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: Not Supplied Other Ref: 55/30/10, 4400/41B61	A14SW (E)	513	2	439701 403363
21	Historical Landfill Sites Licence Holder: J L F Civil Engineering Limited Location: Wombell, Barnsley Name: Disused canal between Station Road and Littlefield Road Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD04877 First Input Date: 26th September 1988 Last Input Date: 22nd April 1993 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 4400/0458 BGS Ref: Not Supplied Other Ref: WD2 B19, WD20 B609, 4400/B609, 20B609(56)	A14SE (E)	652	2	439841 403346
22	Historical Landfill Sites Licence Holder: Barnsley Metropolitan Borough Council Location: Wombwell, Barnsley Name: Disused Canal between Littlefield Lane and Station Road Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD04876 First Input Date: 31st December 1988 Last Input Date: 30th November 1990 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 4400/0572 BGS Ref: Not Supplied Other Ref: WD2 B17, 4400/B17	A14SE (E)	826	2	440000 403269
23	Licensed Waste Management Facilities (Locations) Licence Number: 103467 Location: Mitchell's Enterprise Park, Bradbury Balk Lane, Wombwell, Barnsley, South Yorks, S73 8HR Operator Name: G B Cullet Ltd Operator Location: Not Supplied Authority: Environment Agency - North East Region, Yorkshire Area Site Category: Physical Treatment Facilities Licence Status: Issued Issued: 28th February 2013 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18SE (N)	563	2	439200 404150
	Local Authority Landfill Coverage Name: Barnsley Metropolitan Borough Council - Has supplied landfill data		0	3	439155 403507
24	Local Authority Recorded Landfill Sites Location: Not Supplied Reference: 56 Authority: Barnsley Metropolitan Borough Council, Environmental Health and Trading Standards Last Reported Status: Unknown Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	A14SE (E)	665	3	439853 403341

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
25	Registered Landfill Sites Licence Holder: J.L.F. Civil Engineering Ltd Licence Reference: WD20 B 609 (WD2 B17) Site Location: Disused Canal At Station Road /, Littlefield Lane, Wombwell, Barnsley, South Yorkshire Licence Easting: 440000 Licence Northing: 403250 Operator Location: Stanney Mill Road, Little Stanney, CHESTER, Cheshire, CH2 4HX Authority: Environment Agency - North East Region, Ridings Area Site Category: Landfill Max Input Rate: Undefined Waste Source: Waste produced/controlled by licence holder Restrictions: Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 1st March 1988 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Clean Excavation Spoil Ex R'Ly Embank.	A14SE (E)	832	2	440000 403250
25	Registered Landfill Sites Licence Holder: Barnsley M.B.C. Licence Reference: WD 2 B17 Site Location: Wombwell Canal & Aldham Embankment, Wombwell, Barnsley, South Yorkshire Licence Easting: 440000 Licence Northing: 403250 Operator Location: Central Offices, Kendray Street, Barnsley, South Yorkshire Authority: Environment Agency - North East Region, Ridings Area Site Category: Landfill Max Input Rate: Undefined Waste Source: No known restriction on source of waste Restrictions: Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 1st March 1988 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Clean Excav. Spoil Ex Aldham Embankment	A14SE (E)	832	2	440000 403250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	A13SE (NW)	0	4	439155 403507
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A13SE (NW)	0	4	439155 403507
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A13SW (W)	85	4	439000 403507
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A14NW (NE)	387	4	439503 403800
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: <15 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 40 - 60 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18SE (N)	412	4	439155 404000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8NE (S)	430	4	439155 403000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: <15 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18SW (N)	444	4	439000 404000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A18SE (N)	451	4	439347 404000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A8NW (S)	462	4	439000 403000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A19SW (NE)	494	4	439601 403848
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A12SE (SW)	510	4	438630 403249
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A19SW (NE)	540	4	439515 404000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A7NE (SW)	570	4	438777 403000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12SE (SW)	602	4	438536 403232
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A7NE (SW)	642	4	438728 402946
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A12SE (SW)	653	4	438488 403217
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A7NE (SW)	682	4	438600 403000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A18NW (N)	765	4	439000 404335
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A14SE (E)	785	4	440000 403507

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A17SE (NW)	792	4	438485 404000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A14SE (E)	805	4	440000 403354
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: <15 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A14SE (E)	812	4	440000 403321
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A8SW (S)	817	4	439000 402631
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: <15 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A17SW (NW)	877	4	438380 404000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A7SE (SW)	887	4	438532 402786

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A14SE (E)	888	4	440070 403287
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: <15 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A17NE (NW)	896	4	438664 404331
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A19SE (NE)	911	4	440000 404000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A12SW (W)	911	4	438198 403272
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A17SW (NW)	914	4	438334 404000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <150 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A9NE (SE)	932	4	440000 403000

