

Appendix 6.1

VP Survey Secondary Species Results (Keystone Ecology, 2012)

Values are maximum birds counted during a single 15 minute period on each date.

Breeding Season – Total 6 hours

| Species | Status | Survey Date | | Peak Count (Max flock count on single visit) |
|--------------------------|-----------------|-------------|------------|--|
| | | 31/07/2012 | 01/08/2012 | Both Dates |
| Black-headed Gull | Amber | 13 | 1 | 11 |
| Linnet | EBL/UK BAP, Red | 7 | 20 | 7 |
| Lesser Black-backed Gull | Amber | 3 | 2 | 1 |
| Meadow Pipit | Amber | 2 | 17 | 4 |
| Swallow | Amber | 166 | 416 | 65 |
| Swift | Amber | - | 1 | 1 |
| Yellowhammer | EBL/UK BAP, Red | 2 | - | 1 |

Status abbreviations:

EBL/UKBAP – England Biodiversity List/UK Biodiversity Action Plan Priority Species:

Red/Amber – Birds of Conservation Concern Status (Eaton et al., 2009)

| Species | Status | Survey Date | | Peak Count (Max flock count on single visit) |
|--------------------------|-----------------|-------------|------------|--|
| | | 05/11/2012 | 12/11/2012 | Both Dates |
| Black-headed Gull | Amber | 142 | 15 | 60 |
| Common Gull | Amber | 2 | - | 1 |
| Fieldfare | S1, Red | - | 3 | 2 |
| Great Black-backed Gull | Amber | 1 | - | 1 |
| Grey Wagtail | Amber | 1 | - | 1 |
| Lesser Black-backed Gull | Amber | 1 | - | 1 |
| Meadow Pipit | Amber | 1 | 1 | 1 |
| Redwing | S1, Red | - | 17 | 12 |
| Skylark | EBL/UK BAP, Red | 1 | - | 1 |
| Starling | EBL/UK BAP, Red | 5 | 44 | 18 |
| Stock Dove | Amber | 1 | - | 1 |

Appendix 6.2

Site Species List (all breeding season surveys combined)

| Species | Location | Comments |
|--------------------------|--------------|--|
| Blackbird | On site | Regularly seen, possibly breeding |
| Black-headed Gull | Over site | Occasionally seen from VP |
| Blue Tit | On site | Occasionally seen, possibly breeding |
| Bullfinch | On site | Rarely seen, possibly breeding |
| Buzzard | On/Over site | Rarely seen, possible breeding |
| Carrion Crow | On site | Rarely seen, possibly breeding |
| Chaffinch | On site | Regularly seen, possibly breeding |
| Dunnock | On site | Rarely seen, possible breeding |
| Goldcrest | On site | Rarely seen, possibly breeding |
| Goldfinch | On site | Occasionally seen, possibly breeding |
| Green Woodpecker | On site | Rarely seen, possibly breeding |
| Jackdaw | On site | Regularly seen, possibly breeding |
| Jay | On site | Regularly seen, possibly breeding |
| Lapwing | On/Over site | Regularly seen from VP |
| Lesser black-backed Gull | Over site | Occasionally seen flying over site from VP |
| Linnet | On site | Regularly seen, probably breeding |
| Mallard | On site | Seen once from VP |
| Nuthatch | On site | Rarely seen, possibly breeding |
| Pied Wagtail | On site | Rarely seen, possibly breeding |
| Robin | On site | Regularly seen, possibly breeding |
| Rook | On/Over site | Regularly seen from VP |
| Skylark | On site | Rarely seen, possibly breeding |
| Song Thrush | On site | Seen once from VP, possibly breeding |
| Swallow | On/Over site | Very regularly seen over site, possibly breeding |
| Swift | Over site | Rarely seen over site |
| Whitethroat | On site | Rarely seen, possibly breeding |
| Willow Warbler | On site | Occasionally seen, possibly breeding |
| Woodpigeon | On/Over site | Regularly seen, possibly breeding |
| Wren | On site | Regularly heard/seen, possibly breeding |
| Yellowhammer | On site | Occasionally seen, possibly breeding |

Site Species List (all non breeding season surveys combined)

| Species | Location | Comments |
|--------------------------|---------------|--|
| Blackbird | On site | Rarely seen during VP surveys |
| Black-headed Gull | Over site | Regularly seen from VP |
| Carrion Crow | On/Over site | Regularly seen from VP |
| Chaffinch | On site | Occasionally seen |
| Fieldfare | Over site | Rarely seen from VP |
| Golden Plover | Adjacent Land | 10-12 present on edge of 500 metre buffer to the north and on adjacent land |
| Great Black-backed Gull | Over site | Seen once over site |
| Grey Wagtail | Over site | Seen once over site |
| Herring Gull | Over site | Seen on two occasions over site |
| Jackdaw | On/Over site | Regularly seen from VP |
| Kestrel | Over site | Rarely seen from VP |
| Lapwing | Over site | Occasionally seen from VP. 600-700 present on edge of 500 metre buffer to the north and on adjacent land |
| Lesser Black-backed Gull | Over site | Seen once from VP |
| Magpie | Over site | Regularly seen from VP |
| Mallard | On/Over site | Occasionally seen from VP. Group of 10 flushed during Field Count |
| Meadow Pipit | On site | Occasionally seen from VP |
| Pied Wagtail | Over site | Occasionally seen from VP |
| Redwing | Over site | Occasionally seen flying over site from VP |
| Rook | On/Over site | Regularly seen from VP |
| Skylark | Over site | Seen once from VP |
| Starling | Over site | Regularly seen from VP |
| Stock Dove | Over site | Seen once from VP |
| Woodpigeon | Over site | Regularly seen from VP |