

Air Quality Assessment

Dearne Valley Parkway, Barnsley

Client: Gregory Property Group

Reference: 4248r2

Date: 29th March 2021



Report Issue

Report Title: Air Quality Assessment - Dearne Valley Parkway, Barnsley

Report Reference: 4248

Field	Report Version			
	1	2	3	4
Prepared by	Alicia Dale	Alicia Dale		
Position	Air Quality Consultant	Air Quality Consultant		
Reviewed by	Liam Shelmerdine	Liam Shelmerdine		
Position	Air Quality Consultant	Air Quality Consultant		
Reviewed by	Jethro Redmore	Jethro Redmore		
Position	Director	Director		
Date of Issue	12 th March 2021	29 th March 2021		
Comment	Draft for comment	Updated traffic data		

Taylor Road, Urmston, Manchester, M41 7JQ

info@red-env.co.uk | 0161 706 0075 | www.red-env.co.uk

This report has been prepared by Redmore Environmental Ltd in accordance with the agreed terms and conditions of appointment. Redmore Environmental Ltd cannot accept any responsibility for any use of or reliance on the contents of this report by any third party.

Executive Summary

Redmore Environmental Ltd was commissioned by Gregory Property Group to undertake an Air Quality Assessment in support of a proposed industrial development on land off Dearne Valley Parkway, Barnsley.

The proposals have the potential to cause air quality impacts as a result of fugitive dust emissions during construction and road traffic exhaust emissions associated with vehicles travelling to and from the site during operation. As such, an Air Quality Assessment was undertaken in order to determine baseline conditions and assess potential effects as a result of the scheme.

Potential construction phase air quality impacts from fugitive dust emissions were assessed as a result of earthworks, construction and trackout activities. It is considered that the use of good practice control measures would provide suitable mitigation for a development of this size and nature and reduce potential impacts to an acceptable level.

Potential impacts during the operational phase of the proposals may occur due to road traffic exhaust emissions associated with vehicles travelling to and from the site. Dispersion modelling was therefore undertaken in order to predict pollutant concentrations at sensitive locations as a result of emissions from the local highway network both with and without the development in place. Results were subsequently verified using local monitoring data.

Review of the dispersion modelling results indicated that predicted air quality impacts as a result of traffic generated by the development were not significant at any sensitive location in the vicinity of the site.

Based on the assessment results, air quality factors are not considered a constraint to planning consent for the development.

Table of Contents

1.0	INTRODUCTION	1
1.1	Background	1
1.2	Site Location and Context	1
2.0	LEGISLATION AND POLICY	2
2.1	UK Legislation	2
2.2	Local Air Quality Management	4
2.3	Dust	4
2.4	National Planning Policy	5
2.5	National Planning Practice Guidance	6
2.6	Local Planning Policy	7
3.0	METHODOLOGY	9
3.1	Introduction	9
3.2	Construction Phase Assessment	9
	Step 1	10
	Step 2	10
	Step 3	15
	Step 4	16
3.3	Operational Phase Assessment	16
4.0	BASELINE	19
4.1	Introduction	19
4.2	Local Air Quality Management	19
4.3	Air Quality Monitoring	19
4.4	Background Pollutant Concentrations	20
4.5	Sensitive Receptors	21
	Construction Phase Sensitive Receptors	21
	Operational Phase Sensitive Receptors	23
5.0	ASSESSMENT	25
5.1	Introduction	25
5.2	Construction Phase Assessment	25
	Step 1	25
	Step 2	25
	Step 3	27
	Step 4	29
5.3	Operational Phase Assessment	29

Predicted Concentrations	30
Predicted Impacts	34
Overall Impact Significance	37
BMBC Technical Planning Guidance	38
6.0 CONCLUSION	40
7.0 ABBREVIATIONS	41

Appendices

Appendix 1 - Assessment Input Data

Appendix 2 - Curricula Vitae

1.0 INTRODUCTION

1.1 Background

- 1.1.1 Redmore Environmental Ltd was commissioned by Gregory Property Group to undertake an Air Quality Assessment in support of a proposed industrial development on land off Dearne Valley Parkway, Barnsley.
- 1.1.2 The proposed development has the potential to cause air quality impacts at sensitive locations during the construction and operational phases. As such, an Air Quality Assessment was undertaken in order to determine baseline conditions and assess potential effects associated with the scheme.

1.2 Site Location and Context

- 1.2.1 The site is located on land off Dearne Valley Parkway, Barnsley, S70 5SZ, at approximate National Grid Reference (NGR): 435186, 400770. Reference should be made to Figure 1 for a map of the site and surrounding area.
- 1.2.2 The proposals comprise the construction of 3 industrial units with associated infrastructure and car parking.
- 1.2.3 The development has the potential to cause air quality impacts at sensitive locations. These may include fugitive dust emissions associated with construction works and road traffic exhaust emissions from vehicles travelling to and from the site during the operational phase. An Air Quality Assessment was therefore undertaken in order to determine baseline conditions and assess potential effects as a result of the proposals. This is detailed in the following report.

2.0 LEGISLATION AND POLICY

2.1 UK Legislation

2.1.1 The Air Quality Standards Regulations (2010) came into force on 11th June 2010 and include Air Quality Limit Values (AQLVs) for the following pollutants:

- Nitrogen dioxide (NO₂);
- Sulphur dioxide;
- Lead;
- Particulate matter with an aerodynamic diameter of less than 10µm (PM₁₀);
- Particulate matter with an aerodynamic diameter of less than 2.5µm (PM_{2.5});
- Benzene; and,
- Carbon monoxide.

2.1.2 Air Quality Target Values (AQTVs) were also provided for several additional pollutants.

2.1.3 Part IV of the Environment Act (1995) requires UK government to produce a national Air Quality Strategy (AQS) which contains standards, objectives and measures for improving ambient air quality. The most recent AQS was produced by the Department for Environment, Food and Rural Affairs (DEFRA) and published in July 2007¹. The AQS sets out Air Quality Objectives (AQOs) that are maximum ambient pollutant concentrations that are not to be exceeded either without exception or with a permitted number of exceedences over a specified timescale. These are generally in line with the AQLVs, although the requirements for the determination of compliance vary.

2.1.4 Table 1 presents the AQOs for pollutants considered within this assessment.

Table 1 Air Quality Objectives

Pollutant	Air Quality Objective	
	Concentration (µg/m ³)	Averaging Period
NO ₂	40	Annual mean

¹ The AQS for England, Scotland, Wales and Northern Ireland, DEFRA, 2007.

Pollutant	Air Quality Objective	
	Concentration ($\mu\text{g}/\text{m}^3$)	Averaging Period
	200	1-hour mean, not to be exceeded on more than 18 occasions per annum
PM ₁₀	40	Annual mean
	50	24-hour mean, not to be exceeded on more than 35 occasions per annum

2.1.5 Table 2 presents the AQTV considered within this assessment.

Table 2 Air Quality Target Value

Pollutant	Air Quality Target Values	
	Concentration ($\mu\text{g}/\text{m}^3$)	Averaging Period
PM _{2.5}	25	Annual mean

2.1.6 Table 3 summarises the advice provided in DEFRA guidance² on where the AQOs for pollutants considered within this report apply.

Table 3 Examples of Where the Air Quality Objectives Apply

Averaging Period	Objective Should Apply At	Objective Should Not Apply At
Annual mean	All locations where members of the public might be regularly exposed Building façades of residential properties, schools, hospitals, care homes etc.	Building façades of offices or other places of work where members of the public do not have regular access Hotels, unless people live there as their permanent residence Gardens of residential properties Kerbside sites (as opposed to locations at the building façade), or any other location where public exposure is expected to be short term
24-hour mean	All locations where the annual mean objective would apply, together with hotels Gardens of residential properties	Kerbside sites (as opposed to locations at the building façade), or any other location where public exposure is expected to be short term

² Local Air Quality Management Technical Guidance (TG16), DEFRA, 2018.

Averaging Period	Objective Should Apply At	Objective Should Not Apply At
1-hour mean	All locations where the annual mean and 24 and 8-hour mean objectives apply. Kerbside sites (for example, pavements of busy shopping streets) Those parts of car parks, bus stations and railway stations etc which are not fully enclosed, where members of the public might reasonably be expected to spend one hour or more Any outdoor locations where members of the public might reasonably be expected to spend one hour or longer	Kerbside sites where the public would not be expected to have regular access

2.2 **Local Air Quality Management**

2.2.1 Under Section 82 of the Environment Act (1995) (Part IV) Local Authorities (LAs) are required to periodically review and assess air quality within their area of jurisdiction under the system of Local Air Quality Management (LAQM). This review and assessment of air quality involves comparing present and likely future pollutant concentrations against the AQOs. If it is predicted that levels at locations of relevant exposure, as summarised in Table 3, are likely to be exceeded, the LA is required to declare an Air Quality Management Area (AQMA). For each AQMA the LA is required to produce an Air Quality Action Plan (AQAP), the objective of which is to reduce pollutant concentrations in pursuit of the AQOs.

2.3 **Dust**

2.3.1 The main requirements with respect to dust control from industrial or trade premises not regulated under the Environmental Permitting (England and Wales) Regulations (2016) and subsequent amendments, such as construction sites, is that provided in Section 79 of Part III of the Environmental Protection Act (1990). The Act defines nuisance as:

"any dust, steam, smell or other effluvia arising on industrial, trade or business premises and being prejudicial to health or a nuisance."

2.3.2 Enforcement of the Act, in regard to nuisance, is currently under the jurisdiction of the local Environmental Health Department, whose officers are deemed to provide an independent evaluation of nuisance. If the LA is satisfied that a statutory nuisance exists,

or is likely to occur or happen again, it must serve an Abatement Notice under Part III of the Environmental Protection Act (1990). The only defence is to show that the process to which the nuisance has been attributed and its operation are being controlled according to best practicable means.

2.4 National Planning Policy

2.4.1 The revised National Planning Policy Framework³ (NPPF) was published in February 2019 and sets out the Government's planning policies for England and how these are expected to be applied.

2.4.2 The purpose of the planning system is to contribute to the achievement of sustainable development. In order to ensure this, the NPPF recognises three overarching objectives, including the following of relevance to air quality:

"c) An environmental objective - to contribute to protecting and enhancing our natural, built and historic environment; including making effective use of land, helping to improve biodiversity, using natural resources prudently, minimising waste and pollution, and mitigating and adapting to climate change, including moving to a low carbon economy."

2.4.3 Chapter 15 of the NPPF details objectives in relation to conserving and enhancing the natural environment. It states that:

"Planning policies and decisions should contribute to and enhance the natural and local environment by:

[...]

e) preventing new and existing development from contributing to, being put at unacceptable risk from, or being adversely affected by, unacceptable levels of soil, air, water or noise pollution or land instability. Development should, wherever possible, help to improve local environmental conditions such as air and water quality [...]"

³ NPPF, Ministry of Housing, Communities and Local Government, 2019.

- 2.4.4 The NPPF specifically recognises air quality as part of delivering sustainable development and states that:

"Planning policies and decisions should sustain and contribute towards compliance with relevant limit values or national objectives for pollutants, taking into account the presence of Air Quality Management Areas and Clean Air Zones, and the cumulative impacts from individual sites in local areas. Opportunities to improve air quality or mitigate impacts should be identified, such as through traffic and travel management, and green infrastructure provision and enhancement. So far as possible these opportunities should be considered at the plan-making stage, to ensure a strategic approach and limit the need for issues to be reconsidered when determining individual applications. Planning decisions should ensure that any new development in Air Quality Management Areas and Clean Air Zones is consistent with the local air quality action plan."

- 2.4.5 The implications of the NPPF have been considered throughout this assessment.

2.5 National Planning Practice Guidance

- 2.5.1 The National Planning Practice Guidance⁴ (NPPG) web-based resource was launched by the Department for Communities and Local Government on 6th March 2014 and updated on 1st November 2019 to support the NPPF and make it more accessible. The air quality pages are summarised under the following headings:

1. What air quality considerations does planning need to address?
2. What is the role of plan-making with regard to air quality?
3. Are air quality concerns relevant to neighbourhood planning?
4. What information is available about air quality?
5. When could air quality considerations be relevant to the development management process?
6. What specific issues may need to be considered when assessing air quality impacts?
7. How detailed does an air quality assessment need to be?
8. How can an impact on air quality be mitigated?

⁴ <https://www.gov.uk/guidance/air-quality--3>.

2.5.2 These were reviewed and the relevant guidance considered as necessary throughout the undertaking of this assessment.

2.6 Local Planning Policy

2.6.1 The Barnsley Metropolitan Borough Council (BMBC) Local Plan⁵ sets out the planning framework for the borough up to the year 2033.

2.6.2 A review of the document indicated the following policy in relation to air quality that is relevant to this assessment:

"Policy GD1 General Development

Proposals for development will be approved if:

[...]

Any adverse impact on the environment, natural resources, waste and pollution is minimised and mitigated;

[...]."

"Policy Poll1 Pollution Control and Protection

Development will be expected to demonstrate that it is not likely to result, directly or indirectly, in an increase in air, surface water and groundwater, noise, smell, dust, vibration, light or other pollution which would unacceptably affect or cause a nuisance to the natural and built environment or to people.

We will not allow development of new housing or other environmentally sensitive development where existing air pollution, noise, smell, dust, vibration, light or other pollution levels are unacceptable and there is no reasonable prospect that these can be mitigated against.

⁵ BMBC, Barnsley Local Plan. 2019

Developers will be expected to minimise the effects of any possible pollution and provide mitigation measures where appropriate."

2.6.3 Policy AQ1 discusses development which may affect AQMAs:

"Development which impacts on areas sensitive to air pollution in air quality management areas will be expected to demonstrate that it will not have a harmful effect on the health or living conditions of any future users of the development in terms of air quality (including residents, employees, visitors and customers), taking into account any suitable and proportionate mitigation required for the development.

We will only allow residential development which impacts on areas sensitive to air pollution, where the developer provides an assessment that shows living conditions will be acceptable for future residents, subject to any required mitigation.

We will only allow development which impacts on areas sensitive to air pollution which could cause more air pollution, where the developer provides an assessment that shows there will not be a significantly harmful effect on air quality, subject to any required mitigation.

Furthermore, development which impacts on areas sensitive to air pollution due to traffic emissions will be expected to demonstrate suitable and proportionate mitigation relative to the increased traffic emissions generated by the development."

2.6.4 The implications of the above policies were taken into consideration throughout the undertaking of the assessment.

3.0 METHODOLOGY

3.1 Introduction

3.1.1 The proposed development has the potential to cause air quality impacts during the construction and operational phases. These have been assessed in accordance with the following methodology, which was agreed with Chris Shields, Technical Officer (Pollution Control), Regulatory Services at BMBC, on 9th March 2021.

3.2 Construction Phase Assessment

3.2.1 There is the potential for fugitive dust emissions to occur as a result of construction phase activities. These have been assessed in accordance with the methodology outlined within the Institute of Air Quality Management (IAQM) document 'Guidance on the Assessment of Dust from Demolition and Construction V1.1'⁶.

3.2.2 Activities on the proposed construction site have been divided into three types to reflect their different potential impacts. These are:

- Earthworks;
- Construction; and,
- Trackout.

3.2.3 The potential for dust emissions was assessed for each activity that is likely to take place and considered three separate dust effects:

- Annoyance due to dust soiling;
- Harm to ecological receptors; and,
- The risk of health effects due to a significant increase in exposure to PM₁₀.

3.2.4 The assessment steps are detailed below.

⁶ Guidance on the Assessment of Dust from Demolition and Construction V1.1, IAQM, 2016.

Step 1

- 3.2.5 Step 1 screens the requirement for a more detailed assessment. Should human receptors be identified within 350m from the boundary or 50m from the construction vehicle route up to 500m from the site entrance, then the assessment proceeds to Step 2. Additionally, should ecological receptors be identified within 50m of the site or the construction vehicle route up to 500m from the site entrance, then the assessment also proceeds to Step 2.
- 3.2.6 Should sensitive receptors not be present within the relevant distances then **negligible** impacts would be expected and further assessment is not necessary.

Step 2

- 3.2.7 Step 2 assesses the risk of potential dust impacts. A site is allocated a risk category based on two factors:
- The scale and nature of the works, which determines the magnitude of dust arising as: small, medium or large (Step 2A); and,
 - The sensitivity of the area to dust impacts, which can be defined as low, medium or high sensitivity (Step 2B).
- 3.2.8 The two factors are combined in Step 2C to determine the risk of dust impacts without mitigation applied.
- 3.2.9 Step 2A defines the potential magnitude of dust emission through the construction phase. The relevant criteria are summarised in Table 4.

Table 4 Construction Dust - Magnitude of Emission

Magnitude	Activity	Criteria
Large	Earthworks	• Total site area greater than 10,000m² • Potentially dusty soil type (e.g. clay, which will be prone to suspension when dry due to small particle size) • More than 10 heavy earth moving vehicles active at any one time • Formation of bunds greater than 8m in height • More than 100,000 tonnes of material moved

Magnitude	Activity	Criteria
	Construction	- Total building volume greater than 100,000m³ - On site concrete batching - Sandblasting
	Trackout	- More than 50 Heavy Duty Vehicle (HDV) trips per day - Potentially dusty surface material (e.g. high clay content) - Unpaved road length greater than 100m
Medium	Earthworks	- Total site area 2,500m² to 10,000m² - Moderately dusty soil type (e.g. silt) 5 to 10 heavy earth moving vehicles active at any one time - Formation of bunds 4m to 8m in height - Total material moved 20,000 tonnes to 100,000 tonnes
	Construction	- Total building volume 25,000m³ to 100,000m³ - Potentially dusty construction material (e.g. concrete) - On site concrete batching
	Trackout	10 to 50 HDV trips per day - Moderately dusty surface material (e.g. high clay content) - Unpaved road length 50m to 100m
Small	Earthworks	- Total site area less than 2,500m² - Soil type with large grain size (e.g. sand) - Less than 5 heavy earth moving vehicles active at any one time - Formation of bunds less than 4m in height - Total material moved less than 20,000 tonnes - Earthworks during wetter months
	Construction	- Total building volume less than 25,000m³ - Construction material with low potential for dust release (e.g. metal cladding or timber)
	Trackout	- Less than 10 HDV trips per day - Surface material with low potential for dust release - Unpaved road length less than 50m

3.2.16 Step 2B defines the sensitivity of the area around the development to potential dust impacts. The influencing factors are shown in Table 5.

Table 5 Construction Dust - Examples of Factors Defining Sensitivity of an Area

Receptor Sensitivity	Examples	
	Human Receptors	Ecological Receptors
High	• Users expect high levels of amenity • High aesthetic or value property • People expected to be present continuously for extended periods of time • Locations where members of the public are exposed over a time period relevant to the AQO for PM₁₀. e.g. residential properties, hospitals, schools and residential care homes	• Internationally or nationally designated site e.g. Special Area of Conservation
Medium	• Users would expect to enjoy a reasonable level of amenity • Aesthetics or value of their property could be diminished by soiling • People or property wouldn't reasonably be expected to be present here continuously or regularly for extended periods as part of the normal pattern of use of the land e.g. parks and places of work	• Nationally designated site e.g. Sites of Special Scientific Interest
Low	• Enjoyment of amenity would not reasonably be expected • Property would not be expected to be diminished in appearance • Transient exposure, where people would only be expected to be present for limited periods. e.g. public footpaths, playing fields, shopping streets, farmland, short term car parks and roads	• Locally designated site e.g. Local Nature Reserve (LNR)

3.2.17 The guidance also provides the following factors to consider when determining the sensitivity of an area to potential dust impacts:

- Any history of dust generating activities in the area;
- The likelihood of concurrent dust generating activity on nearby sites;
- Any pre-existing screening between the source and receptors;
- Any conclusions drawn from analysing local meteorological data which accurately represent the area; and if relevant the season during which works will take place;
- Any conclusions drawn from local topography;
- Duration of the potential impact, as a receptor may become more sensitive over time; and,

- Any known specific receptor sensitivities which go beyond the classifications given in the document.

3.2.18 These factors were considered in the undertaking of this assessment.

3.2.19 The criteria for determining the sensitivity of the area to dust soiling effects on people and property is summarised in Table 6.

Table 6 Construction Dust - Sensitivity of the Area to Dust Soiling Effects on People and Property

Receptor Sensitivity	Number of Receptors	Distance from the Source (m)			
		Less than 20	Less than 50	Less than 100	Less than 350
High	More than 100	High	High	Medium	Low
	10 - 100	High	Medium	Low	Low
	1 - 10	Medium	Low	Low	Low
Medium	More than 1	Medium	Low	Low	Low
Low	More than 1	Low	Low	Low	Low

3.2.20 Table 7 outlines the criteria for determining the sensitivity of the area to human health impacts.

Table 7 Construction Dust - Sensitivity of the Area to Human Health Impacts

Receptor Sensitivity	Background Annual Mean PM ₁₀ Concentration	Number of Receptors	Distance from the Source (m)				
			Less than 20	Less than 50	Less than 100	Less than 200	Less than 350
High	Greater than 32µg/m ³	More than 100	High	High	High	Medium	Low
		10 - 100	High	High	Medium	Low	Low
		1 - 10	High	Medium	Low	Low	Low
	28 - 32µg/m ³	More than 100	High	High	Medium	Low	Low
		10 - 100	High	Medium	Low	Low	Low
		1 - 10	High	Medium	Low	Low	Low

Receptor Sensitivity	Background Annual Mean PM ₁₀ Concentration	Number of Receptors	Distance from the Source (m)					
			Less than 20	Less than 50	Less than 100	Less than 200	Less than 350	
	24 - 28µg/m³	More than 100	High	Medium	Low	Low	Low	
		10 - 100	High	Medium	Low	Low	Low	
		1 - 10	Medium	Low	Low	Low	Low	
	Less than 24µg/m³	More than 100	Medium	Low	Low	Low	Low	
		10 - 100	Low	Low	Low	Low	Low	
		1 - 10	Low	Low	Low	Low	Low	
	Medium	Greater than 32µg/m³	More than 10	High	Medium	Low	Low	Low
			1 - 10	Medium	Low	Low	Low	Low
		28 - 32µg/m³	More than 10	Medium	Low	Low	Low	Low
1 - 10			Low	Low	Low	Low	Low	
24 - 28µg/m³		More than 10	Low	Low	Low	Low	Low	
		1 -10	Low	Low	Low	Low	Low	
Less than 24µg/m³		More than 10	Low	Low	Low	Low	Low	
		1 - 10	Low	Low	Low	Low	Low	
Low		-	1 or more	Low	Low	Low	Low	Low

3.2.21 Table 8 outlines the criteria for determining the sensitivity of the area to ecological impacts.

Table 8 Construction Dust - Sensitivity of the Area to Ecological Impacts

Receptor Sensitivity	Distance from the Source (m)	
	Less than 20	Less than 50
High	High	Medium
Medium	Medium	Low

Receptor Sensitivity	Distance from the Source (m)	
	Less than 20	Less than 50
Low	Low	Low

3.2.22 Step 2C combines the dust emission magnitude with the sensitivity of the area to determine the risk of unmitigated impacts.

3.2.23 Table 9 outlines the risk category from earthworks and construction activities.

Table 9 Construction Dust - Dust Risk Category from Earthworks and Construction Activities

Receptor Sensitivity	Dust Emission Magnitude		
	Large	Medium	Small
High	High	Medium	Low
Medium	Medium	Medium	Low
Low	Low	Low	Negligible

3.2.24 Table 10 outlines the risk category from trackout activities.

Table 10 Construction Dust - Dust Risk Category from Trackout Activities

Receptor Sensitivity	Dust Emission Magnitude		
	Large	Medium	Small
High	High	Medium	Low
Medium	Medium	Low	Negligible
Low	Low	Low	Negligible

Step 3

3.2.25 Step 3 requires the identification of site specific mitigation measures within the IAQM guidance⁷ to reduce potential dust impacts based upon the relevant risk categories

⁷ Guidance on the Assessment of Dust from Demolition and Construction V1.1, IAQM, 2016.

identified in Step 2. For sites with **negligible** risk, mitigation measures beyond those required by legislation are not required. However, additional controls may be applied as part of good practice.

Step 4

3.2.26 Once the risk of dust impacts has been determined and the appropriate mitigation measures identified, the final step is to determine the significance of any residual impacts. For almost all construction activity, the aim should be to control effects through the use of effective mitigation. Experience shows that this is normally possible. Hence the residual effect will normally be **not significant**.

3.2.27 The determination of significance relies on professional judgement and reasoning should be provided as far as practicable. The IAQM guidance suggests the provision of details of the assessor's qualifications and experience. These are provided in Appendix 2.

3.3 Operational Phase Assessment

3.3.1 The development has the potential to affect existing air quality as a result of road traffic exhaust emissions associated with vehicles travelling to and from the site. Potential impacts have therefore been defined by predicting pollutant concentrations at sensitive locations using dispersion modelling for the following scenarios:

- 2019 - Verification;
- Opening year Do-Minimum (DM) (predicted traffic flows in 2026 should the proposals not proceed); and,
- Opening year Do-Something (DS) (predicted traffic flows in 2026 should the proposals be completed).

3.3.2 Reference should be made to Appendix 1 for assessment input data and details of the verification process.

3.3.3 Locations sensitive to potential changes in off-site pollutant concentrations were identified within 200m of the highway network in accordance with the guidance

provided within the Design Manual for Roads and Bridges (DMRB)⁸ on the likely limits of pollutant dispersion from road sources. The criteria provided within DEFRA guidance⁹ on where the AQOs apply, as summarised in Table 3, was utilised to determine worst-case receptor positions in the vicinity of links likely to be affected by changes in traffic flows as a result of the development.

- 3.3.4 The significance of predicted air quality impacts was determined in accordance with the guidance provided within the IAQM document 'Land-Use Planning & Development Control: Planning for Air Quality'¹⁰. Using this methodology impacts were defined based on the interaction between the predicted pollutant concentration from the DS scenario and the magnitude of change between the DM and DS scenarios, as outlined in Table 11.

Table 11 Significance of Road Vehicle Exhaust Emissions Impact

Concentration at Receptor in Assessment Year	Predicted Concentration Change as Proportion of AQO (%)			
	1	2 - 5	6 - 10	> 10
75% or less of AQO	Negligible	Negligible	Slight	Moderate
76 - 94% of AQO	Negligible	Slight	Moderate	Moderate
95 - 102% of AQO	Slight	Moderate	Moderate	Substantial
103 - 109% of AQO	Moderate	Moderate	Substantial	Substantial
110% or more of AQO	Moderate	Substantial	Substantial	Substantial

- 3.3.5 The matrix shown in Table 11 is intended to be used by rounding the change in percentage pollutant concentration to whole numbers, which makes it clearer which cell the impact falls within. It should be noted that changes of 0%, i.e. less than 0.5%, are described as **negligible**.

- 3.3.6 Following the prediction of impacts at discrete receptor locations, the IAQM document¹¹ provides guidance on determining the overall air quality impact significance of the

⁸ LA 105: Air Quality, Highways England, 2019.

⁹ Local Air Quality Management Technical Guidance (TG16), DEFRA, 2018.

¹⁰ Land-Use Planning & Development Control: Planning for Air Quality, IAQM, 2017.

¹¹ Land-Use Planning & Development Control: Planning for Air Quality, IAQM, 2017.

operation of a development. The following factors are identified for consideration by the assessor:

- The existing and future air quality in the absence of the development;
- The extent of current and future population exposure to the impacts; and,
- The influence and validity of any assumptions adopted when undertaking the prediction of impacts.

3.3.7 The IAQM guidance states that an assessment must reach a conclusion on the likely significance of the predicted impact. Where the overall effect is **moderate** or **substantial**, the effect is likely to be considered **significant**, whilst if the impact is **slight** or **negligible**, the impact is likely to be considered **not significant**. It should be noted that this is a binary judgement of either it is **significant** or it is **not significant**.

3.3.8 The determination of significance relies on professional judgement and reasoning has been provided as far as practicable. The IAQM guidance¹² suggests the provision of details of the assessor's qualifications and experience. These are provided in Appendix 2.

¹² Land-Use Planning & Development Control: Planning for Air Quality, IAQM, 2017.

4.0 BASELINE

4.1 Introduction

- 4.1.1 Existing air quality conditions in the vicinity of the proposed development site were identified in order to provide a baseline for assessment. These are detailed in the following Sections.

4.2 Local Air Quality Management

- 4.2.1 As required by the Environment Act (1995), BMBC has undertaken Review and Assessment of air quality within their area of jurisdiction. This process has indicated that annual mean concentrations of NO₂ are above the AQOs within the borough. Six AQMA's have therefore been declared. The closest to the development is AQMA No. 1, which is described as follows:

"An area along the M1 between Junction 35a and Junction 38, including Haigh, Darton, Cawthorne Dike, Higham, Dodworth, Gilroyd, Rockley, Birdwell, and Tankersley. The area extends 100m either side of the central reservation."

- 4.2.2 The development is located approximately 515m north-east of the AQMA. As such, there is the potential for vehicles travelling to and from the site to increase pollution levels in this sensitive area. This has been considered throughout the assessment.
- 4.2.3 BMBC has concluded that concentrations of all other pollutants considered within the AQS are currently below the relevant AQOs. As such, no further AQMA's have been designated.

4.3 Air Quality Monitoring

- 4.3.1 Monitoring of pollutant concentrations is undertaken by BMBC throughout their area of jurisdiction. Recent results recorded in the vicinity of the development are shown in Table 12. Exceedences of the relevant AQO are shown in **bold**.

Table 12 Monitoring Results - NO₂

Monitoring Site		Monitored NO ₂ Concentration (µg/m ³)		
		2017	2018	2019
DT24	A6135 Hoyland	40.0	30.2	30.3
DT25	A61 Sheffield Road Birdwell	40.2	34.3	38.6
DT26	A61 Sheffield Road, Birdwell	43.2	40.1	40.3
DT27	A61 Sheffield Road, Birdwell	38.6	39.1	39.8
DT28	Tankersley School	22.6	23.9	23.6
DT29	Moor Lane, Birdwell	32.1	27.6	28.3
DT30	The Walk, Birdwell	36.2	29.5	33.4
DT31	Sheffield Rd – Birdwell	31.8	29.7	29.7
DT32	Sheffield Rd – Chapel Street, Birdwell	38.5	32.8	35.5

4.3.2 As shown in Table 12, annual mean NO₂ concentrations exceeded the AQO at the DT24 A6135 Hoyland, DT25 A61 Sheffield Road Birdwell and DT26 - A61 Sheffield Road, Birdwell monitors in recent years. As both sites are located adjacent to an A-road, elevated results would be expected. Concentrations were below the AQO at all other monitors. Reference should be made to Figure 2 for a map of the survey positions.

4.3.3 BMBC do not undertake PM₁₀ or PM_{2.5} monitoring within the vicinity of the site.

4.4 Background Pollutant Concentrations

4.4.1 Predictions of background pollutant concentrations on a 1km by 1km grid basis have been produced by DEFRA for the entire of the UK to assist LAs in their Review and Assessment of air quality. The proposed development site is located in grid square NGR: 435500, 400500. Data for this location was downloaded from the DEFRA website¹³ for the purpose of the assessment and is summarised in Table 13.

¹³ <https://uk-air.defra.gov.uk/data/laqm-background-maps?year=2018>.

Table 13 Background Pollutant Concentration Predictions

Pollutant	Predicted Background Pollutant Concentration (µg/m ³)		
	2019	2021	2026
NO ₂	12.96	11.78	9.57
PM ₁₀	11.66	11.33	10.89
PM _{2.5}	8.23	7.97	7.60

4.4.2 As shown in Table 13, predicted background NO₂, PM₁₀, and PM_{2.5} concentrations are below the relevant AQOs and AQTV at the development site.

4.5 Sensitive Receptors

4.5.1 A sensitive receptor is defined as any location which may be affected by changes in air quality as a result of a development. These have been defined for dust and road vehicle exhaust emission impacts in the following Sections.

Construction Phase Sensitive Receptors

4.5.2 Receptors sensitive to potential dust impacts during earthworks and construction were identified from a desk-top study of the area up to 350m from the development boundary. These are summarised in Table 14.

Table 14 Earthworks and Construction Dust Sensitive Receptors

Distance from Site Boundary (m)	Approximate Number of Human Receptors	Approximate Number of Ecological Receptors
Up to 20	1 - 10	0
Up to 50	1 - 10	0
Up to 100	10 - 100	-
Up to 350	More than 100	-

4.5.3 Receptors sensitive to potential dust impacts from trackout were identified from a desk-top study of the area up to 50m from the road network within 500m of the site access. These are summarised in Table 15.

Table 15 Trackout Dust Sensitive Receptors

Distance from Site Access Route (m)	Approximate Number of Human Receptors	Approximate Number of Ecological Receptors
Up to 20	1 - 10	-
Up to 50	10 - 100	-

4.5.4 A number of additional factors have been considered when determining the sensitivity of the surrounding area. These are summarised in Table 16.

Table 16 Additional Area Dust Sensitivity Factors

Guidance	Comment
Whether there is any history of dust generating activities in the area	Review of the planning portal and satellite imagery indicated a number of developments have recently been constructed in the local area, specifically north and north-west of the proposed site. As such, there may have been a history of dust generation in recent years
The likelihood of concurrent dust generating activity on nearby sites	A review of the planning portal indicated a number of applications have been submitted within 700m of the site. It is therefore possible that there will be concurrent dust generation in the area should the developments be granted approval and the construction phases of these schemes and the proposals overlap
Pre-existing screening between the source and the receptors	Trees are located directly to the east and south of the site boundary. These may act as a barrier between emission sources and receptors should they be retained during the construction phase
Conclusions drawn from analysing local meteorological data which accurately represent the area: and if relevant the season during which works will take place	As shown in Figure 3, the predominant wind bearing at the site is from the south-west. As such, receptors to the north-east of the boundary are most likely to be affected by dust releases
Conclusions drawn from local topography	There are no significant topographical constraints to dust dispersion
Duration of the potential impact, as a receptor may become more sensitive over time	Currently it is unclear as to the duration of the construction phase. However, it is likely that it will extend over one year
Any known specific receptor sensitivities which go beyond the classifications given in the document	No specific receptor sensitivities identified during the baseline assessment

4.5.5 Based on the criteria shown in Table 5, the sensitivity of the receiving environment to potential dust impacts was determined as **high**. This was because the identified receptors included residential properties.

4.5.6 The sensitivity of the receiving environment to specific potential dust impacts, based on the criteria shown in Section 3.2, is shown in Table 17.

Table 17 Sensitivity of the Surrounding Area to Potential Dust Impacts

Potential Impact	Sensitivity of the Surrounding Area		
	Earthworks	Construction	Trackout
Dust Soiling	Medium	Medium	Medium
Human Health	Low	Low	Low

Operational Phase Sensitive Receptors

4.5.7 Locations sensitive to potential operational phase road vehicle exhaust emission impacts were identified from a desk-top study and are summarised in Table 18.

Table 18 Operational Phase Road Vehicle Exhaust Emission Sensitive Receptor Locations

Receptor		NGR (m)	
		X	Y
R1	Site Boundary	435241.6	400831.6
R2	Site Boundary	435178.7	400783.5
R3	Site Boundary	435123.7	400738.4
R4	Site Boundary	435152.4	400699.6
R5	Site Boundary	435197.8	400671.8
R6	Site Boundary	435205.7	400632.5
R7	Site Boundary	435220.5	400607.7
R8	Site Boundary	435247.0	400607.2
R9	Residential - Rockingham Row	434938.8	400718.0
R10	Residential - A61 Sheffield Road	434853.0	400389.9

Receptor		NGR (m)	
		X	Y
R11	Residential - A61 Sheffield Road	434655.8	400695.4
R12	Residential - A61 Sheffield Road	434611.9	401013.5
R13	Residential - Cross Keys Lane	435221.4	400566.9
R14	Residential - Regent Court	435280.9	400430.9
R15	Residential - A6135 Sheffield Road	435397.6	400313.3
R16	Residential - Moor Lane	434708.1	400355.6
R17	Residential - The Walk	434492.3	400623.7
R18	Residential - Macnaghten Road	434669.8	400099.7
R19	Residential - Westwood New Road	434656.6	400182.8
R20	Residential - A6135 Sheffield Road	435555.1	400172.3
R21	Residential - A6135 Sheffield Road	435580.1	400143.5

4.5.8 Reference should be made to Figure 4 for a graphical representation of road vehicle exhaust emission sensitive receptor locations.

5.0 ASSESSMENT

5.1 Introduction

- 5.1.1 There is the potential for air quality impacts as a result of the construction and operation of the proposed development. These are assessed in the following Sections.

5.2 Construction Phase Assessment

Step 1

- 5.2.1 The undertaking of activities such as excavation, ground works, cutting, construction, concrete batching and storage of materials has the potential to result in fugitive dust emissions throughout the construction phase. Vehicle movements both on-site and on the local road network also have the potential to result in the re-suspension of dust from haul roads and highway surfaces.
- 5.2.2 The potential for impacts at sensitive locations depends significantly on local meteorology during the undertaking of dust generating activities, with the most significant effects likely to occur during dry and windy conditions.
- 5.2.3 The desk-study undertaken to inform the baseline identified a number of sensitive receptors within 350m of the site boundary. As such, a detailed assessment of potential dust impacts was required.

Step 2

Earthworks

- 5.2.4 Earthworks will primarily involve excavating material, haulage, tipping and stockpiling, as well as site levelling and landscaping. The site area is greater than 10,000m². In accordance with the criteria outlined in Table 4, the magnitude of potential dust emissions from earthworks is therefore **large**.

5.2.5 Table 17 indicates the sensitivity of the area to dust soiling effects on people and property is **medium**. In accordance with the criteria outlined in Table 9, the development is considered to be a **medium** risk site for dust soiling as a result of earthworks.

5.2.6 Table 17 indicates the sensitivity of the area to human health impacts is **low**. In accordance with the criteria outlined in Table 9 the development is considered to be a **low** risk site for human health impacts as a result of earthworks.

Construction

5.2.7 Due to the size of the development the total building volume is likely to be between 25,000m³ and 100,000m³. In accordance with the criteria outlined in Table 4, the magnitude of potential dust emissions from construction is therefore **medium**.

5.2.8 Table 17 indicates the sensitivity of the area to dust soiling effects on people and property is **medium**. In accordance with the criteria outlined in Table 9, the development is considered to be a **medium** risk site for dust soiling as a result of construction activities.

5.2.9 Table 17 indicates the sensitivity of the area to human health impacts is **low**. In accordance with the criteria outlined in Table 9, the development is considered to be a **low** risk site for human health impacts as a result of construction activities.

Trackout

5.2.10 Based on the site area, it is anticipated that the unpaved road length is likely to be between 50m and 100m. In accordance with the criteria outlined in Table 4, the magnitude of potential dust emissions from trackout is therefore **medium**.

5.2.11 Table 17 indicates the sensitivity of the area to dust soiling effects to people and property is **medium**. In accordance with the criteria outlined in Table 10, the development is considered to be a **low** risk site for dust soiling as a result of trackout.

5.2.12 Table 17 indicates the sensitivity of the area to human health impacts is **low**. In accordance with the criteria outlined in Table 10, the development is considered to be a **low** risk site for human health impacts as a result of trackout.

Summary of the Risk of Dust Effects

5.2.13 A summary of the risk from each dust generating activity is provided in Table 19.

Table 19 Summary of Potential Unmitigated Dust Risks

Potential Impact	Risk		
	Earthworks	Construction	Trackout
Dust Soiling	Medium	Medium	Low
Human Health	Low	Low	Low

5.2.14 As indicated in Table 19, the potential risk of dust soiling is **medium** from earthworks and construction and **low** from and trackout. The potential risk of human health impacts is **low** from earthworks, construction and trackout.

5.2.15 It should be noted that the potential for impacts depends significantly on the distance between the dust generating activity and receptor location. Risk was predicted based on a worst-case scenario of works being undertaken at the site boundary closest to each sensitive area. Therefore, actual risk is likely to be lower than that predicted during the majority of the construction phase.

Step 3

5.2.16 The IAQM guidance¹⁴ provides potential mitigation measures to reduce impacts as a result of fugitive dust emissions during the construction phase. These have been adapted for the development site as summarised in Table 20. These may be reviewed prior to the commencement of construction works and incorporated into a Construction Environmental Management Plan (CEMP) or similar if required by the LA.

¹⁴ Guidance on the Assessment of Dust from Demolition and Construction V1.1, IAQM, 2016.

Table 20 Fugitive Dust Emission Mitigation Measures

Issue	Control Measure
Communications	• Develop and implement a stakeholder communications plan that includes community engagement before work commences on site • Display the name and contact details of person(s) accountable for air quality and dust issues on the site boundary. This may be the environment manager/engineer or the site manager • Display the head or regional office contact information • Develop and implement a Dust Management Plan (DMP), which may include measures to control other emissions, approved by the LA
Site management	• Record all dust and air quality complaints, identify cause(s), take appropriate measures to reduce emissions in a timely manner, and record the measures taken • Make the complaints log available to the LA upon request • Record any exceptional incidents that cause dust and/or air emissions, either on- or offsite, and the action taken to resolve the situation in the log book
Monitoring	• Carry out regular site inspections to monitor compliance with the DMP, record inspection results, and make an inspection log available to the LA upon request • Increase the frequency of site inspections when activities with a high potential to produce dust are being carried out and during prolonged dry or windy conditions
Site preparation	• Plan site layout so that machinery and dust causing activities are located away from receptors, as far as is possible • Fully enclose site or specific operations where there is a high potential for dust production and they are active for an extensive period • Avoid site runoff of water or mud • Remove materials that have a potential to produce dust from site as soon as possible, unless being re-used • Cover, seed or fence stockpiles to prevent wind whipping
Operating vehicle/machinery and sustainable travel	• Ensure all vehicles switch off engines when stationary - no idling vehicles • Avoid the use of diesel or petrol powered generators and use mains electricity or battery powered equipment where practicable • Impose and signpost a maximum-speed-limit of 15mph on surfaced and 10mph on unsurfaced haul roads and work areas • Produce a Construction Logistics Plan to manage the sustainable delivery of goods and materials

Issue	Control Measure
Operations	• Only use cutting, grinding or sawing equipment fitted or in conjunction with suitable dust suppression techniques • Ensure an adequate water supply on the site for effective dust suppression, using non-potable water where possible and appropriate • Use enclosed chutes and conveyors and covered skips • Minimise drop heights and use fine water sprays wherever appropriate • Ensure equipment is available to clean any dry spillages, and clean up spillages as soon as reasonably practicable using wet cleaning methods
Waste management	• Avoid bonfires or burning of waste materials
Earthworks	• Re-vegetate earthworks and exposed areas/soil stockpiles to stabilise surfaces as soon as practicable • Use Hessian, mulches or trackifiers where it is not possible to re-vegetate or cover with topsoil, as soon as practicable • Only remove the cover in small areas during work and not all at once
Construction	• Avoid scabbling (roughening of concrete surfaces) if possible • Ensure sand and other aggregates are stored in bunded areas and are not allowed to dry out
Trackout	• Use water-assisted dust sweeper on access and local roads, if required • Avoid dry sweeping of large areas • Ensure vehicles entering and leaving site are covered to prevent escape of materials • Inspect haul routes for integrity and instigate necessary repairs to the surface as soon as reasonably possible • Implement a wheel washing system, if required

Step 4

5.2.17 Assuming the relevant mitigation measures outlined in Table 20 are implemented, the residual impacts from all dust generating activities is predicted to be **not significant**, in accordance with the IAQM guidance¹⁵.

5.3 Operational Phase Assessment

5.3.1 Vehicle movements associated with the operation of the proposal will generate exhaust emissions on the local and regional road networks. An assessment was therefore

¹⁵ Guidance on the Assessment of Dust from Demolition and Construction V1.1, IAQM, 2016.

undertaken using dispersion modelling in order to quantify potential changes in pollutant concentrations at sensitive locations in the vicinity of the site.

5.3.2 The assessment considered the following scenarios:

- 2019 - Verification;
- 2026 - DM; and,
- 2026 - DS.

5.3.3 The DM scenario (i.e. without development) included anticipated baseline traffic data, inclusive of anticipated growth, for the relevant assessment year. The DS scenario (i.e. with development) included anticipated baseline traffic data, inclusive of anticipated growth, for the relevant assessment year, in addition to predicted vehicle trips associated with the operation of the proposals.

5.3.4 For the purpose of the assessment, traffic data for 2026 was utilised as the development opening year. Air quality is predicted to improve in the future. However, in order to provide a robust assessment, emission factors for 2019 were utilised within the dispersion model. The use of 2026 traffic data and 2019 emission factors is considered to provide a worst-case scenario and therefore a sufficient level of confidence can be placed within the predicted pollution concentrations.

5.3.5 Reference should be made to Appendix 1 for full assessment input details.

Predicted Concentrations

5.3.6 Annual mean NO₂ concentrations were predicted at the sensitive receptor locations for the DM and DS scenarios. These are summarised in Table 21.

Table 21 Predicted Annual Mean NO₂ Concentrations

Receptor		Predicted Annual Mean NO ₂ Concentration (µg/m ³)		
		DM	DS	Change
R1	Site Boundary	25.06	25.13	0.07
R2	Site Boundary	26.09	26.18	0.09

Receptor		Predicted Annual Mean NO ₂ Concentration (µg/m ³)		
		DM	DS	Change
R3	Site Boundary	29.81	30.01	0.20
R4	Site Boundary	24.55	24.85	0.30
R5	Site Boundary	22.14	22.30	0.16
R6	Site Boundary	21.61	21.72	0.11
R7	Site Boundary	21.20	21.27	0.07
R8	Site Boundary	20.79	20.84	0.05
R9	Residential - Rockingham Row	22.07	22.10	0.03
R10	Residential - A61 Sheffield Road	38.55	38.66	0.11
R11	Residential - A61 Sheffield Road	32.74	32.81	0.07
R12	Residential - A61 Sheffield Road	31.60	31.68	0.08
R13	Residential - Cross Keys Lane	21.26	21.32	0.06
R14	Residential - Regent Court	22.25	22.29	0.04
R15	Residential - A6135 Sheffield Road	26.80	26.86	0.06
R16	Residential - Moor Lane	44.00	44.05	0.05
R17	Residential - The Walk	39.14	39.17	0.03
R18	Residential - Macnaghten Road	22.60	22.61	0.01
R19	Residential - Westwood New Road	25.88	25.90	0.02
R20	Residential - A6135 Sheffield Road	28.76	28.82	0.06
R21	Residential - A6135 Sheffield Road	29.33	29.40	0.07

5.3.7 As indicated in Table 21, predicted annual mean NO₂ concentrations were above the AQO at one receptor and below at the remaining 20 receptors. It should be noted that there are no new exceedences of the AQO in the DS scenario when compared with the DM.

5.3.8 Annual mean PM₁₀ concentrations were predicted at the sensitive receptor locations for the DM and DS scenarios. These are summarised in Table 22.

Table 22 Predicted Annual Mean PM₁₀ Concentrations

Receptor		Predicted Annual Mean PM ₁₀ Concentration (µg/m ³)		
		DM	DS	Change
R1	Site Boundary	14.71	14.72	0.01
R2	Site Boundary	14.86	14.88	0.02
R3	Site Boundary	15.22	15.26	0.04
R4	Site Boundary	14.30	14.36	0.06
R5	Site Boundary	13.88	13.91	0.03
R6	Site Boundary	13.78	13.80	0.02
R7	Site Boundary	13.70	13.72	0.01
R8	Site Boundary	13.63	13.64	0.01
R9	Residential - Rockingham Row	13.80	13.80	0.01
R10	Residential - A61 Sheffield Road	16.47	16.49	0.02
R11	Residential - A61 Sheffield Road	15.61	15.63	0.01
R12	Residential - A61 Sheffield Road	15.59	15.60	0.02
R13	Residential - Cross Keys Lane	13.71	13.72	0.01
R14	Residential - Regent Court	13.90	13.91	0.01
R15	Residential - A6135 Sheffield Road	14.83	14.84	0.01
R16	Residential - Moor Lane	16.87	16.88	0.01
R17	Residential - The Walk	15.89	15.89	0.01
R18	Residential - Macnaghten Road	13.78	13.78	0.00
R19	Residential - Westwood New Road	14.21	14.21	0.00
R20	Residential - A6135 Sheffield Road	14.80	14.81	0.01
R21	Residential - A6135 Sheffield Road	14.88	14.89	0.01

5.3.9 As indicated in Table 22, predicted annual mean PM₁₀ concentrations were below the relevant AQO at all sensitive receptors in both the DM and DS scenarios.

5.3.10 Annual mean PM_{2.5} concentrations were predicted at the sensitive receptor locations for the DM and DS scenarios. These are summarised in Table 23.

Table 23 Predicted Annual Mean PM_{2.5} Concentrations

Receptor		Predicted Annual Mean PM _{2.5} Concentration (µg/m ³)		
		DM	DS	Change
R1	Site Boundary	9.18	9.18	0.01
R2	Site Boundary	9.27	9.28	0.01
R3	Site Boundary	9.49	9.52	0.02
R4	Site Boundary	8.96	8.99	0.03
R5	Site Boundary	8.71	8.72	0.02
R6	Site Boundary	8.65	8.66	0.01
R7	Site Boundary	8.60	8.61	0.01
R8	Site Boundary	8.56	8.57	0.01
R9	Residential - Rockingham Row	8.66	8.67	0.00
R10	Residential - A61 Sheffield Road	10.27	10.28	0.01
R11	Residential - A61 Sheffield Road	9.75	9.76	0.01
R12	Residential - A61 Sheffield Road	9.72	9.73	0.01
R13	Residential - Cross Keys Lane	8.61	8.61	0.01
R14	Residential - Regent Court	8.72	8.72	0.00
R15	Residential - A6135 Sheffield Road	9.26	9.26	0.01
R16	Residential - Moor Lane	10.62	10.62	0.00
R17	Residential - The Walk	10.08	10.08	0.00
R18	Residential - Macnaghten Road	8.67	8.67	0.00
R19	Residential - Westwood New Road	8.94	8.94	0.00
R20	Residential - A6135 Sheffield Road	9.26	9.27	0.01
R21	Residential - A6135 Sheffield Road	9.30	9.31	0.01

5.3.11 As indicated in Table 23, predicted annual mean PM_{2.5} concentrations were below the relevant AQTV at all sensitive receptors in both the DM and DS scenarios.

Predicted Impacts

5.3.12 Predicted impacts on annual mean NO₂ concentrations at the sensitive receptor locations are summarised in Table 24.

Table 24 Predicted Impacts - NO₂

Receptor		Predicted Annual Mean NO ₂ Concentration	Predicted Concentration Change as Proportion of AQO (%)	Impact Significance
R1	Site Boundary	Below 75% of AQO	0	Negligible
R2	Site Boundary	Below 75% of AQO	0	Negligible
R3	Site Boundary	76 - 94% of AQO	1	Negligible
R4	Site Boundary	Below 75% of AQO	1	Negligible
R5	Site Boundary	Below 75% of AQO	0	Negligible
R6	Site Boundary	Below 75% of AQO	0	Negligible
R7	Site Boundary	Below 75% of AQO	0	Negligible
R8	Site Boundary	Below 75% of AQO	0	Negligible
R9	Residential - Rockingham Row	Below 75% of AQO	0	Negligible
R10	Residential - A61 Sheffield Road	95 - 102% of AQO	0	Negligible
R11	Residential - A61 Sheffield Road	76 - 94% of AQO	0	Negligible
R12	Residential - A61 Sheffield Road	76 - 94% of AQO	0	Negligible
R13	Residential - Cross Keys Lane	Below 75% of AQO	0	Negligible
R14	Residential - Regent Court	Below 75% of AQO	0	Negligible
R15	Residential - A6135 Sheffield Road	Below 75% of AQO	0	Negligible
R16	Residential - Moor Lane	110% or more of AQO	0	Negligible
R17	Residential - The Walk	95 - 102% of AQO	0	Negligible
R18	Residential - Macnaghten Road	Below 75% of AQO	0	Negligible
R19	Residential - Westwood New Road	Below 75% of AQO	0	Negligible
R20	Residential - A6135 Sheffield Road	Below 75% of AQO	0	Negligible

Receptor		Predicted Annual Mean NO ₂ Concentration	Predicted Concentration Change as Proportion of AQO (%)	Impact Significance
R21	Residential - A6135 Sheffield Road	Below 75% of AQO	0	Negligible

5.3.13 As indicated in Table 24, impacts on annual mean NO₂ concentrations as a result of the proposed development were predicted to be **negligible** at all receptor locations.

5.3.14 Predicted impacts on annual mean PM₁₀ concentrations at the sensitive receptor locations are summarised in Table 25.

Table 25 Predicted Impacts - PM₁₀

Receptor		Predicted Annual Mean PM ₁₀ Concentration	Predicted Concentration Change as Proportion of AQO (%)	Impact Significance
R1	Site Boundary	Below 75% of AQO	0	Negligible
R2	Site Boundary	Below 75% of AQO	0	Negligible
R3	Site Boundary	Below 75% of AQO	0	Negligible
R4	Site Boundary	Below 75% of AQO	0	Negligible
R5	Site Boundary	Below 75% of AQO	0	Negligible
R6	Site Boundary	Below 75% of AQO	0	Negligible
R7	Site Boundary	Below 75% of AQO	0	Negligible
R8	Site Boundary	Below 75% of AQO	0	Negligible
R9	Residential - Rockingham Row	Below 75% of AQO	0	Negligible
R10	Residential - A61 Sheffield Road	Below 75% of AQO	0	Negligible
R11	Residential - A61 Sheffield Road	Below 75% of AQO	0	Negligible
R12	Residential - A61 Sheffield Road	Below 75% of AQO	0	Negligible
R13	Residential - Cross Keys Lane	Below 75% of AQO	0	Negligible
R14	Residential - Regent Court	Below 75% of AQO	0	Negligible
R15	Residential - A6135 Sheffield Road	Below 75% of AQO	0	Negligible

Receptor		Predicted Annual Mean PM ₁₀ Concentration	Predicted Concentration Change as Proportion of AQO (%)	Impact Significance
R16	Residential - Moor Lane	Below 75% of AQO	0	Negligible
R17	Residential - The Walk	Below 75% of AQO	0	Negligible
R18	Residential - Macnaghten Road	Below 75% of AQO	0	Negligible
R19	Residential - Westwood New Road	Below 75% of AQO	0	Negligible
R20	Residential - A6135 Sheffield Road	Below 75% of AQO	0	Negligible
R21	Residential - A6135 Sheffield Road	Below 75% of AQO	0	Negligible

5.3.15 As indicated in Table 25, impacts on annual mean PM₁₀ concentrations as a result of the proposed development were predicted to be **negligible** at all receptor locations.

5.3.16 Predicted impacts on annual mean PM_{2.5} concentrations at the sensitive receptor locations are summarised in Table 26.

Table 26 Predicted Impacts - PM_{2.5}

Receptor		Predicted Annual Mean PM _{2.5} Concentration	Predicted Concentration Change as Proportion of AQTV (%)	Impact Significance
R1	Site Boundary	Below 75% of AQTV	0	Negligible
R2	Site Boundary	Below 75% of AQTV	0	Negligible
R3	Site Boundary	Below 75% of AQTV	0	Negligible
R4	Site Boundary	Below 75% of AQTV	0	Negligible
R5	Site Boundary	Below 75% of AQTV	0	Negligible
R6	Site Boundary	Below 75% of AQTV	0	Negligible
R7	Site Boundary	Below 75% of AQTV	0	Negligible
R8	Site Boundary	Below 75% of AQTV	0	Negligible
R9	Residential - Rockingham Row	Below 75% of AQTV	0	Negligible
R10	Residential - A61 Sheffield Road	Below 75% of AQTV	0	Negligible

Receptor		Predicted Annual Mean PM _{2.5} Concentration	Predicted Concentration Change as Proportion of AQTV (%)	Impact Significance
R11	Residential - A61 Sheffield Road	Below 75% of AQTV	0	Negligible
R12	Residential - A61 Sheffield Road	Below 75% of AQTV	0	Negligible
R13	Residential - Cross Keys Lane	Below 75% of AQTV	0	Negligible
R14	Residential - Regent Court	Below 75% of AQTV	0	Negligible
R15	Residential - A6135 Sheffield Road	Below 75% of AQTV	0	Negligible
R16	Residential - Moor Lane	Below 75% of AQTV	0	Negligible
R17	Residential - The Walk	Below 75% of AQTV	0	Negligible
R18	Residential - Macnaghten Road	Below 75% of AQTV	0	Negligible
R19	Residential - Westwood New Road	Below 75% of AQTV	0	Negligible
R20	Residential - A6135 Sheffield Road	Below 75% of AQTV	0	Negligible
R21	Residential - A6135 Sheffield Road	Below 75% of AQTV	0	Negligible

5.3.17 As indicated in Table 26, impacts on annual mean PM_{2.5} concentrations as a result of the proposed development were predicted to be **negligible** at all receptor locations.

Overall Impact Significance

5.3.18 The overall significance of operational phase road traffic emission impacts was determined as **negligible**. This was based on the overall predicted impacts at discrete receptor locations and the considerations outlined previously. Further justification is provided in Table 27.

Table 27 Overall Impact Significance

Guidance	Comment
The existing and future air quality in the absence of the development	Annual mean NO₂ concentrations were above the AQO at one receptor and below at the remaining 20 receptors in the DM scenario. Annual mean PM₁₀ and PM_{2.5} concentrations were below the AQO and AQTV at all positions in the DM scenario It is considered unlikely that future air quality conditions will change significantly in the absence of the development given the relatively established nature of the area
The extent of current and future population exposure to the impacts	The development will not affect the population exposed to exceedences of the AQOs
The influence and validity of any assumptions adopted when undertaking the prediction of impacts	The assessment assumed that vehicle exhaust emission rates and background pollutant levels will not reduce in future years. This provides worst-case results when compared with the DEFRA and Highways England methodologies Due to the adopted assumptions, it is considered the presented results are sufficiently robust for an assessment of this nature

5.3.19 The IAQM guidance¹⁶ states that only if the impact is greater than **slight**, the effect is considered **significant**. As impacts were predicted to be **negligible**, overall effects are considered **not significant**, in accordance with the stated methodology.

BMBC Technical Planning Guidance

Development Classification

5.3.20 BMBC have produced Air Quality and Emissions Good Practice Planning Guidance¹⁷ which includes direction on when an air quality assessment will be required and the associated scope of works. This also provides a methodology for determining the scale of a development as minor, medium or major and the required air quality mitigation for the relevant banding. Review of the relevant criteria indicated the proposals were classified as **medium** as although they include B1 and B2 land uses, they do not meet the following additional criteria:

¹⁶ Land-Use Planning & Development Control: Planning for Air Quality, IAQM, 2017.

¹⁷ Air Quality and Emissions Good Practice Planning Guidance, BMBC, 2018.

- Where the proposed development falls within the Town and Country Planning (Environmental Impact Assessment) (England and Wales) Regulations 2011 and includes air quality and/or transport as a specific likely impact;
- Proposals located within an AQMA;
- Proposals that could increase the existing traffic flow on roads of more than 10,000 Annual Average Daily Traffic (AADT) by 5% or more;
- Proposals that increase traffic by 5% or more on road canyons with an AADT greater than 5,000;
- Proposals that could introduce or significantly alter congestion (DfT congestion) and includes the introduction of substantial road infrastructure changes;
- Proposals that reduce average speeds by more than 10km/h;
- Proposals that include additional Heavy Goods Vehicle (HGV) movements by more than 10% of total trips;
- Where significant demolition works are proposed; and
- Where significant construction works are proposed.

Mitigation

5.3.21 The BMBC guidance provides a number of mitigation options that should be considered for inclusion within **medium** developments. These were reviewed and the following measures incorporated into the proposals:

- Provision of 8 Electric Vehicle (EV) charging points; and,
- Production of a full Travel Plan to encourage the use of non-transport modes and assist with the reduction of development transport related emissions.

5.3.22 It is considered provision of the above should help minimise any residual air quality impacts associated with the operation of the proposed development.

6.0 CONCLUSION


- 6.1.1 Redmore Environmental Ltd was commissioned by Gregory Property Group to undertake an Air Quality Assessment in support of a proposed industrial development on land off Dearne Valley Parkway, Barnsley.
- 6.1.2 The proposed development has the potential to cause air quality impacts at sensitive locations during the construction and operational phases. As such, an Air Quality Assessment was undertaken in order to determine baseline conditions and assess potential effects associated with the scheme.
- 6.1.3 During the construction phase of the development there is the potential for air quality impacts as a result of fugitive dust emissions from the site. These were assessed in accordance with the IAQM methodology. Assuming good practice dust control measures are implemented, the residual significance of potential air quality impacts from dust generated by earthworks, construction and trackout activities was predicted to be **not significant**.
- 6.1.4 Potential impacts during the operational phase of the proposals may occur due to road traffic exhaust emissions associated with vehicles travelling to and from the site. Dispersion modelling was therefore undertaken in order to predict pollutant concentrations at sensitive locations as a result of emissions from the local highway network both with and without the development in place. Results were subsequently verified using local monitoring data.
- 6.1.5 Review of the dispersion modelling results indicated that impacts on annual mean NO₂, PM₁₀ and PM_{2.5} concentrations as a result of traffic generated by the development were predicted to be **negligible** at all sensitive receptor locations. Following consideration of the relevant issues, air quality impacts as a result of the operation of the development were considered to be **not significant**, in accordance with the IAQM guidance.
- 6.1.6 Based on the assessment results, air quality factors are not considered a constraint to the development.

7.0 **ABBREVIATIONS**


AADT	Annual Average Daily Traffic
ADM	Atmospheric Dispersion Modelling
AQAP	Air Quality Action Plan
AQLV	Air Quality Limit Value
AQMA	Air Quality Management Area
AQC	Air Quality Consultants
AQO	Air Quality Objective
AQS	Air Quality Strategy
AQTV	Air Quality Target Value
BMBC	Barnsley Metropolitan Borough Council
CEMP	Construction Environmental Management Plan
CERC	Cambridge Environmental Research Consultants
DEFRA	Department for Environment, Food and Rural Affairs
DfT	Department for Transport
DM	Do-Minimum
DMP	Dust Management Plan
DMRB	Design Manual for Roads and Bridges
DS	Do-Something
EB	Eastbound
EFT	Emission Factor Toolkit
HDV	Heavy Duty Vehicle
HGV	Heavy Goods Vehicle
IAQM	Institute of Air Quality Management
LA	Local Authority
LAQM	Local Air Quality Management
NB	Northbound
NGR	National Grid Reference
NO ₂	Nitrogen dioxide
NO _x	Oxides of nitrogen
NPPF	National Planning Policy Framework
NPPG	National Planning Policy Guidance
PM ₁₀	Particulate matter with an aerodynamic diameter of less than 10µm
PM _{2.5}	Particulate matter with an aerodynamic diameter of less than 2.5µm
SB	Southbound

WB	Westbound
Z0	Roughness length

Figures







Legend

Title

Figure 3 - Wind Rose of 2019
Doncaster Sheffield Airport
Meteorological Data

Project

Air Quality Assessment
Dearne Valley Parkway, Barnsley

Project Reference

4248


Client

Gregory Property Group



www.red-env.co.uk | 0161 7060075





Appendix 1 - Assessment Input Data

Introduction

The proposed development has the potential to cause air quality impacts as a result of exhaust emissions associated with vehicles travelling to and from the site. In order to assess NO₂, PM₁₀ and PM_{2.5} concentrations at sensitive locations, detailed dispersion modelling was undertaken in accordance with the following methodology.

Dispersion Model

Dispersion modelling was undertaken using the ADMS-Roads dispersion model (version 5.0.0.1). ADMS-Roads is developed by Cambridge Environmental Research Consultants (CERC) and is routinely used throughout the world for the prediction of pollutant dispersion from road sources. Modelling predictions from this software package are accepted within the UK by the Environment Agency and DEFRA.

The model requires input data that details the following parameters:

- Assessment area;
- Traffic flow data;
- Vehicle emission factors;
- Spatial co-ordinates of emissions;
- Street width;
- Meteorological data;
- Roughness length (z_0); and,
- Monin-Obukhov length.

These are detailed in the following Sections.

Assessment Area

The assessment area was defined based on the site location and anticipated vehicle trip distribution from the development. Reference should be made to Figure 5 for a graphical representation of the modelling extents.

Traffic Flow Data

Traffic data for use in the assessment was provided by TPS Transport Consultants Ltd, the Transport Consultants for the project.

A summary of the traffic flows is provided in Table A1.1. Road widths and vehicle speeds were estimated from aerial photography and UK highway design standards.

Table A1.1 Traffic Data

Link		24-hour AADT Flow			HDV Prop. of Fleet (%)	Road Width (m)	Speed (km/h)
		Verif.	2026 DM	2026 DS			
L1	Dearne Valley Parkway, east of Shortwood Way, EB	12,121	12,957	13,054	12.60	7.3	80
L2	Dearne Valley Parkway, east of Shortwood Way, WB	12,121	12,957	13,054	12.60	7.3	60
L3	Dearne Valley Parkway, west of Shortwood Way, WB	12,337	13,187	13,285	12.60	7.3	80
L4	Dearne Valley Parkway, east of Rockingham Roundabout, WB	12,337	13,187	13,285	12.60	7.3	30
L5	Dearne Valley Parkway, east of Rockingham Roundabout, EB	12,337	13,187	13,285	12.60	7.3	30
L6	Dearne Valley Parkway, west of Shortwood Way, EB	12,337	13,187	13,285	12.60	7.3	80
L7	Dearne Valley Parkway, south of Rockingham Roundabout, SB	11,627	12,428	12,589	13.00	7.3	40
L8	Dearne Valley Parkway, north of Rockingham Roundabout, NB	11,627	12,428	12,589	13.00	7.3	40
L9	A61 Sheffield Road to Birdwell Roundabout	7,101	7,591	7,640	12.40	13.9	25
L10	Birdwell Roundabout to A61 Sheffield Road	7,101	7,591	7,640	12.40	4.5	25
L11	A61 to A61 Sheffield Road	7,101	7,591	7,640	12.40	4.5	25
L12	A61 Sheffield Road, south of The Walk	21,519	23,002	23,151	8.10	7.3	30
L13	A61 Sheffield Road, north of The Walk	21,519	23,002	23,151	8.10	7.3	40
L14	East of Rockingham Roundabout	2,523	2,697	3,110	8.50	8.5	30

Link		24-hour AADT Flow			HDV Prop. of Fleet (%)	Road Width (m)	Speed (km/h)
		Verif.	2026 DM	2026 DS			
L15	North of A6135	2,523	2,697	3,110	8.50	7.3	45
L16	A6135 Sheffield Road, EB	6,747	7,212	7,254	8.70	4.5	30
L17	A6135 Sheffield Road, WB	6,747	7,212	7,254	8.70	4.5	30
L18	A6135 Sheffield Road	13,493	14,423	14,507	8.70	7.3	45
L19	A61 south of Birdwell Roundabout, SB	19,158	20,478	20,729	12.40	7.3	30
L20	A61 south of Birdwell Roundabout, NB	19,158	20,478	20,729	12.40	7.3	30
L21	A6135, east of Birdwell Roundabout, EB	6,747	7,212	7,254	8.70	7.3	40
L22	A6135, east of Birdwell Roundabout, WB	6,747	7,212	7,254	8.70	7.3	40
L23	M1, NB	48,224	51,547	51,626	10.80	11.3	100
L24	M1, SB	48,224	51,547	51,626	10.10	11.3	100
L25	Shortwood Roundabout	12,229	13,072	13,169	12.60	7.3	40
L26	Rockingham Roundabout	10,090	10,786	10,971	12.60	7.3	40
L27	Roundabout	2,523	2,697	3,110	8.50	7.3	40
L28	Roundabout	5,691	6,083	6,218	8.70	7.3	40
L29	Birdwell Roundabout	12,510	13,373	13,524	13.00	11.3	40
L30	M1 Roundabout	21,635	23,126	23,271	12.40	11.3	40
L31	M1 slip road, SB	24,112	25,774	25,813	10.10	6.5	25
L32	M1 slip road, NB	24,112	25,774	25,813	10.80	6.2	25
L33	A6135 Sheffield Road, Hoyland Road junction	13,493	14,423	14,507	8.70	7.3	25
L34	A6135 Sheffield Road	13,493	14,423	14,507	8.70	7.3	40
L35	M1, SB	48,224	51,547	51,626	10.10	11.3	100
L36	M1, NB	48,224	51,547	51,626	10.80	11.3	100

Reference should be made to Figure 5 for a graphical representation of the road link locations.

Emission Factors

Emission factors for each link were calculated using the relevant traffic flows and the EFT (version 10.1). This has been produced by DEFRA and incorporates COPERT 5.3 vehicle emission factors and fleet information.

There is current uncertainty over NO₂ concentrations within the UK, with the implementation of new vehicle emission standards not resulting in the previously expected reduction in roadside levels. Therefore, 2019 emission factors were utilised in preference to the development opening year in order to provide robust model outputs. As predictions for 2019 were verified, it is considered the results are a robust indication of worst case concentrations for the future year.

Meteorological Data

Meteorological data used in the assessment was taken from Doncaster-Sheffield Airport meteorological station over the period 1st January 2019 to 31st December 2019 (inclusive). Doncaster-Sheffield Airport is located at NGR: 465930, 398920, which is approximately 30.9km south-east of the development. It is anticipated that conditions would be reasonably similar over a distance of this magnitude. The data was therefore considered suitable for an assessment of this nature.

All meteorological records used in the assessment were provided by Atmospheric Dispersion Modelling (ADM) Ltd, which is an established distributor of data within the UK. Reference should be made to Figure 3 for a wind rose of utilised meteorological data.

Roughness Length

The z_0 is a modelling parameter applied to allow consideration of surface height roughness elements. A z_0 of 0.5m was used to describe the modelling extents. This is considered appropriate for the morphology of the area and is suggested within ADMS-Roads as being suitable for 'parkland, open suburbia'.

A z_0 of 0.2m was used to describe the meteorological site. This is considered appropriate for the morphology of the area and is suggested within ADMS-Roads as being suitable for 'agricultural areas (min)'.

Monin-Obukhov Length

The Monin-Obukhov length provides a measure of the stability of the atmosphere. A minimum Monin-Obukhov length of 30m was used to describe the modelling extents. This value is considered appropriate for the development site and is suggested within ADMS-Roads as being suitable for 'cities and large towns.'

A minimum Monin-Obukhov length of 10m was used to describe the modelling extents. This value is considered appropriate for the nature of both areas and is suggested within ADMS-Roads as being suitable for 'small towns <50,000'.

Background Concentrations

Annual mean NO₂, PM₁₀ and PM_{2.5} background concentrations for use in the assessment were taken from the grid square containing the DT27 - A61 Sheffield Road, Birdwell monitor, NGR: 434500, 400500. These are shown in Table A1.2.

Table A1.2 Background Pollutant Concentration - Modelling Extents

Pollutant	Predicted 2019 Background Pollutant Concentration (µg/m ³)
NO ₂	17.36
PM ₁₀	13.08
PM _{2.5}	8.23

The values shown in Table A1.2 were chosen to represent concentrations throughout the dispersion modelling extents without the contribution from road vehicles as they were higher than the DEFRA background for the grid square containing the site, as shown in Table 12.

Similarly to emission factors, background concentrations from 2019 were utilised in preference to the development opening year. This provided a robust assessment and is likely to overestimate pollutant concentrations during the operation of the proposal.

NO_x to NO₂ Conversion

Predicted annual mean NO_x concentrations were converted to NO₂ concentrations using the spreadsheet (version 8.1) provided by DEFRA, which is the method detailed within DEFRA guidance¹⁸.

Verification

The predicted results from a dispersion model may differ from measured concentrations for a large number of reasons, including:

- Estimates of background concentrations;
- Uncertainties in source activity data such as traffic flows and emission factors;
- Variations in meteorological conditions;
- Overall model limitations; and,
- Uncertainties associated with monitoring data, including locations.

Model verification is the process by which these and other uncertainties are investigated and where possible minimised. In reality, the differences between modelled and monitored results are likely to be a combination of all of these aspects.

For the purpose of the assessment, model verification was undertaken for 2019 using traffic data, meteorological data and monitoring results from this year.

BMBC undertook monitoring of NO₂ concentrations at six locations within the modelling extents during 2019. Results were obtained and the road contributions to total NO_x concentrations calculated following the methodology contained within DEFRA guidance¹⁹. The monitored annual mean NO₂ concentrations and calculated road NO_x concentrations are summarised in Table A1.3.

¹⁸ Local Air Quality Management Technical Guidance (TG16), DEFRA, 2018.

¹⁹ Local Air Quality Management Technical Guidance (TG16), DEFRA, 2018.

Table A1.3 Verification - Monitoring Results

Monitoring Location		Monitored NO ₂ Concentration (µg/m ³)	Calculated Road NO _x Concentration (µg/m ³)
DT24	A6135 Hoyland	30.3	25.21
DT25	A61 Sheffield Road Birdwell	38.6	42.96
DT26	A61 Sheffield Road, Birdwell	40.3	46.76
DT27	A61 Sheffield Road, Birdwell	39.8	45.64
DT31	Sheffield Rd – Birdwell	29.7	23.98
DT32	Sheffield Rd – Chapel Street, Birdwell	35.5	36.17


The annual mean road NO_x concentrations predicted from the dispersion model and the 2019 road NO_x concentrations calculated from the monitoring results are summarised in Table A1.4.

Table A1.4 Verification - Modelling Results

Monitoring Location		Calculated Road NO _x Concentration (µg/m ³)	Modelled Road NO _x Concentration (µg/m ³)
DT24	A6135 Hoyland	25.21	13.56
DT25	A61 Sheffield Road Birdwell	42.96	30.23
DT26	A61 Sheffield Road, Birdwell	46.76	30.51
DT27	A61 Sheffield Road, Birdwell	45.64	27.10
DT31	Sheffield Rd – Birdwell	23.98	18.55
DT32	Sheffield Rd – Chapel Street, Birdwell	36.17	16.62

The monitored and modelled road NO_x concentrations were graphed and the equation of the trendline based on linear progression through zero calculated. This indicated that a verification factor of 1.5812 was required to be applied to all NO_x modelling results, as shown in Graph 1.

Graph 1 NO_x verification Factor



Monitoring of PM₁₀ and PM_{2.5} concentrations is not undertaken within the assessment extents. The NO_x verification factor was therefore used to adjust PM₁₀ and PM_{2.5} model predictions in lieu of more accurate data in accordance with DEFRA guidance²⁰.

²⁰ Local Air Quality Management Technical Guidance (TG16), DEFRA, 2018.

Appendix 2 - Curricula Vitae

KEY EXPERIENCE:

Jethro is a Chartered Environmentalist and Director of Redmore Environmental with specialist experience in the air quality and odour sectors. His key capabilities include:

- Production and management of Air Quality, Dust and Odour Assessments for a wide-range of clients from the retail, residential, infrastructure, commercial and industrial sectors.
- Production and co-ordination of Environmental Permit applications for a variety of industrial sectors.
- Detailed dispersion modelling of road vehicle and industrial emissions using ADMS-Roads, ADMS-5, AERMOD-PRIME and BREEZE-ROADS. Studies have included impact assessment of ground level pollutant and odour concentrations and assessment of suitability of development sites for proposed end-use.
- Project management and co-ordination of Environmental Impact Assessments and scoping reports for developments throughout the UK.
- Provision of expert witness services at Planning Inquiries.
- Design and project management of pollutant monitoring campaigns.
- Co-ordination and management of large-scale multi-disciplinary projects and submissions.
- Provision of expert advice to local government and international environmental bodies, as well as involvement in production of industry guidance.

SELECT PROJECTS SUMMARY:

Industrial

Shanks Waste Management - Odour Assessments of two waste management facilities to support Environmental Permit Applications.

Tatweer Petroleum - dispersion modelling of Bahrain oil field.

Doha South Sewage Treatment Works - AQA for works extension in Qatar.

IRIS Environmental Appraisal Report Reviews, Isle of Man Government - odour assessment reviews.

Lankem, Greater Manchester - Environmental Permit Application for chemical manufacturing plant.

Newport Docks Bulk Drying, Pelleting and CHP Facility - air quality EIA for gas CHP.

Springshades, Leicester - Environmental Permit Variation Application for textile manufacturing plant.

Valspar, Chester - Odour Assessment and production of Odour Management Plan for a paint manufacturing plant in response to neighbour complaints.

Agrivert - dispersion modelling of odour and CHP emissions from numerous AD plants.

James Cropper Paper Mill, Cumbria - air quality EIA, Environmental Permit Variation and Human Health Risk Assessment for new biomass boiler adjacent to SSSI.

Rigg Approach, Leyton - Air Quality Assessment in support of waste transfer site.

Lynchford Lane Waste Transfer Station - biomass facility energy recovery plant.

Barnes Wallis Heat and Power, Cobham - biomass facility adjacent to AQMA.

Residential

Wood St Mill, Bury - residential development adjacent to scrap metal yard.

Hyams Lane, Holbrook - Odour Assessment to support residential development adjacent to sewage works.

North Wharf Gardens, London - peer review of EIA undertaken for large residential development.

Loxford Road, Alford - Air Quality EIA for residential development, included consideration of impacts from associated package sewage works

Elephant and Castle Leisure Centre - baseline AQA for redevelopment.

Carr Lodge, Doncaster - EIA for large residential development.

Queensland Road, Highbury - residential scheme including CHP.

Bicester Ecotown - dispersion modelling of energy centre.

Castleford Growth Delivery Plan - baseline air quality constraints assessment for town redevelopment.

York St, Bury - residential development adjacent to AQMA.

Temple Point Leeds - residential development adjacent to M1.

Commercial and Retail

Etihad Stadium - Air Quality EIA for the extension to the capacity of the Etihad Stadium, Manchester.

Wakefield College - redevelopment of city centre campus in AQMA.

Manchester Airport Cargo Shed - commercial development.

Manchester Airport Apron Extension - EIA including aircraft emission modelling.

National Youth Theatre, Islington - redevelopment to provide new arts space and accommodation.

KEY EXPERIENCE:

Liam is an Environmental Consultant with specialist experience in the air quality sector. His key capabilities include:

- Production of Air Quality Assessments in accordance with Department for Environment, Food and Rural Affairs (DEFRA) methodologies for a range of residential, commercial and industrial sectors.
- Detailed dispersion modelling of road vehicle exhaust emissions using ADMS-Roads. Studies have included assessment of road traffic exhaust emissions on sensitive receptors and exposure of new residents to poor air quality.
- Advanced Canyon Modelling to evaluate the impact of altered urban topography on air quality in built up areas.
- Assessment of construction dust impacts from a range of development sizes.
- Definition of baseline air quality and identification of sensitive areas across the UK.
- Assessment of industrial emissions using ADMS-5 software to determine impacts on sensitive human and ecological receptors in accordance with IAQM and Environment Agency (EA) guidance.

SELECT PROJECTS SUMMARY:

Heathrow Marriott Hotel, London

Air Quality Assessment for an extension of the existing Heathrow Marriott Hotel, London, to provide an additional 260 bedrooms. The development had the potential to cause impacts at sensitive locations. These may include fugitive dust emissions during construction and road traffic exhaust emissions from vehicles travelling to and from the site during operation. An assessment was therefore undertaken in order to determine baseline conditions and consider potential effects as a result of the proposals. Review of the results indicated an acceptable level of emissions from the scheme

Duchesse Belle Public House, Battersea

Production of an Air Quality Assessment in support of a mixed use development located within an Air Quality Management Area (AQMA). Dispersion modelling was undertaken in order to quantify pollutant concentrations at several heights of the proposed building. Predicted NO₂ and PM₁₀ concentrations were found to be below relevant air quality criteria at all sensitive locations included within the development

Home Farm Logs, Southwell

Air Quality Assessment in support of planning application for two biomass boilers at Home Farm Log, Southwell. A desktop study indicated sensitive ecological designations and human receptors in the vicinity of the site. Detailed dispersion modelling was therefore undertaken in order to quantify changes in pollution levels as result of atmospheric emissions from the plant at the identified locations. The results indicated impacts to be not significant in accordance with EA guidance

Monier Road, London

Production of an Air Quality Assessment in support of the installation of two gas boilers and a Combined Heat and Power unit within a residential block. Dispersion modelling of combustion emissions using ADMS-5 was undertaken in order to predict impacts at sensitive receptors. The results indicated pollutant levels as a result of the operation of the plant to below the relevant AQOs at all locations within the vicinity of the installation. Mitigation was therefore not required

Liverpool Road, Eccles

Air Quality Assessment in support of 16 residential units and associated infrastructure. The site was situated in close proximity to the M60 motorway. As such, the proposals had the potential to introduce future occupants into an area of poor air quality. Dispersion modelling was therefore undertaken and outputs verified against local monitoring locations. This showed future occupants would not be exposed to exceedences of the relevant AQOs. Suitable mitigation to control potential impacts associated with fugitive dust releases during construction were also identified

Newton Road, Hereford

Air Quality Assessment in support of a residential development situated in an AQMA. The scheme was situated in close proximity to a junction and associated road traffic emissions. Concerns were therefore raised regarding the exposure of future occupants to poor air quality. Detailed dispersion modelling was subsequently undertaken using ADMS-roads to assess PM₁₀ and NO₂ concentrations across the site. Results indicated that pollution levels were below the air quality standards across the site