



maparch

MAP Archaeological Practice

Land North of Thurnscoe
Thurnscoe
South Yorkshire

Phase 3

Written Scheme of Investigation
Archaeological Evaluation by Trial Trenching

2017/1051

MAP Archaeological Practice Ltd ©

Land North of Thurnscoe
Thurnscoe
South Yorkshire

2017/1051

WRITTEN SCHEME OF INVESTIGATION:
Archaeological Trial Trenching

CONTENTS	PAGE
1. Summary	2
2. Site Description	3
3. Historical and Archaeological Background	5
4. Aims and Objectives	5
5. Compliance	6
6. Methodology	7
7. Post Excavation Analysis and Reporting	12
8. Copyright, Confidentiality and Publicity	15
8. Archive Preparation and Dissemination	15
9. Bibliography	17
10. Best Practice and Guidelines	17
Appendix 1 Conservation Strategy	21
Appendix 2 Environmental Strategy	25
Figure 1. Site Location.	4

Land North of Thurnscoe
Thurnscoe
South Yorkshire

Phase 3

Written Scheme of Investigation
Archaeological Trial Trenching

1 Summary

- 1.1 This document sets out the details for the archaeological work required at land north of Thurnscoe, South Yorkshire in order to inform South Yorkshire Archaeology Service of the archaeological potential of the site, in advance of a large housing development with associated infrastructure.
- 1.2 In accordance with the recommendations of the National Planning Policy Framework (February 2019) on 'Archaeology and Planning' following the results of a Geophysical Survey, an Archaeological Evaluation by Trial Trenching has been proposed, the results of which will be summarised in a report to allow an appropriate mitigation strategy to be formulated if necessary.

2 Site Description and Planning Background

- 2.1 Outline planning permission has been granted for phase 3 of a large residential development to take place. Condition 18 states that;
Prior to the submission of any reserved matters application for phase 3, an archaeological evaluation of the phase 3 area will be undertaken in

accordance with a written scheme of investigation that has been submitted to and approved in writing by the local planning authority. Drawing upon the results of this field evaluation stage, a mitigation strategy for any further archaeological works and/or preservation in situ will be approved in writing with the local planning authority and then implemented.

Reason: To ensure that the site is archaeologically evaluated in accordance with an approved scheme and that sufficient information on any archaeological remains exists to help determine any reserved matters in accordance with CSP30.

- 2.2 The site is located on the northern side of the village of Thurnscoe, approximately 10km east of Barnsley and 12km west of Doncaster (NGR SE 45854 06184 fig 1.)




Figure 1. Site Location.

2.3 The Proposed Development Area is currently arable farmland and measures approximately 11ha.

2.4 The site lies on deposits of Newsted Rock sandstone deposit (BGS. 2019).

3. Archaeological and Historical Background

- 3.1 Several areas of cropmarks have been identified through aerial photography which are believed to date to the late prehistoric or Romano-British period. Such cropmarks identified to the south of the village was excavated during the late 1990's and were found to represent three phases of Romano-British occupation.
- 3.2 Thurnscoe is believed to have pre-conquest origins and is listed in the Domesday Survey as '*Ternusc*'. During the Medieval period much of the land around the village was owned by Roche Abby and it is believed that Low Grange, to the south-west of the site may have Medieval origins.
- 3.3 An archaeological Desk-Based Assessment was carried out in 2006 (CS Archaeology). The assessment highlighted known heritage assets located within and in the vicinity of the site including a series of cropmarks which include linear features which are likely to represent Post-Medieval field boundaries and areas of ridge and furrow.

4. Aims and Objectives

- 4.1 The aim of the Archaeological Trial Trenching is to determine the presence/absence, nature, date, quality of survival and importance of archaeological deposits to enable an assessment of the potential and significance of the archaeology to be made.

5 Compliance

- 5.1 MAP will adhere to the general principles of the ClfA Code of Conduct (ClfA 2014) throughout the project and to the ClfA 'Standards and Guidance for Archaeological Field Evaluations' (CIFA 2014b).
- 5.2 All work will be carried out in accordance with chapter 16 of the National Planning Policy Framework (February 2019) on 'Archaeology and Planning'.
- 5.3 The work will be monitored under the auspices of Andy Lines of South Yorkshire Archaeology Service who will be consulted before the commencement of site works.
- 5.4 All maps within this report have been produced from the Ordnance Survey with the permission of the Controller of Her Majesty's Stationery Office, Crown Copyright. License No. AL 50453A and also data derived from Open Street Map (<https://www.openstreetmap.org/copyright>).
- 5.5 If human remains are encountered during the course of this evaluation it is considered best practice to not remove the remains at this stage, however, this should be considered at a site-specific level. If it is deemed necessary to remove human remains, this will be carried out under the conditions of licences for the removal of human remains (issued by the Ministry of Justice) and in accordance with the Burial Act (1857) and 'Guidelines to the Standards for Recording Human Remains' (Brickley & McKinley. 2004) to ensure that they are treated with due dignity.
- 5.6 MAP Archaeological Practice is an ISO 9001 accredited organisation (certificate number GB2005425). The award of the ISO 9001 certificate,

independently audited by the British Standards Institution (BSI), demonstrates MAP's commitment to providing a quality service to our clients. ISO (the International Organisation for Standardisation) is the most recognised standards body in the world, helping to drive excellence and continuous improvement within businesses.

6 Fieldwork Methodology

6.1 Excavation and Recording

6.1.1 Twenty-Two Trial Trenches measuring 50m by 2m are proposed, covering a total of 2% of the area of the site. The location of this trenches has yet to be confirmed and will be positioned to reflect the results of the forthcoming Geophysical Survey. All will be agreed prior to excavation by Andy Lines at South Yorkshire Archaeology Service.

6.1.2 All overburden will be carefully removed by mechanical excavator using a wide toothless blade, under archaeological supervision, to the top of archaeological features or layers, thereafter all excavation will be by hand. Areas of intensive modern disturbance will be given a low priority in excavation. Where practicable, the fills of these features will be removed by mechanical excavator.

6.1.3 Context recording methodologies and systems will be used. All archaeological deposits will be recorded according to principles of stratigraphic excavation on MAP's *pro forma* sheets, which are compatible with the MoLAS recording system. The MoLAS recording manual will be used on site where necessary. The stratigraphy of trenches will be recorded even if no archaeology is found.

- 6.1.4 The excavation sampling policy is :
- a. A 100% sample of stakeholes
 - b. An initial 50% sample should be taken of all postholes, but where they are part of a building these should be 100% excavated
 - c. A 50% sample of pits with a diameter up to 1.5m (where justified, these should be 100% excavated,
 - d. A minimum 25% sample of all pits over 1.5m in diameter, but this should include a complete section across the pit to record a full profile (where justified, these should be 100% excavated)
 - e. All junctions/intersections and corners of linear features will be investigated and their stratigraphic relationships determined – if necessary, using box sections and all ditch terminals will be examined,
 - f. All funerary contexts, all buildings and all industrial features will be subject to 100% excavation. As noted above, postholes and the enclosing ditches around barrows and roundhouses would be first subject to sample excavation, sectioning and recording, but then should be fully excavated
- 6.1.5 In certain cases, the use of mechanical excavation equipment may also be appropriate for removing deep intrusions (e.g modern brick and concrete floors or footings), or for putting sections through major features after partial excavation (e.g ditches), or through deposits to check that they are of natural origin
- 6.1.6 A full written, drawn and photographic record will be made of all material revealed during the course of the Trial Trenching. Plans should be completed at a scale of 1:50 or 1:20 (as appropriate), whilst section drawings should be at a scale of 1:10. High resolution digital photographs should form the basis of the photographic archive.

- 6.1.7 A sampling strategy for the recovery for environmental remains has been formulated in accordance with an Environmental Strategy written by an Environmental Consultant (Diane Aldritt, appendix 1) and also follows the guidance of the Association for Environmental Archaeology (1995) and Historic England (2011).
- 6.1.8 Samples will be collected from primary and secondary contexts, where applicable, from a range of representative features, including pit and ditch fills, postholes, floor deposits, ring gullies and other negative features. Where features allow between 40 and 60 litres will be taken although entire contexts will be sampled if the volume is low, and specialist samples, such as for General Biological Analysis (GBA) or column samples, will be of the order of 20 litres. Positive features will also be sampled; retention of structural material such as bricks will be implemented where necessary. Sampling will also be considered for those features where dating by other methods (for example pottery and artefacts) is uncertain. Animal bones will be hand collected, and bulk samples collected from contexts containing a high density of bones. Spot finds of other material will be recovered where applicable. Flotation samples and samples taken for coarse-mesh sieving from dry deposits will be processed at the time of the fieldwork wherever possible, partly to permit variation of sampling strategies if necessary, but also because processing at a later stage could cause delays.
- 6.1.9 If human remains are encountered during the course of this evaluation and it is deemed necessary to remove the remains, this will take place under the conditions of licences for the removal of human remains (issued by the Ministry of Justice, to ensure that they are treated with due dignity). The

preferred option would be for them to be adequately recorded before lifting, and then carefully removed for scientific study, and long-term storage with an appropriate museum; however, the burial licence may specify reburial or cremation as a requirement.

6.1.10 A finds recovery and conservation strategy will be discussed with the Archaeology Manager and recipient museum in advance of the project commencing, and a policy for finds recording should be agreed and submitted to the Archaeology Manager, before commencement of site works. Any recording, marking and storage, materials will be of archive quality, and recording forms and manuals will be submitted to the Archaeology Manager, prior to the commencement of on-site works, if these have not been supplied previously. Allowance will be made for preliminary conservation and stabilisation of all objects and an assessment of long-term conservation and storage needs. We have made an allowance for a minimum four boxes in calculating estimates for museums storage grant.

6.1.11 All finds (artefacts and ecofacts) visible during excavation will be collected and processed, unless variations in this principle are agreed with the Local Authority. Finds will be appropriately packaged and stored under optimum conditions, as detailed in the RESCUE/UKIC publication *First Aid for Finds*. In accordance with the procedures outlined in *MoRPHE*, all iron objects, a selection of non-ferrous artefacts (including all coins), and a sample of any industrial debris relating to metallurgy will be X-radiographed before assessment.

- 6.1.12 We will make provision within our excavation strategies, where necessary, for use of shoring, pumps or artificial lighting. Such strategies will also follow for sampling for radiocarbon, archaeomagnetic and/or dendrochronological determinations, as appropriate: where in situ timbers are found to survive in good condition, samples should be taken for dendrochronological assay.
- 6.1.13 Arrangements for site access and reinstatement are to be agreed with the commissioning body.
- 6.1.14 Health and safety will take priority over archaeological matters. All archaeologists undertaking fieldwork must comply with all Health and Safety Legislation, this includes the preparation of a Risk Assessment.
- 6.1.15 Necessary precautions should be taken over underground services and overhead lines.
- 6.1.16 All on site staff hold valid CSCS cards. All Project Officers and Project Managers hold a valid First Aid at Work Certificate and Site Supervisor Safety Training qualifications.
- 6.1.17 MAP will provide evidence of all necessary insurances, including Employer's Liability, Professional Liability and Public Liability Cover.

7. Post Excavation Analysis and reporting

7.1 Upon completion of the evaluation, the artefacts, soil samples and stratigraphic information will be assessed as to their potential and significance for further analysis.

7.2 A report will be prepared to include the following:

- a) A non-technical summary of the results of the work, Introduction and aims and objectives.
- b) An introduction which should include
 - the site code/project number
 - planning reference number and SMR Casework number
 - dates when fieldwork took place
 - grid reference
- c) An account of the methods and results of the evaluation, describing structural data and associated finds and/or environmental data recovered.
- d) Interpretation, including phasing of the site sequence and spot-dating of ceramics (Descriptive material should be clearly separated from interpretive statements). This shall be supported by the use of photographs and drawings, to include an overall plan of the site accurately identifying the location of trenches; individual trench plans as excavated indicating the location of archaeological features, with at least one section detailing the stratigraphic sequence of deposits within each trench.
- e) A specialist assessment of the artefacts recovered with a view to their potential for further study. Allowance should be made for preliminary conservation and stabilisation of all objects and an assessment of long-term conservation and storage needs.

Assessment of artefacts must include inspection of X-radiographs of all iron objects, a selection of non-ferrous artefacts (including coins), and a sample

of any industrial debris relating to metallurgy. A rapid scan of all excavated material should be undertaken by conservators and finds researchers in collaboration. Material considered vulnerable will be selected for stabilisation after specialist recording. Where intervention is necessary, consideration will be given to possible investigative procedures (e.g glass composition studies, residues in or on pottery, and mineral preserved organic material). Once assessed, all material will be packed and stored in optimum conditions, as described in First Aid For Finds. Waterlogged organic materials should be dealt with, following Historic England documents, Guidelines for the care of waterlogged archaeological leather, and guidelines on the recording, sampling, conservation and curation of waterlogged wood.

- f) A specialist assessment of environmental samples taken, with a view to their potential for subsequent study.

Processing of all samples collected for biological assessment, or sub-samples of them, will be completed. Bulk and site-riddled samples from dry deposits should have been processed during excavation, where possible. The preservation state, density and significance of material retrieved must be assessed, following methods presented in Environmental Archaeology and archaeological evaluations, or existing local guidelines, until national guidelines are available. Unprocessed sub-samples must be stored in conditions specified by the appropriate specialists.

Assessments for any technological residues will be undertaken. Samples for dating must be submitted to laboratories promptly, so as to ensure that results are available to aid development of specifications for subsequent mitigation strategies.

- g) The results from investigations in archaeological sciences will be included in the Site Archive and presented in the Evaluation Report. Reports must

include sufficient detail to permit assessment of potential analysis. They will include tabulation of data in relation to site phasing and contexts, and must include non-technical summaries. The objective presentation of data must be clearly separated from interpretation. Recommendation for further investigation (both on samples already collected, and at future excavations) must be clearly separated from the results and interpretation.

- h) An assessment of the archaeological significance of the deposits identified, in relation to other sites in the region.
- i) A conclusion with recommendations for further post-excavation work, if required.
- j) Detailed archive location and destination.
- k) Appendices and figures, as appropriate, including a copy of the specification and/or project design.
- l) References and bibliography of all sources used

7.3 Copies of the report will be submitted to the commissioning body, the Local Planning Authority and South Yorkshire Archaeology Service within an agreed timetable and subject to any contractual requirements on confidentiality (see 8.2 below).

7.4 We will provide a digital copy of the report in PDF format to the South Yorkshire Historic Environment Record.

7.5 A Brief, interim report may be required shortly after the completion of fieldwork.

7.6 The following Specialists have been contacted as are available to work on the project:

Pottery - T G Manby (Prehistoric),
M R Stephens (medieval and Post-medieval)
P A Ware (Roman)
Flint - P Makey
Animal Bone – Jane Richardson
Environmental Sampling – Diane Alldritt
Conservation – York Archaeological Trust
Human Remains – York Osteology
Ceramic Building Material – Dr Phil Mills
Clay Tobacco Pipe - M R Stephens

8. Copyright, Confidentiality and Publicity

8.1 Unless the individual/organisation commissioning the project wishes to state otherwise, the copyright of any written, graphic or photographic records and reports rests with MAP.

9. Archive Preparation and Dissemination

9.1 The requirements for archive preparation and deposition must be addressed and undertaken in a manner agreed with the recipient museum: in this instance, the Yorkshire Museum is recommended. The recipient museum will be contacted at an early stage, before submission of the project design and before commencement of fieldwork.

9.2 A site archive should be prepared in accordance with the specification outlined in *Management of Archaeological Projects* (MoRPHE (Lee, E, 2006). See also *Towards an Accessible Archaeological Archive, the Transfer of Archaeological Archives to Museums: Guidelines for use in England*,

Northern Ireland, Scotland and Wales Society of Museum Archaeologists
1995.

- 9.3 The site archive, including finds and environmental material, subject to the permission of the relevant landowners, will be labelled, conserved and stored according to the United Kingdom Institute for Conservation (UKIC)'s. Provision will be made for the stable storage of paper records and their long term storage on a suitable medium, such as microfilm, a copy of which should be deposited with the NMR (Historic England). An index to the contents of the archive together with details of its date and place of deposition should be lodged with the SMR.
- 9.4 Archive deposition must be arranged in consultation with the recipient museum and South Yorkshire Archaeology Service and must take account of the requirements of the recipient museum and the relevant guidelines (see above) relating to the preparation and transfer of archives. The timetable for deposition shall be agreed on completion of the site archive and narrative.

10. Bibliography

British Geological Society. Geology of Britain Viewer. Available at;
<http://mapapps.bgs.ac.uk/geologyofbritain/home.html>

CS Archaeology. 2006. Land North of Thurnscoe, South Yorkshire
Archaeological Desk-based assessment.

11. Best Practice and Guidelines

Association for Environmental Archaeology. 1995. Environmental
archaeology and Archaeological Evaluations, Recommendations
Concerning the Component of Archaeological Evaluations in England.
Working Papers of the Association for Environmental Archaeology, Number
2. <http://www.envarch.net/publications/papers/evaluations.html>

Brown, D.H. 2011. Archaeological Archives – A guide to best practice in
creation, compilation, transfer and curation. Institute for Archaeologists and
the Archaeological Archives Forum. 2nd Edition.
[http://www.archaeologyuk.org/archives/aaf_archaeological_archives_2011.p
df](http://www.archaeologyuk.org/archives/aaf_archaeological_archives_2011.pdf)

Brickley, M. and McKinley, J.I. (2004) Guidelines to the Standards for
Recording Human Remains. Reading: Institute for Archaeologists, Technical
Paper 7

Burial Act. 1857

Chartered Institute for Archaeologists. (2014) Code of Conduct.

<https://www.archaeologists.net/sites/default/files/CodesofConduct.pdf>

Chartered Institute for Archaeologists. (2014b) Standard and Guidance for Archaeological Field Evaluation.

https://www.archaeologists.net/sites/default/files/CIfAS&GFieldevaluation_1.pdf

Historic England. 2015. Geoarchaeology Using earth sciences to understand the archaeological record. Historic England, Swindon.

<https://historicengland.org.uk/images-books/publications/geoarchaeology-earth-sciences-to-understand-archaeological-record/>

English Heritage 2006. Archaeomagnetic Dating. English Heritage, Swindon.

<https://historicengland.org.uk/images-books/publications/archaeomagnetic-dating-guidelines/>

English Heritage 2010. Waterlogged Wood: Guidelines on the recording, sampling, conservation and curation of waterlogged wood. Swindon, English Heritage.

<https://historicengland.org.uk/images-books/publications/waterlogged-wood/>

English Heritage 2011 Environmental Archaeology A Guide to the Theory and Practice of Methods, from Sampling and Recovery to Post-excavation (second edition) . English Heritage, Swindon. 2nd edition.

<https://historicengland.org.uk/images-books/publications/environmental-archaeology-2nd/>

English Heritage 2012. Waterlogged Organic Artefacts: Guidelines on their recovery, analysis and conservation. Swindon, English Heritage.

<https://historicengland.org.uk/images-books/publications/waterlogged-organic-artefacts/>

English Heritage 2014. Animal Bones and Archaeology: Guidelines for Best Practice

<https://historicengland.org.uk/images-books/publications/animal-bones-and-archaeology/>

English Heritage 2006. Guidelines on the X-radiography of archaeological metalwork. English Heritage, Swindon.

<https://historicengland.org.uk/images-books/publications/x-radiography-of-archaeological-metalwork/>

Gaffney, C., Gater, J. and Ovenden, S. 2002. The Use of Geophysical Techniques in Archaeological Evaluations. Reading: Institute for Archaeologists, Technical Paper 6

Historic England. 2015a. Archaeological and Historical Pottery Production Sites. Historic England, Swindon.

<https://historicengland.org.uk/images-books/publications/archaeological-and-historic-pottery-production-sites/>

Historic England. 2015b. Archaeometallurgy: Guidelines for best practice. Historic England, Swindon.

<https://historicengland.org.uk/images-books/publications/archaeometallurgy-guidelines-best-practice/>

Historic England. 2015c. Management of Research Project in the Historic Environment: The MoRPHE Project Managers' Guide. Swindon: English Heritage.

<https://historicengland.org.uk/images-books/publications/morphe-project-managers-guide/heag024-morphe-managers-guide/>

Historic England. 2016. Preserving Archaeological Remains. Decision taking for Sites under Development.

www.HistoricEngland.org.uk/advice/technical-advice/archaeological-science/preservation-in-situ/

Historic England. 2017 Organic Residue Analysis and Archaeology, Guidance for Good Practice.

www.HistoricEngland.org.uk/advice/technical-advice/archaeological-science/

Institute for Archaeologists. 2008. Standard and Guidance for the Collection, Documentation, Conservation and Research of Archaeological Materials. Reading: Institute for Archaeologists.

http://www.archaeologists.net/sites/default/files/node-files/ifa_standards_materials.pdf

Institute for Archaeologists. 2009. Standard and Guidance for the Creation, Compilation, Transfer and Deposition of Archaeological Archives. Reading: Institute for Archaeologists.

<http://www.archaeologists.net/sites/default/files/node-files/Archives2009.pdf>

Institute for Archaeologists. 2010 Draft Standard and Guidance for Archaeological Geophysical Survey. Reading: Institute for Archaeologists.
<http://www.archaeologists.net/sites/default/files/node-files/geophysicsSG.pdf>

Mays, S., Brickley, M. and Dodwell, N. 2004. Human Bones from Archaeological Sites: Guidelines for Producing Assessment Documents and Analytical Reports. Swindon: English Heritage.
<http://www.english-heritage.org.uk/publications/human-bones-from-archaeological-sites/humanbones2004.pdf>

McKinley, J.I. and Roberts, C. 1993. Excavation and Post-excavation Treatment of Cremated and Inhumed Human Remains. Reading: Institute for Archaeologists, Technical Paper 13

SYAS. 2001. Yorkshire, the Humber and the North- East: A Regional Statement of Good Practice for Archaeology in the Development Process.
<https://www.sheffield.gov.uk/content/dam/sheffield/docs/planning-and-development/archaeology/The-regional-statement-for-good-practice-in-archaeology-within-Planning--pdf--24KB-.pdf>

Watkinson, D. and Neal, V. 2001. First Aid for Finds: A Practical Guide for Archaeologists [Third Edition]. Hertford: RESCUE – The British Archaeological Trust

APPENDIX 1

Conservation Strategy By Ian Panter of York Archaeological Trust

Artefacts from all categories and all periods will be recovered as a matter of routine during the excavation. When retrieved from the ground finds will be kept in a finds tray or appropriate bags in accordance with **First Aid for Finds**. Where necessary, a conservator may be required to recover fragile finds from the ground depending upon circumstances.

If waterlogged conditions are encountered a wide range of organic materials may be recovered, including wood, leather and textiles. Advice will be sought from a conservator to discuss optimum storage requirements before any attempt is made to retrieve organic finds and structural timbers from the ground.

After the completion of the fieldwork stage, a conservation assessment will be undertaken which will include the X-radiography of all the ironwork (after initial screening to separate obviously modern debris), and a selection of the non-ferrous finds (including all coins). A sample of slag may also be X-rayed to assist with identification and interpretation. Wet-packed material, including glass, bone and leather will be stabilised and consolidated to ensure their long-term preservation. All finds will be stored in optimum conditions in accordance with **First Aid for Finds** and **Guidelines for the Preparation of Excavation Archives for Long-Term Storage** (Walker, 1990).

Waterlogged wood, including structural elements will be assessed following the English Heritage guidelines, **Waterlogged wood: sampling, conservation and**

curation of structural wood (Brunning 1996). The assessment will include species identification, technological examination and potential for dating.

The conservation assessment report will include statements on condition, stability and potential for further investigation (with conservation costs) for all material groups. The conservation report will be included in the updated project design prepared for the analysis stage of the project.

References

Brunning, R. and Watson, J. *Guidelines on Recording, Sampling, Conservation and Curation of Waterlogged Wood*. Swindon: English Heritage (2010). <http://www.english-heritage.org.uk/publications/waterlogged-wood/waterlogged-wood.pdf>

Karsten, A., Graham, K., Jones, J., Mould, Q. and Walton Rogers, P. (2012) *Waterlogged Organic Artefacts: Guidelines on Their Recovery, Analysis and Conservation*. Swindon: English Heritage. <http://www.english-heritage.org.uk/publications/waterlogged-organic-artefacts/woa-guidelines.pdf>

Walker, K. 1990 *Guidelines for the preparation of excavation archives for long-term storage*, Archaeology Section of the United Kingdom Institute for Conservation.

Watson, J., Fell, V. and Jones, J. (2008) *Investigative Conservation: Guidelines on How the Detailed Examination of Artefacts from Archaeological Sites can Shed Light on their Manufacture and Use*. Swindon: English Heritage. <http://www.english-heritage.org.uk/publications/investigative-conservation/investigative-conservation.pdf>

Watkinson, D. and Neal, V. 1998 First Aid for Finds (3rd edition), RESCUE and the Archaeology Section of the United Kingdom Institute for Conservation.

Institute for Archaeologists. (2008) *Standard and Guidance for the Collection, Documentation, Conservation and Research of Archaeological Materials*. Reading: Institute for Archaeologists. http://www.archaeologists.net/sites/default/files/node-files/ifa_standards_materials.pdf

APPENDIX 2

Environmental Strategy By Diane Alldrit

The on-site environmental sampling strategy will systematically seek to recover a representative sample of botanical, molluscan (both terrestrial and aquatic), avian and mammalian evidence from the full range of contexts encountered during the excavation. This will enable, at the assessment stage, the possibility for radiocarbon dating material to be obtained, and for an initial analysis of the economic and environmental potential of the site. In order to achieve this, a bulk sample (BS, Dobney *et al* 1992) comprising an optimum size of 40litre of sediment (where possible) should be taken from **every stratigraphically secure and archaeologically significant context**. In practice it may not always be possible to obtain 28l of sediment from certain features during the assessment stage, for instance from partially excavated pits or post-holes, in which case a single bucket sample, c.10 to 14litre should be taken at the site supervisors discretion. Deposits of mixed origin, for instance topsoil, wall fills and obvious areas of modern contamination, should be avoided where possible, as these will contain intrusive material and not provide secure radiocarbon dates.

All buckets and other sampling equipment must be clean and free of adherent soil in order to prevent cross-contamination between samples. If dry soil is to be stored for any length of time it should be kept in cool, dry conditions, and away from strong light sources. However, it is preferable to process samples as soon as possible after excavation.

Bulk soil samples shall be processed using an Ankara-type water flotation machine (French 1971) for the recovery of carbonised plant remains and charcoal. The

flotation tank should contain a >1mm mesh for collection of the retent or 'residue' portion of the sample (which may contain pottery, lithics and animal / bird bone, in addition to the heavier fragments of charcoal which do not float). The 'flot' portion of the sample, which may include carbonised seeds, cereal grain, charcoal and sometimes mollusc shell, should be captured using a nest of >1mm and >300micron Endicot sieves. Flotation equipment, including sieves, meshes, brushes and so forth must be meticulously cleaned between samples in order to prevent contamination of potential radiocarbon dating material. All material resulting from flotation will be dried prior to microscopic examination. Flotation is not suitable for the recovery of pollen or for processing waterlogged samples, which shall be discussed below.

Where there is potential for waterlogged preservation, shown for instance by the presence of wood and other organic or wet material, then a 5 to 10litre size sample should be taken (GBA sample, Dobney *et al* 1992). This material is to be retained for later processing using laboratory methods to enable the recovery of waterlogged plant material and insects. For assessment purposes a 1litre sub-sample of the organic sediment from each potential waterlogged sample shall be processed using laboratory wash-over methods, and once processed **kept wet**. All waterlogged samples awaiting processing should be kept damp, preferably stored in plastic sealable tubs, and in cool conditions. Where large waterlogged timbers are recovered these should be stored under refrigerated conditions and an appropriate conservator consulted.

There is the possibility that the waterlogged deposits may require parasite egg analysis. It is proposed that the 'squash' technique is adapted, this would require small lumps of raw sediment approximately 3mm in diameter taken from three separate points from within the sample and homogenised in a little water by

shaking. After allowing coarse particles to settle for a few moments, a drop of the supernatant was removed. This work would be undertaken by either John Carrott or Harry Kenwood if necessary.

If sediment suitable for pollen analysis is encountered, for instance rich organic peaty deposits, or deep ditch sections with organic preservation, the archaeobotanical specialist is to be consulted prior to any sampling taking place. These deposits would require sampling with large kubiena tins and require the specialist to be on-site. Pollen analysis, even at assessment level, would subsequently impose a considerable cost implication should it be carried out.

The specialist is available to provide consultation and advice on the environmental sampling strategy throughout the course of the excavation and during post-excavation processing if required.

References

Dobney, K. D., Hall, A. R., Kenward, H. K. and Milles, A. 1992 A working classification of sample types for environmental archaeology. *Circaea* 9 24-26.

French, D. H. 1971 An Experiment in Water Sieving. *Anatolian Studies* 21 59-64.