

2008/11820

Barnsley Partnership For Learning - Fencing Details

All Phase I Schools (Carlton, Dearne, Kirk Balk, Penistone, Darton)



PERIMETER FENCING

TYPICAL SPECIFICATION

Finish		Standard colours	
Galvanised and Polyester powder coated		RAL 6005 Green RAL 9005 Black RAL 7030 Grey RAL 5011 Blue	
Wire diameter (mm)	Mesh (mm)	Fence height (m)	Post centres (m)
Horizontal: 6 Vertical: 6	200 x 50	2.4	2.52 maximum



INTERNAL/HARD GAMES COURT FENCING

TYPICAL SPECIFICATION

Finish		Standard colours	
Galvanised and Polyester powder coated		RAL 6005 Green RAL 9005 Black RAL 7030 Grey RAL 5011 Blue	Other non-standard colours may be used
Wire diameter (mm)	Mesh (mm)	Fence height (m)	Post centres (m)
Horizontal: 6 Vertical: 6	200 x 50	Internal fences - 1.2 or 1.6m Hard games court/STP fence - 3.0m (4.5m behind goals)	2.52 maximum

Fence Alignment

Where perimeter fencing is proposed along boundaries which are shared with residential properties best endeavours will be undertaken to ensure 'no-mans land' situations do not occur. Where new fence is installed in the place of existing fences on these boundaries, care will be taken to ensure the property's boundary treatments which meet the fence are fixed or secured appropriately to prevent them from becoming unstable.

Where proposed fencing is to be installed along other existing boundaries, care will be taken to ensure that the fence follows sensible lines and any existing fence on the same boundary line will be removed.

Barnsley Partnership For Learning - Fencing Details

All Phase I Schools (Carlton, Dearne, Kirk Balk, Penistone, Darton)

2009/0078



PERIMETER FENCING

TYPICAL SPECIFICATION

Finish		Standard colours	
Galvanised and Polyester powder coated		RAL 6005 Green RAL 9005 Black RAL 7030 Grey RAL 5011 Blue	
Wire diameter (mm)	Mesh (mm)	Fence height (m)	Post centres (m)
Horizontal: 6 Vertical: 6	200 x 50	2.4	2.52 maximum



INTERNAL/HARD GAMES COURT FENCING

TYPICAL SPECIFICATION

Finish		Standard colours	
Galvanised and Polyester powder coated		RAL 6005 Green RAL 9005 Black RAL 7030 Grey RAL 5011 Blue	Other non-standard colours may be used
Wire diameter (mm)	Mesh (mm)	Fence height (m)	Post centres (m)
Horizontal: 6 Vertical: 6	200 x 50	Internal fences - 1.2 or 1.6m Hard games court/STP fence - 3.0m (4.5m behind goals)	2.52 maximum

Fence Alignment

Where perimeter fencing is proposed along boundaries which are shared with residential properties best endeavours will be undertaken to ensure 'no-mans land' situations do not occur. Where new fence is installed in the place of existing fences on these boundaries, care will be taken to ensure the property's boundary treatments which meet the fence are fixed or secured appropriately to prevent them from becoming unstable.

Where proposed fencing is to be installed along other existing boundaries, care will be taken to ensure that the fence follows sensible lines and any existing fence on the same boundary line will be removed.

Barnsley Partnership For Learning - Fencing Details

All Phase I Schools (Carlton, Dearne, Kirk Balk, Penistone, Darton)



PERIMETER FENCING

TYPICAL SPECIFICATION

Finish		Standard colours	
Galvanised and Polyester powder coated		RAL 6005 Green RAL 9005 Black RAL 7030 Grey RAL 5011 Blue	
Wire diameter (mm)	Mesh (mm)	Fence height (m)	Post centres (m)
Horizontal: 6 Vertical: 6	200 x 50	2.4	2.52 maximum



INTERNAL/HARD GAMES COURT FENCING

TYPICAL SPECIFICATION

Finish		Standard colours	
Galvanised and Polyester powder coated		RAL 6005 Green RAL 9005 Black RAL 7030 Grey RAL 5011 Blue	Other non-standard colours may be used
Wire diameter (mm)	Mesh (mm)	Fence height (m)	Post centres (m)
Horizontal: 6 Vertical: 6	200 x 50	Internal fences - 1.2 or 1.5m Hard games court/STP fence - 3.0m (4.5m behind goals)	2.52 maximum

Fence Alignment

Where perimeter fencing is proposed along boundaries which are shared with residential properties best endeavours will be undertaken to ensure 'no-mans land' situations do not occur. Where new fence is installed in the place of existing fences on these boundaries, care will be taken to ensure the property's boundary treatments which meet the fence are fixed or secured appropriately to prevent them from becoming unstable.

Where proposed fencing is to be installed along other existing boundaries, care will be taken to ensure that the fence follows sensible lines and any existing fence on the same boundary line will be removed.

Barnsley Partnership For Learning - Fencing Details

All Phase I Schools (Carlton, Dearne, Kirk Balk, Penistone, Darton)

2009/0091



PERIMETER FENCING

TYPICAL SPECIFICATION

Finish		Standard colours	
Galvanised and Polyester powder coated		RAL 6005 Green RAL 9005 Black RAL 7030 Grey RAL 5011 Blue	
Wire diameter (mm)	Mesh (mm)	Fence height (m)	Post centres (m)
Horizontal: 6 Vertical: 6	200 x 50	2.4	2.52 maximum



INTERNAL/HARD GAMES COURT FENCING

TYPICAL SPECIFICATION

Finish		Standard colours	
Galvanised and Polyester powder coated		RAL 6005 Green RAL 9005 Black RAL 7030 Grey RAL 5011 Blue	Other non-standard colours may be used
Wire diameter (mm)	Mesh (mm)	Fence height (m)	Post centres (m)
Horizontal: 6 Vertical: 6	200 x 50	Internal fences - 1.2 or 1.8m Hard games court/STP fence - 3.0m (4.5m behind goals)	2.52 maximum

Fence Alignment

Where perimeter fencing is proposed along boundaries which are shared with residential properties best endeavours will be undertaken to ensure 'no-mans land' situations do not occur. Where new fence is installed in the place of existing fences on these boundaries, care will be taken to ensure the property's boundary treatments which meet the fence are fixed or secured appropriately to prevent them from becoming unstable.

Where proposed fencing is to be installed along other existing boundaries, care will be taken to ensure that the fence follows sensible lines and any existing fence on the same boundary line will be removed.

2008/1819

Barnsley Partnership For Learning - Fencing Details

All Phase I Schools (Carlton, Dearne, Kirk Balk, Penistone, Darton)



PERIMETER FENCING

TYPICAL SPECIFICATION

Finish		Standard colours	
Galvanised and Polyester powder coated		RAL 6005 Green RAL 9005 Black RAL 7030 Grey RAL 5011 Blue	
Wire diameter (mm)	Mesh (mm)	Fence height (m)	Post centres (m)
Horizontal: 6 Vertical: 6	200 x 50	2.4	2.52 maximum



INTERNAL/HARD GAMES COURT FENCING

TYPICAL SPECIFICATION

Finish		Standard colours	
Galvanised and Polyester powder coated		RAL 6005 Green RAL 9005 Black RAL 7030 Grey RAL 5011 Blue	Other non-standard colours may be used
Wire diameter (mm)	Mesh (mm)	Fence height (m)	Post centres (m)
Horizontal: 6 Vertical: 6	200 x 50	Internal fences - 1.2 or 1.6m Hard games court/STP fence - 3.0m (4.5m behind goals)	2.52 maximum

Fence Alignment

Where perimeter fencing is proposed along boundaries which are shared with residential properties best endeavours will be undertaken to ensure 'no-mans land' situations do not occur. Where new fence is installed in the place of existing fences on these boundaries, care will be taken to ensure the property's boundary treatments which meet the fence are fixed or secured appropriately to prevent them from becoming unstable.

Where proposed fencing is to be installed along other existing boundaries, care will be taken to ensure that the fence follows sensible lines and any existing fence on the same boundary line will be removed.