Tree T7 to be crown reduced by 30%.

T7
B

Replanting of 3 festigiate Oaks to mitigate the loss of tree T8.

Tree T8 to be removed due to conflict with development and concerns over structural condition.

T8
C

T6
B

Tree T5 to be removed due to physiological condition.

T5
U

T4
C

T3
C

Tree T3 to be removed due to poor proximity to boundary wall.

T2
C

T1
U

Tree T1 to be removed due to poor physiological condition

T11
B

T12
B

T13
B

T10
C

T9
C

Trees T9 & T10 to be removed due to poor location in boundary line.

10321

Protective Fencing

Crown Spread

Root Protection Area

Shading Arc

Category 'A'

Category 'B'

Category 'C'

Category 'U'

0

30m

Braemar Arboriculture Ltd

Unit 1.09, Cannock Chase Enterprise Centre, Rugeley Rd, Hednesford, Staffordshire, WS12 0QU

Tel: 01543 877200 / 07749 068624 - E-mail: braemararbtld@gmail.com

Tree Protection Plan - 70 Vernon Rd, S70 5BE

SCALE : 1 : 200 @ A2

DATE : 07/08/2018

MAP FILENAME : BALDS017-18

N

Map data shown may contain Ordnance Survey ® products supplied by Pear Technology Services Ltd; Email: info@peartechnology.co.uk
© Crown Copyright and database rights from date shown above
Ordnance Survey ® licence number 100023148