



location plan 1/1250

- FL450 100mm dia. new surface water drains shown thus (except where indicated larger) new inspection chambers where shown with Fibrelite lid type as indicated
- FL60 100mm dia. new foul drains shown thus (new inspection chambers where shown with Fibrelite lid type as indicated)
- FL60 100mm dia. new forecourt drains shown thus (new inspection chambers where shown with Fibrelite lid type as indicated)
- Marshall's Birco 100 channel drainage system fitted with cast iron slotted gratings (D400 load class)
- Marshall's Birco 100 junction/outfall unit
- Marshall's Birco 100 in-line outfall unit
- debonded construction joint to details & spec.
- 100mm gauges or data duct (except where shown larger)
- 100mm electrical duct
- 150mm electrical duct
- NB. all ducts to be min. 500mm depth below finished forecourt level
- Fibrelite sump for electrical services to spec. (chamber/lid reference as indicated on plan)
- Fibrelite sump for gauges equipment to spec. (chamber/lid reference as indicated on plan)
- LP 5m galv. steel floodlight pole for perimeter lighting
- earth rod 3m copper earthing rod approx. location where shown
- 150mm twin wall duct for main electric supply
- water supply pipework
- + 43.700 denotes new finished levels to pump islands etc.
- + 46.650 denotes new finished levels to forecourt areas
- + 46.33 denotes existing levels (generally to be maintained except where new finished levels are shown)
- All fuel lines & vent. pipework shown on A+DP drawing 18048D-25-T01
- new full build up SMA macadam surfacing shown thus to spec.
- concrete surfacing to forecourt shown thus to spec.
- block paved pathway to spec.

This drawing has been prepared specifically for the purpose of obtaining Planning Permission and/or Building Regulation Approval. Its suitability for other purposes, without supplementary details and specifications, cannot be guaranteed. The Permissions and/or Approvals are beyond the Architects control, and no guarantee that such will be granted is given or to be inferred by reason of the preparation of this drawing. Only figured dimensions are to be used. All dimensions to be checked on site. This drawing together with the design is the property and copyright of the Architect and must not be reproduced without prior written permission.

REV	DESCRIPTION	DATE	DRAWN	APPROVED
P05	As set w/changes omitted additional high speed charging points, new boundary fencing	23.08.18	AS	AS
P04	Kiosk footprint reduced, minor alterations to forecourt layout	22.05.18	AS	AS
P03	Kiosk footprint increased	17.05.18	AS	AS
P02	Revised pump layout	15.05.18	AS	AS
P01	Drawing originated	04.05.18	AS	AS



project proposed redevelopment of site to reinstate petrol filling station at 245, Barnsley Road, Wombwell Barnsley for Dove Retail Ltd

title site plan  
number 18048D-20-P05  
scale 1:100  
size A1