

SINGLE STEELWORK
ON REMOVAL OF
STAIRWALL -
152 x 152 x 23 kg/m
UNIVERSAL COLUMN

PROVIDE 225MM BRICKWORK
FOR THE CAVITY SIDE
OF FRONT - PROVIDE
EV100 HEAVY DUTY
LINTEL 3900MM LONG.

TO PROVIDE 152 x 152 x 30 kg/m
UNIVERSAL COLUMNS WITH 8MM
M/S. PLATE WELDED TO BOTTOM
FLANGE

2 NO. 178 x 102mm x 19 kg/m
UNIVERSAL BEAMS ON
300MM x 200MM WIDE x
140MM DEEP CONCRETE
(C30) PADSTONES

REMOVE EX.
STAIRCASE &
MAKE GOOD
TO SUIT.

REDUCE WINDOW TO
685MM WIDE x
1050MM HIGH -
RETAIN ORIGINAL LINTEL
ORR - MAKE GOOD
AS REQD.

MEC. EXT.
FANS AS
SHOWN.

PROVIDE SINGLE R.S.J.
ACTING AS PURWID :-
203 x 102mm x 23 kg/m
UNIVERSAL BEAM ON
250 x 100MM WIDE x
150MM DEEP CONCRETE
PADSTONES

First Floor

TO PROVIDE
SINGLE STEEL
152 x 152mm x
30 kg/m
UNIVERSAL BEAM
WITH 8MM M/S
PLATE TO
UNDERSIDE OF
BOTTOM FLANGE

Rev	Notes	Date
A	CLIENT ALTS. ADDED	07-19

Garry Greetham Associates
Residential Design Consultant
Westwood House
18 Carr Lane
Tankersley
Barnsley S75 3BE
Tel(01226)746573

PROJECT Extensions / Alterations

CLIENT Mr. & Mrs. W. Whittaker

TITLE Property as Proposed

ADDRESS
96 Midland Road, Royston,
Barnsley. S71 4QT

DRAWN BY 999

SCALE 1:50 DATE Apr 19

DRAWING No 898-05 REV A

Member of the Chartered Institute
of Architectural Technologists

SMC
CORPORATE MAIL ROOM

20 JUL 2013

Received by
ORIGINAL COPY

Ground Floor

94

* ALSO PADSTONES
WALL WIDTH x
150MM LONG x
100MM DEEP
CONCRETE

WIDEN OPENINGS
& MAKE GOOD
PROVIDE 2 NO.
178 x 102mm x 19 kg/m U.B.

CONCRETE BACK SLABING MIN
200MM AWAY FROM WALL -
BASE FINISHED WITH GRAVEL
TO NOT INTERFERE WITH
D.P.C.

TO PROVIDE 4 NO.
"VELUX" ROOF LIGHTS
G GLASS MK06 - 1180MM DEEP x
780MM WIDE.