




Existing ATM Room Plan
scale 1:50




Proposed ATM Room Plan
scale 1:50




Existing External Elevation
N216131 (ext. left)
1:20



Existing External Elevation
N222731 (ext. right)
1:20




Proposed External Elevation
N216131 (ext. left)
1:20




Proposed External Elevation
N222731 (ext. right)
1:20

DEVICE SCHEDULE							
ATM LU Nr.	Existing device to be removed	Device Type	Device Location	Proposed Device	Proposed Surround Size	SAI Present	DDA Compliant
N222731	NCR 6625	CASH ATM	EXTERNAL WALL (right)	NCR 6624	H1260 x W1000	YES	YES
N216131	NCR 6634	CASH ATM	EXTERNAL WALL (left)	NCR 6624	H1260 x W1000	YES	YES




Existing Elevation
1:20

Existing Structural opening
1:20




Proposed Elevation
1:20

Proposed Structural opening
1:20




Existing Elevation
1:20

Existing Structural opening
1:20




Proposed Elevation
1:20

Proposed Structural opening
1:20




Existing Section
1:20

SUSPENDED CONCRETE SLAB WITH VOID BELOW




Proposed Section
1:20

SUSPENDED CONCRETE SLAB WITH VOID BELOW



Existing Section
1:20

SUSPENDED CONCRETE SLAB WITH VOID BELOW



Proposed Section
1:20

SUSPENDED CONCRETE SLAB WITH VOID BELOW

REV DESCRIPTION	DATE
REV001 PLINTH-INFO-AMENDED	19-08-24
REV002 PROPOSED-ATM-SURROUND-DIMENSIONS-AMENDED	26-09-24
REV003 SURROUND-SIGNAGE-UPDATED	26-02-25

TO BE READ IN CONJUNCTION WITH RELEVANT 'SITE PREPARATION DOCUMENT'

RELEVANT ARCHITECTURAL, ENGINEERS, M&E, AND SPECIALIST CONTRACTOR DRAWINGS AND SPECIFICATIONS. GENERAL NOTES:

THE CONTRACTOR IS RESPONSIBLE FOR CHECKING DIMENSIONS, TOLERANCES, AND REFERENCE. ANY DISCREPANCIES TO BE CHECKED WITH THE ARCHITECT BEFORE PROCEEDING WITH THE WORKS.

ALL NEW WORKS, PRODUCTS AND PROCESSES ARE TO BE IN ACCORDANCE WITH THE RELEVANT BUILDING REGULATIONS, BRITISH STANDARDS AND MANUFACTURERS GUIDANCE, DETAILS AND SPECIFICATIONS.

NO. 5 KEY HEIGHT SHOWN IS OPTIMUM SUBJECT TO SITE CONFIRMATION.

- EXTERNAL REMOVALS:
 - Contractor to review asbestos register in branch property file.
 - Disconnect power, alarm, data & IT from ATMs to be removed.
 - Remove existing ATMs & Plinths/Baseplates.
- PROPOSED:
 - Once existing ATM is removed, adjust existing aperture to anti-bandit specification, in line with aperture requirements for the new ATM. All replacement ATMs to be positioned on centreline of existing removed device unless notified otherwise on this drawing.
 - Modify wall apertures as required.
 - Reduce wall thickness as required.
 - Install new plinths/Baseplates & ATMs.
 - Install new collars/Tablets.
 - Disconnect/re-connect data power.
- DECORATION & FINISHES:
 - All affected areas to be made good and finished to match existing, to Contractors Scope of Works and NatWest Design Guide.
- M&E and I.T.:
 - Install power and data to new ATM.
- SECURITY:
 - Provide security alarms to new ATM.
- NOTES:
 - Suspended concrete slab with void below.
 - Check provided ATM pit solution regarding DDA compliant No. 5 Key Height.

INFO@MCLHWORKSPACE.COM

MCLHWORKSPACE.COM

Heathfield House
Phoenix Crescent
Strathclyde Business Park
ML4 3NU

Castleton House
15 Trench Road
Mallusk
BT36 4TY

Project:
BARNSELY

26 Market Hill
Barnsley
South Yorkshire
S70 2QE

Description:
EXTERNAL ATM REPLACEMENT

Location:
NATWEST BARNSELY,
26 MARKET HILL,
BARNSELY,
S70 2QE

Job No.:	Scale:	Drawn by:	Status:	Date:
5560-REV03	A5 SHOWN	AM	STATUS	16-08-24

Drawing:

5560-WKS-00006-030