



PROPOSED FRONT ELEVATION STABLES 1 2 & 3



PROPOSED FRONT ELEVATION STABLES 4 5 & 6


ELEVATIONS SCALE 1:100



PLAN OF STABLES SCALE 1:50



PROPOSED REAR ELEVATION BOTH BLOCKS



PROPOSED SIDE ELEVATIONS BOTH BLOCKS

- BASE TO BE 100mm CONCRETE THICKNED TO 250mm TO OUTSIDE
- WALLS TO BE 100mm SMOOTH FACED DENSE CONC BLOCKS FINISHED WITH A SMOOTH FLUSH JOINT & PAINTED WITH 2 COATS OF EXTERIOR EMULSION
- ROOF TO HAVE TRUSSES SPACED AT 600mm CENTRES WITH 12mm EXTERIOR PLY WITH ONDULINE SHEETING TO COVER
- RAINWATER TO DISCHARGE TO BARREL & RE-USED
- 100mm CONCRETE REINFORCED SPANLITE LINTELS OVER ALL OPENINGS

Barnsley Metropolitan Borough Council
06 MAY 2009
Corporate Mail Room

PROPOSED STABLES AND MENAGE FOR:-

MR & MRS ROBINSON AT:-

LAND SOUTH EAST OF LEE LANE

ROYSTON

BARNSLEY