



SIDE ELEVATION

Reinforce using Brickforce SBF30W60 or similar approved at 300mm vertical centres in entire elevation outer leaf.



REAR ELEVATION

Reinforce using Brickforce SBF30W60 or similar approved at 150mm vertical centres where indicated in outer leaf.



SIDE ELEVATION

Reinforce using Brickforce SBF30W60 or similar approved at 300mm vertical centres in entire outer leaf.

NOTE:  
PLOTS 12 & 15 = AS  
PLOT 2 = HANDED.



FRONT ELEVATION

Reinforce using Brickforce SBF30W60 or similar approved at 150mm vertical centres in outer leaf above and below window openings.

SEE 'TRAY DETAILS' DRAWING - 292/BD/1D -FOR STEPPED CAVITY TRAYS/FLASHING DETAILS.

REV B: 02/01/20: GENERAL AMENDMENTS.  
REV A: 12/12/19: GENERAL AMENDMENTS.

*Arncliffe*  
ARNCLIFFE HOMES LIMITED  
Arncliffe House, Bramley Grange,  
Thorner, Leeds LS14 3DW.  
Tel: 0113 237 5900 Fax: 0113 265 4458

**Proposed Residential Development**

HALIFAX ROAD,  
THURGOLAND.

BIRKDALE (14/18)

ELEVATIONS

SCALE 1:50/1:100

DATE 12/12/2019 DRAWN IanDi

DRG. No. 292/BD/3 REV. B.