
Location Plan

Layout width 175mm



This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. 100022264. (2010)

BARNSLEY MBC - Planning and Transportation Service
Assistant Director: Stephen Moralee BA(Hons) MBA
PO Box 604, Barnsley. S70 9FE
Tel: (01226) 770770 Fax: (01226) 772599

NORTH

Scale 1: _ _ _ _ _ _ _ _ _

07919108328 Planning Consent for Flagpole


56, CLAYTON DRIVE, THURNSCOE

S63 0RZ



Site Plan

Layout width 175mm



This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. 100022264. (2010)

BARNSLEY MBC - Planning and Transportation Service
Assistant Director: Stephen Moralee BA(Hons) MBA
PO Box 604, Barnsley. S70 9FE
Tel: (01226) 770770 Fax: (01226) 772599

NORTH

Scale 1: _____

FLAGS and FLAGPOLES.co.uk fly the flag in 2012


Live Support ONLINE! Click here to talk

need help? call our sales team
0800 996 1673
sales@flagsandflagpoles.co.uk

Value white flagpole 6m (5 section) FPK6

White powder coated aluminium 5 Section flagpole
(includes cleat - halyard - white finial & 2 flag clips, ground sleeve
Also includes 5' x 3' St George Flag with 2 eyelets
Overall Height - 6.0m
Construction - 50mm O/D tube with 1.5mm wall thickness

Spec



Quantity	1	1	5	10	25
Price (per unit)	£59.00	£59.00	£55.00	£49.00	£47.00

Please select your products below

Total exc carriage & VAT **£59.00**

Back up to VALUE Flagpoles

© 2012 One Stop Promotions — All rights reserved

FLAGS and FLAGPOLES.co.uk 2012
fly the flag in 2012



need help? call our sales team
0800 996 1673
sales@flagsandflagpoles.co.uk

Home Flags Flagpoles Budget Flags Bunting Banners and Displays Handwaving Flags Table Flags Car Flags Custom flags Marine flags
Home > Flagpoles > Ground Flagpoles > VALUE Flagpoles

VALUE WHITE FLAGPOLE FKP

Low cost white aluminium flag poles, ranging from 3.5m to 6m in height.

These flagpoles are sectional in construction and come complete with ground sleeves, Halyard rope, Cleat and White Finial.

Optional extras include rotating top arms or wall brackets.

You can configure your flagpole below, alter the quantities for the products you need.

Instruction Manual | Buying Guide | Your Basket

QUANTITY DISCOUNTS AND MORE DETAIL — CLICK ON INDIVIDUAL PRODUCT LINE TO SEE ONLINE AND QUANTITY DISCOUNT



Please select your products below

What height of Flagpole would you like?

Value white flagpole 3.6m (3 section) **£50.00** Each	0
Value white flagpole 4.8m (4 section) **£55.00** Each	0
Value white flagpole 6m (5 section) **£59.00** Each	0

Choose a flag

UNION Flag 2.0yrd (183cm x 91cm) Printed Polyester **£24.00** Each	0
ST GEORGE Flag 2.0yrd (183cm x 91cm) Printed Polyester **£24.00** Each	0
UNION Budget Display Flag. 1.52m x 0.91m (5ftx 3ft) **£4.99** Each	0
ST GEORGE Budget Display Flag 1.52m x 0.91m (5ftx 3ft) **£4.99** Each	0

Additional Extras


Rotating Arm to fit 50mm pole **£35.00** Each	0
Silver Finial for 50mm Value Flagpoles **£10.00** Each	0
Gold Finial for 50mm Value Flagpoles **£10.00** Each	0

Total exc carriage & VAT **£ 0.00**

Back up to VALUE Flagpoles

© 2012 One Stop Promotions — All rights reserved

Budget Flagpole Installation



*Number of pole sections dependant of size of pole
4.5m pole = 3 sections
6m pole = 4 sections
7.5m pole = 5 sections

Each Set Includes:

(1) White plastic finial with integrated halyard guide.
(2) Solid braided 10.5m polypropylene halyard.
(3) 2 cast nylon flag clips.
(4) Rope cleat with two screws.
(5) PVC Ground Sleeve.
(6) *Pole sections with 50mm outer diameter aluminium pole.

Assembly:

Slide pole sections together, with the swagged ends extending upwards into the next section. *The top section will always be the* un-swagged section. The bottom section will always be a swagged section drilled for the cleat. The remaining sections complete the flagpole. Attach the cleat using the self-tapping screws supplied.

Attach the finial to the top section. Thread the rope halyard through the guide in the finial, clip each flag into place at each end of the halyard.

To fly your flag, attach each clip into the eyelet/D-ring of the flag to form a continuous loop.
When not flying a flag, clip the 2 clips together.

Construction/Installation:

Prepare a hole in the ground 650mm deep and 650mm wide sq. Fill bottom with gravel and sand to a depth of 150mm. Place PVC ground sleeve into hole, then pour concrete into hole around sleeve to within 25-40mm of top. Be careful to keep inside of sleeve clean and free of concrete. Re-plumb setting tube before concrete sets, by temporarily inserting bottom section of pole and plumbing it inside the sleeve. Allow concrete to cure for 24 hours before installing flagpole.

Flag flying conditions:

In winds exceeding 35 mph, (Beaufort force 7) flags should be taken down. Remember that if it is windy at ground level it is much worse at the top of the flagstaff. *Heavy rain will increase the* weight of the flag which will cause unnecessary wear, especially in high winds.