



From: Scott , John (SERVICE MANAGER) [REDACTED]

Sent: Tuesday, March 12, 2024 12:36 PM

To: [REDACTED]

Subject: FW: Planning Application 2021/1089 and 1090

[REDACTED]

As promised.

John

John Scott
Service Manager (Pollution Control) – Regulatory Services
Public Health Directorate
Barnsley Metropolitan Borough Council
PO Box 634
Barnsley
S70 9GG

[REDACTED]

Web: www.barnsley.gov.uk

From: Scott , John (SERVICE MANAGER)

Sent: Monday, March 11, 2024 2:24 PM

To: Convey-McGovern , Emily (ENVIRONMENTAL HEALTH OFFICER) [REDACTED]

Subject: RE: Planning Application 2021/1089 and 1090

Afternoon [REDACTED]

I have looked through the report (Lithos 2021 1090 Geoenvironmental Report March 2022.pdf) that has been provided to support the above applications. Given that they have not found any contamination issues as part of the investigations, I have no concerns with regards to the future development of these sites. Given we have no contamination risks, I have no reasons to request future conditions.

Regards
John

John Scott
Service Manager (Pollution Control) – Regulatory Services
Public Health Directorate
Barnsley Metropolitan Borough Council
PO Box 634
Barnsley

S70 9GG



Web: www.barnsley.gov.uk

From: DevelopmentManagement@barnsley.gov.uk
<DevelopmentManagement@barnsley.gov.uk>
Sent: 24 October 2023 13:14
To: PollutionControl <PollutionControl@barnsley.gov.uk>
Subject: Planning Application 2021/1089
Importance: High

You have received this email from Barnsley MBC Planning Service, in relation to a planning matter.

The attached correspondence contains important information; please retain it for your records.

If you would like to respond, please reply to DevelopmentManagement@barnsley.gov.uk. In any correspondence, please quote the Council reference number, which is included in the attached letter.

If you have received this email in error, please forward it to DevelopmentManagement@barnsley.gov.uk.

If you cannot open the attachment you can download the following software free of charge: - Microsoft Word Viewer for Word attachments. - Adobe Reader for PDF attachments.