

Risk Summary



Section 1: Contaminated Land

PASSED

We consider there to be no potential risk of contaminated land at or within the vicinity of the property. Please **refer to section 1** for further information.



Section 2: Flood

NONE IDENTIFIED

While this report may have identified areas at risk of flooding within 250m of the search centre, we consider there to be no significant risk of flooding to the property. Please **refer to section 2** for further information.



Section 3: Energy & Infrastructure

IDENTIFIED

We have identified one or more factors such as HS2, energy exploration, wind or solar farms within the vicinity of the property. Please **refer to section 3** for further information and next steps.



Section 4: Ground Stability

IDENTIFIED

We have identified a factor that may affect the ground stability of the property. Please **refer to section 4** for further information and next steps.



Section 5: Radon

IDENTIFIED

We have identified that the property falls within 25m of a radon affected site. Please **refer to section 5** for further information and next steps.



Section 6: Other Influential Factors

IDENTIFIED

We have identified one or more instances of overhead power lines, environmental or other influential factors within the vicinity of the property. Please **refer to section 6** for more information.

This report is issued for the property described as

**96 - 98 SHEFFIELD ROAD
BARNSELY
SOUTH YORKSHIRE
S70 1HY**

Report Reference
81780567_1_1

National Grid Reference
434910 405860

Customer Reference
14988908_ESR

Report Date
3 March 2016

Landmark Contribution

By purchasing this report, the recipient may be eligible for remediation contribution of **up to £100,000** if served with a Remediation Notice by the local authority. Such a notice may require the homeowner to pay for all, or contribute to, the remediation of the property. For more information see Landmark's Terms and Conditions.

CONTACT DETAILS

If you require assistance please contact our customer services team on:

0844 844 9966

or by email at:
helpdesk@landmark.co.uk



Professional Opinion

Contamination Risk: **PASSED CERTIFICATE**

In the professional opinion of Argyll Environmental Ltd. the level of contamination risk associated with the information disclosed in the Envirosearch Residential report dated 3rd March 2016 and reference 81780567_1_1, 14988908_ESR for

**96 - 98 SHEFFIELD ROAD
BARNSELEY
SOUTH YORKSHIRE
S70 1HY**

1) is unlikely that the property would be designated "contaminated land" within the meaning of Part 2A of the Environmental Protection Act 1990.

2) is unlikely to have an adverse effect on the security of the property for normal lending purposes.

The professional opinion refers to Section 1 of this report and should always be read in conjunction with the full text of that report. No physical site inspection or survey has been carried out or is proposed.

Approved by:

Argyll Environmental Ltd





Section 1: Contaminated Land

Contamination Risk	0-25m	25-250m	250-500m	See Section
Designated Contaminated Land	No	No	No	1a
Landfill and Waste	No	Yes	Yes	1b
Potentially Contaminative Activities	No	Yes	Yes	1c
Known Contamination Incidents	No	No	No	1d
Other Potential Contaminative Land Uses	No	Yes	n/a	1e



Section 2: Flood

Flood Risk	0-25m	25-250m	See Section
River Flooding	No	No	2a
Coastal Flooding	No	No	2b
Surface Water Flooding	Yes	Yes	2c
Risk of Flooding from Rivers and Sea (RoFRS)	No	No	2d
Historic Flood Events	No	No	2e
Groundwater Flooding	No	n/a	2f



Section 3: Energy & Infrastructure

Energy & Infrastructure	Result	See Section
High Speed Rail 2 (HS2)	No	3a
Energy Exploration and Production	Yes	3b
Existing or Proposed Wind Farms and Wind Turbines	No	3c
Existing or Proposed Solar Farms	No	3d



Section 4: Ground Stability

Ground Stability Risk	Result	See Section
Man-Made Factors	Yes	4a
Natural Factors	No	4b



Section 5: Radon

Radon Risk	Result	See Section
Radon Affected Property	Yes	5



Section 6: Other Influential Factors

Other Factors	Result	See Section
Overhead Power Lines and Mobile Phone Masts	Yes	6a
Environmental Constraints	Yes	6b

Understanding This Report

The purpose of this report is to highlight any potential risk of contaminated land and identify other environmental factors at or around the property. It is necessary for your solicitor to consider these risks as part of their due diligence.

For Contaminated Land, we will state '**Passed**' on the front page if our expert consultants have considered there to be no potential risk. If a potential risk of contamination is found, the report will state '**Further Action**'. In this case, we include a 'Next Steps' section to help you to decide what to do next.

For all other environmental factors, we will state '**None Identified**' on the front page if we consider there is little or no significant risk to the property. If a potential risk is found, we will state '**Identified**' and detail the Next Steps within the relevant section of the report.

Section 1: Contaminated Land

In this section, we highlight on a map, and within our findings pages, if there are any potential contaminated land risks at or around the property. Contaminated land contains substances that are actually or potentially hazardous to health or the environment.

Section 2: Flood

In this section, we detail any risks of flooding at or around the property. We consider a number of factors such as river, coastal, groundwater and surface water.

Section 3: Energy & Infrastructure

In this section, we provide information on a variety of factors which may influence the property and surrounding area, such as High Speed Rail (HS2), Solar Farms, etc.

Section 4: Ground Stability

In this section, we identify if there are any factors present which could affect the ground stability of the property, such as coal mining activities, man-made or natural cavities.

Section 5: Radon

In this section, we identify if the property is located in a radon affected area. Radon is a radioactive gas, which occurs naturally in rocks and soils and may be harmful to health.

Section 6: Other Influential Factors

In this section, we identify factors that may have an influence on the property or surrounding area, such as overhead power lines, mobile phone masts or any environmental constraints such as national parks or conservation areas.

Next Steps:

If you require any assistance, please contact our customer service team on: **0844 844 9966** or **helpdesk@landmark.co.uk**



Site Location



Aerial Photograph

The photograph below shows the location of the property.





Section 1a and 1b: Contaminated Land, Landfill and Waste

The map below shows the location of the Designated Contaminated Land and Landfill and Waste features highlighted within sections 1a and 1b of this report. Further details are shown on the following pages.



© Crown Copyright. All Rights Reserved. Licence Number 100022432.

Section 1a

Contaminated Land Registry Entries and Notices

Section 1b

- Registered Landfill Sites
- Registered Landfills (Potential Buffer)
- BGS Recorded Landfill Sites
- Local Authority Recorded Landfill Sites
- Historical Landfill Sites

- Permitted Waste Sites - Authorised Landfill Site Boundaries
- Environmental Permitting Regulations - Waste
- Integrated Pollution Control Registered Waste Sites
- Registered Waste Treatment or Disposal Sites
- Registered Waste Transfer Sites

**Section 1a: Designated Contaminated Land**

The data within this section tells you whether your property or surrounding area has been identified by the Local Authority as "Contaminated Land" under the Environmental Protection Act 1990. Should there be an indication of contamination, it is not necessarily a cause for concern. Your report will be assessed by our professional environmental consultants who will advise you what, if any, considerations need to be made should you proceed with the property purchase.

Enquiry	Result
Has any contaminated land been identified within 500m of the property?	No

Map ID	Reference	Location	Details	Distance	Contact
Contaminated Land Register Entries and Notices					
No factors identified for this property					

**Section 1b: Landfill and Waste**

The information in this section is telling you about active and historic landfill and waste sites within 500 metres of the property. Having a landfill or waste site near your property does not necessarily mean that you or the property will be affected. However, it is something you need to be aware of, because landfill and waste can have a detrimental effect on the surrounding environment, house value and health. A closed landfill/waste site should be given equal consideration to an active site, because of landfill by-products. For instance, landfill with lots of organic material can continue to produce odours and gas for many years.

Enquiry	Result
Have any landfill and waste sites been identified within 500m of the property?	Yes

Map ID	Reference	Location	Details	Distance	Contact
Registered Landfill Sites					
1	Name: K Sykes - Aytte Port.Equip Ltd Reference: WD20 B 812	The Old Vicarage Doncaster Road Barnsley South Yorkshire	Licence Status: Licence lapsed/ cancelled/defunct/not applicable/ surrenderedCancelled Record Date: 1st July 1991 Site Category: Landfill Boundary Quality: Not Applicable Positional Accuracy: Manually positioned to the address or location	161m	1
BGS Recorded Landfill Sites					
No factors identified for this property					
Local Authority Recorded Landfill Sites					
No factors identified for this property					



Map ID	Reference	Location	Details	Distance	Contact
--------	-----------	----------	---------	----------	---------

Local Authority Recorded Landfill Coverage

The following list details the Local Authorities that cover the search area who have made landfill data available:

Barnsley Metropolitan Borough Council - Has supplied landfill data 2

For further information regarding the availability of Local Authority Recorded Landfill data you may wish to forward enquiries to one or more of the contacts indicated above.

Historical Landfill Sites

2	Name: The Old Vicarage Reference: EAHLD30223	Doncaster Road, Barnsley	Specified Waste Type: Deposited Waste included Commercial Waste Date of Issue: 17th July 1991 First Input Date: Not Supplied Last Input Date: Not Supplied Boundary Quality: As Supplied Positional Accuracy: Positioned by the supplier	152m	1
---	---	--------------------------	---	------	---

Permitted Waste Sites - Authorised Landfill Site Boundaries

No factors identified for this property

Environmental Permitting Regulations - Waste

No factors identified for this property

Integrated Pollution Control Registered Waste Sites

No factors identified for this property

Registered Waste Treatment or Disposal Sites

No factors identified for this property

Registered Waste Transfer Sites

3	Name: Parco Autoparts Ltd Reference: WD20 B 913	Upper New Street BARNSELY South Yorkshire S70 1YC	Site Category: Transfer Licence Status: Licence lapsed/ cancelled/defunct/not applicable/ surrenderedCancelled Record Date: 1st September 1992 Boundary Quality: Not Supplied Positional Accuracy: Manually positioned to the road within the address or location	421m	1
---	--	---	--	------	---


Next Steps

If you would like any further information in respect of the above findings we recommend that you get in touch with those listed in the 'Useful Contacts' section. Each contact reference shown in the above table relates to detailed contact information contained near the back of this report. Further information is also available in the 'Useful Information' section.



Section 1c and 1d: Potential and Known Contamination

The map below shows the location of the Potentially Contaminative Activities and Known Pollution Incidents in sections 1c and 1d of this report. Further details are shown on the following pages.



© Crown Copyright. All Rights Reserved. Licence Number 100022432.

Section 1c

- ▲ Local Authority Pollution Prevention and Controls
- ▼ Local Authority Integrated Pollution Prevention and Control
- ◀ Integrated Pollution Controls
- ▶ Environmental Permitting Regulations - Industry
- ◆ Consent to Discharge to Controlled Waters

- ✕ Radioactive Substances Register
- ✕ Planning Hazardous Substance Consents
- ✕ Control of Major Accident Hazards Sites (COMAH)
- ✕ Notification of Installations Handling Hazardous Substances (NIHHS)
- ★ Explosive Sites

Section 1d

- + Local Authority Pollution Prevention and Control Enforcements
- + Enforcement and Prohibition Notices
- + Planning Hazardous Substance Enforcements
- Prosecutions Relating to Authorised Processes
- Environmental Pollution Incidents
- Prosecutions Relating to Controlled Waters



Section 1c: Potentially Contaminative Activities

This section describes current and historic licensed activities within 500 metres of the property, which have the potential to cause contamination or have an impact on the environment. The licensed activities could range from pollution to air, land or water; storage or disposal of radioactive substances; or storage of hazardous or explosive materials. Licences may no longer be active, but the nature of the past activity means it could still have an impact.

Enquiry	Result
Have any potentially contaminative activities been identified within 500m of the property?	Yes

Map ID	Reference	Location	Details	Distance	Contact
Local Authority Pollution Prevention and Controls					
4	Name: Barret Excavations Ltd Reference: Ppc/B/45	The Old Vicarage 76 Doncaster Road Barnsley S70 1tw	Description: PG3/16 Mobile screening and crushing processes Status: Permitted Date of Issue: 21st February 2005 Positional Accuracy: Manually positioned to the address or location	167m	2
5	Name: Wilby Lane Garage Reference: PPC/B/124	Wilby Lane Barnsley S70 1xu	Description: PG1/1Waste oil burners, less than 0.4MW net rated thermal input Status: Permitted Date of Issue: Not Supplied Positional Accuracy: Manually positioned to the address or location	260m	2
6	Name: Gpf Stations Ltd Reference: Epa/Petrol30	Pontefract Road Oakwell BARNSELY S71 1HA	Description: PG1/14 Petrol filling station Status: Site Closed Date of Issue: 16th August 2000 Positional Accuracy: Manually positioned to the road within the address or location	263m	2
7	Name: Oakwell Garage Reference: Epa/Petrol32	Oakwell Pontefract Road BARNSELY S71 1EZ	Description: PG1/14 Petrol filling station Status: Site Closed Date of Issue: 25th January 2002 Positional Accuracy: Automatically positioned to the address	434m	2

Local Authority Integrated Pollution Prevention And Control

No factors identified for this property

Integrated Pollution Controls

No factors identified for this property



Map ID	Reference	Location	Details	Distance	Contact
Environmental Permitting Regulations - Industry					
No factors identified for this property					
Consent to Discharge to Controlled Waters					
8	Name: Yorkshire Water Services Ltd Reference: S/CB/8	Lambra Road South Yorkshire	Type: Sewerage Discharge Discharge Type: Sewage Effluent Discharge-Storm Effluent Property Type: Sewerage Network - Sewers Discharge Environment Type: Unknown Receiving Water: Not Supplied Status: Not Supplied Date of Issue: 30th June 1993 Positional Accuracy: Located by supplier to within 100m	181m	1
9	Name: Yorkshire Water Services Ltd Reference: S/CB/8	Lambra Road South Yorkshire	Type: Sewerage Discharge Discharge Type: Sewage Effluent Discharge-Storm Effluent Property Type: Sewerage Network - Sewers Discharge Environment Type: Unknown Receiving Water: Not Supplied Status: Not Supplied Date of Issue: 29th May 1963 Positional Accuracy: Located by supplier to within 100m	186m	1
10	Name: Yorkshire Water Services Ltd Reference: S/CB/8	The Mount Public House Pontefract Road South Yorkshire	Type: Sewerage Discharge Discharge Type: Sewage Effluent Discharge-Storm Effluent Property Type: Sewerage Network - Sewers Discharge Environment Type: Unknown Receiving Water: Not Supplied Status: Not Supplied Date of Issue: 30th June 1993 Positional Accuracy: Located by supplier to within 100m	189m	1



Map ID	Reference	Location	Details	Distance	Contact
11	Name: Yorkshire Water Services Ltd Reference: S/CB/8	The Mount Public House Pontefract Road South Yorkshire	Type: Sewerage Discharge Discharge Type: Sewage Effluent Discharge-Storm Effluent Property Type: Sewerage Network - Sewers Discharge Environment Type: Unknown Receiving Water: Not Supplied Status: Not Supplied Date of Issue: 29th May 1963 Positional Accuracy: Located by supplier to within 100m	193m	1
12	Name: Yorkshire Water Services Ltd Reference: S/Cb/8	Undefined Site See Outlet Ngr Or Comments For More Info About The Site (Do Not Change These Details) Nk	Type: Sewage Discharge Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Property Type: Undefined Or Other Discharge Environment Type: Freshwater Stream/River Receiving Water: Varies With Outlet Status: Not Supplied Date of Issue: 29th May 1963 Positional Accuracy: Located by supplier to within 10m	194m	1
13	Name: Yorkshire Water Services Ltd Reference: S/Cb/8	Undefined Site See Outlet Ngr Or Comments For More Info About The Site (Do Not Change These Details) Nk	Type: Sewage Discharge Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Property Type: Undefined Or Other Discharge Environment Type: Freshwater Stream/River Receiving Water: Varies With Outlet Status: Not Supplied Date of Issue: 29th May 1963 Positional Accuracy: Located by supplier to within 10m	194m	1



Map ID	Reference	Location	Details	Distance	Contact
14	Name: Yorkshire Water Services Ltd Reference: S/CB/8	Lambra Road	Type: Sewerage Discharge Discharge Type: Sewage Effluent Discharge-Storm Effluent Property Type: Sewerage Network - Sewers Discharge Environment Type: Unknown Receiving Water: Not Supplied Status: Not Supplied Date of Issue: 30th June 1993 Positional Accuracy: Located by supplier to within 100m	244m	1
15	Name: Yorkshire Water Services Ltd Reference: S/CB/8	Lambra Road	Type: Sewerage Discharge Discharge Type: Sewage Effluent Discharge-Storm Effluent Property Type: Sewerage Network - Sewers Discharge Environment Type: Unknown Receiving Water: Not Supplied Status: Not Supplied Date of Issue: 29th May 1963 Positional Accuracy: Located by supplier to within 100m	249m	1
16	Name: Yorkshire Water Services Ltd Reference: S/Cb/8	Undefined Site See Outlet Ngr Or Comments For More Info About The Site (Do Not Change These Details) Nk	Type: Sewage Discharge Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Property Type: Undefined Or Other Discharge Environment Type: Freshwater Stream/River Receiving Water: Varies With Outlet Status: Not Supplied Date of Issue: 29th May 1963 Positional Accuracy: Located by supplier to within 10m	257m	1



Map ID	Reference	Location	Details	Distance	Contact
17	Name: Yorkshire Water Services Ltd Reference: WRA7491	Lambra Road Cso Lambra Road Barnsley South Yorkshire	Type: Sewage Discharge Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Property Type: Sewerage Network - Sewers - Water Company Discharge Environment Type: Freshwater Stream/River Receiving Water: Sough Dyke (Culvert) Status: Not Supplied Date of Issue: 16th February 1999 Positional Accuracy: Located by supplier to within 100m	274m	1
18	Name: Yorkshire Water Services Ltd Reference: S/CB/8	Express Dairy Pontefract Road South Yorkshire	Type: Sewerage Discharge Discharge Type: Sewage Effluent Discharge-Storm Effluent Property Type: Sewerage Network - Sewers Discharge Environment Type: Unknown Receiving Water: Not Supplied Status: Not Supplied Date of Issue: 30th June 1993 Positional Accuracy: Located by supplier to within 100m	292m	1
19	Name: Yorkshire Water Services Ltd Reference: S/CB/8	Pontefract Road- Express Dairy South Yorkshire	Type: Sewerage Discharge Discharge Type: Sewage Effluent Discharge-Storm Effluent Property Type: Sewerage Network - Sewers Discharge Environment Type: Unknown Receiving Water: Not Supplied Status: Not Supplied Date of Issue: 29th May 1963 Positional Accuracy: Located by supplier to within 100m	297m	1



Map ID	Reference	Location	Details	Distance	Contact
20	Name: Yorkshire Water Services Ltd Reference: S/Cb/8	Undefined Site See Outlet Ngr Or Comments For More Info About The Site (Do Not Change These Details) Nk	Type: Sewage Discharge Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Property Type: Undefined Or Other Discharge Environment Type: Freshwater Stream/River Receiving Water: Varies With Outlet Status: Not Supplied Date of Issue: 29th May 1963 Positional Accuracy: Located by supplier to within 10m	297m	1
21	Name: Yorkshire Water Services Ltd Reference: S/CB/8	Oakwell Lane South Yorkshire	Type: Sewerage Discharge Discharge Type: Sewage Effluent Discharge-Storm Effluent Property Type: Sewerage Network - Sewers Discharge Environment Type: Unknown Receiving Water: Not Supplied Status: Not Supplied Date of Issue: 30th June 1993 Positional Accuracy: Located by supplier to within 100m	403m	1
22	Name: Yorkshire Water Services Ltd Reference: S/CB/8	Oakwell Lane South Yorkshire	Type: Sewerage Discharge Discharge Type: Sewage Effluent Discharge-Storm Effluent Property Type: Sewerage Network - Sewers Discharge Environment Type: Unknown Receiving Water: Not Supplied Status: Not Supplied Date of Issue: 29th May 1963 Positional Accuracy: Located by supplier to within 100m	405m	1



Map ID	Reference	Location	Details	Distance	Contact
23	Name: Yorkshire Water Services Ltd Reference: S/Cb/8	Undefined Site See Outlet Ngr Or Comments For More Info About The Site (Do Not Change These Details) Nk	Type: Sewage Discharge Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Property Type: Undefined Or Other Discharge Environment Type: Freshwater Stream/River Receiving Water: Varies With Outlet Status: Not Supplied Date of Issue: 29th May 1963 Positional Accuracy: Located by supplier to within 10m	414m	1

Radioactive Substances Register

No factors identified for this property

Planning Hazardous Substance Consents

No factors identified for this property

Control of Major Accident Hazards Sites (COMAH)

No factors identified for this property

Notification of Installations Handling Hazardous Substances (NIHHS)

No factors identified for this property

Explosive Sites

No factors identified for this property

Next Steps

If you would like any further information in respect of the above findings we recommend that you contact the relevant Local Authority or the Environment Agency/Natural Resources Wales. Contact details can be found in the 'Useful Contacts' section of this report. Further Information is also available in the 'Useful Information' section.



Section 1d: Known Contamination Incidents

The data within this section describes unpermitted activity in your area (e.g. polluting incidents, or exceedance of permitted allowance) where the activity led to a prosecution or enforcement of regulations. Whilst all of these records are historic, the nature of the incident may have long term effects.

Enquiry	Result
Have any known contamination incidents been identified within 500m of the property?	No



Map ID	Reference	Location	Details	Distance	Contact
Local Authority Pollution Prevention and Control Enforcements					
No factors identified for this property					
Enforcement and Prohibition Notices					
No factors identified for this property					
Planning Hazardous Substance Enforcements					
No factors identified for this property					
Prosecutions Relating to Authorised Processes					
No factors identified for this property					
Environmental Pollution Incidents					
No factors identified for this property					
Prosecutions Relating to Controlled Waters					
No factors identified for this property					



Section 1e: Other Potential Contaminative Land Uses

The map below shows the location of the Other Potential Contaminative Land Uses highlighted within section 1e of this report. Further details are shown on the following pages.



© Crown Copyright. All Rights Reserved. Licence Number 100022432.

- | | |
|--|--|
| ✕ Fuel Station Entries | ☐ ▲ -⊖ Potentially Infilled Land (Non-Water) |
| ★ Contemporary Trade Directories | ☐ ▲ -⊖ Potentially Infilled Land (Water) |
| + Former Marshes | ☐ ● -⊖ Potentially Contaminative Industrial Uses (Past Land Use) |
| ▼ Historical Tanks and Energy Facilities | |



Section 1e: Other Potential Contaminative Land Uses

This section describes either current or historic activity, which could be considered to be contaminative. This section makes no statement about whether the activity requires a licence; however our environmental experts deem that the activities described in this section could lead to potential contamination. The information is taken from a variety of sources including trade directories, Landmark's extensive historical map collection and analysis of historic activity. Records are highlighted due to the potential for contamination to exist.

Enquiry	Result
Have any other potential sources of contamination been identified within 250m of the property?	Yes

Map ID	Reference	Location	Details	Distance	Contact
Fuel Station Entries					
No factors identified for this property					
Contemporary Trade Directory Entries					
24	Name: The Pentangle	126 Sheffield Road Barnsley S70 1JB	Classification: T-Shirts Status: Active Positional Accuracy: Automatically positioned to the address	74m	-
25	Name: G Campbell	10-20 Quarry Street Barnsley South Yorkshire S70 1HU	Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	94m	-
26	Name: Auto Services	10-20 Quarry Street Barnsley South Yorkshire S70 1HU	Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	94m	-
27	Name: Lowerdale Autos	Taylor Row Barnsley South Yorkshire S70 1HG	Classification: Car Dealers - Used Status: Active Positional Accuracy: Automatically positioned to the address	97m	-
28	Name: Drop On	138 Sheffield Road Barnsley South Yorkshire S70 1JH	Classification: Electrical goods - servicing & repairs Status: Active Positional Accuracy: Automatically positioned to the address	111m	-

Map ID	Reference	Location	Details	Distance	Contact
29	Name: E Addy & Son	17 Quarry Street Barnsley South Yorkshire S70 1HU	Classification: Packaging & Wrapping Equipment & Supplies Status: Inactive Positional Accuracy: Automatically positioned to the address	120m	-
30	Name: Autopro Car Centre	35 Doncaster Road Barnsley South Yorkshire S70 1TH	Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	122m	-
31	Name: Ajs Cleaning	76a Doncaster Road Barnsley South Yorkshire S70 1TW	Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	168m	-
32	Name: Premier Cars	90 Doncaster Road Barnsley South Yorkshire S70 1TW	Classification: Car Dealers Status: Active Positional Accuracy: Manually positioned to the address or location	169m	-
33	Name: Cooker Cabin	66 Doncaster Road Barnsley South Yorkshire S70 1TL	Classification: Cookers - Sales & Service Status: Active Positional Accuracy: Automatically positioned to the address	174m	-
34	Name: Cooker Centre	66 Doncaster Road Barnsley South Yorkshire S70 1TL	Classification: Domestic Appliances - Servicing, Repairs & Parts Status: Inactive Positional Accuracy: Automatically positioned to the address	174m	-
35	Name: Cooker Center	60 Doncaster Road Barnsley South Yorkshire S70 1TL	Classification: Domestic Appliances - Servicing, Repairs & Parts Status: Inactive Positional Accuracy: Automatically positioned to the address	181m	-
36	Name: John Brailsford	44 Doncaster Road Barnsley South Yorkshire S70 1TL	Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address	203m	-



Map ID	Reference	Location	Details	Distance	Contact
37	Name: Northern Direct Supplies	2 Freemans Yard Barnsley South Yorkshire S70 1TH	Classification: Cleaning Materials & Equipment Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	205m	-
38	Name: Ace Auto Repairs	122 Doncaster Road Barnsley South Yorkshire S70 1TP	Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned in the proximity of the address	206m	-
39	Name: Calor Gas Salesman Services	Doncaster Rd Barnsley South Yorkshire S70 1TH	Classification: Gas Suppliers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	213m	-
40	Name: The X Cat Shop	40 Doncaster Road Barnsley South Yorkshire S70 1TL	Classification: Electrical Appliance Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	215m	-
41	Name: Low Cost Motor Bodies	122 Doncaster Road BARNSELY South Yorkshire S70 1TP	Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	219m	-
42	Name: Lo-Cost Motor Co	122 Doncaster Road Barnsley South Yorkshire S70 1TP	Classification: Car Dealers Status: Active Positional Accuracy: Automatically positioned to the address	219m	-
43	Name: S R Gent Plc	Joseph Locke House Heelis Street Barnsley South Yorkshire S70 1LW	Classification: Clothing & Fabrics - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	230m	-
44	Name: South Yorkshire Ceramics	132 Doncaster Road Barnsley South Yorkshire S70 1TP	Classification: Tarpaulins Status: Inactive Positional Accuracy: Automatically positioned to the address	232m	-



Map ID	Reference	Location	Details	Distance	Contact
45	Name: Domestic Appliance Service	1 Doncaster Road Barnsley South Yorkshire S70 1TH	Classification: Vacuum Cleaners - Sales & Service Status: Active Positional Accuracy: Automatically positioned to the address	242m	-
46	Name: The Chinese Firework Shop	22-24 Doncaster Road Barnsley South Yorkshire S70 1TH	Classification: Firework Stockists Status: Active Positional Accuracy: Automatically positioned to the address	249m	-

Former Marshes

No factors identified for this property

Potentially Infilled Land (Non-Water)

No factors identified for this property

Potentially Infilled Land (Water)

No factors identified for this property

Potentially Contaminative Industrial Uses (Past Land Use)

47	Not Supplied	Not Supplied	Class: Railways Map Published Date: 1855 - 1993	216m	-
48	Not Supplied	Not Supplied	Class: Railways Map Published Date: 1894 - 1955	250m	-

Historical Tanks And Energy Facilities

49	Not Supplied	Not Supplied	Type: Electrical Sub Station Facilities Positional Accuracy: Positioned to location of cartographic text Date of Mapping: 1970	137m	-
50	Not Supplied	Not Supplied	Type: Electrical Sub Station Facilities Positional Accuracy: Positioned to location of cartographic text Date of Mapping: 1970	139m	-
51	Not Supplied	Not Supplied	Type: Potential Tanks Positional Accuracy: Positioned to location of cartographic text Date of Mapping: 1961	169m	-



Map ID	Reference	Location	Details	Distance	Contact
52	Not Supplied	Not Supplied	Type: Potential Tanks Positional Accuracy: Positioned to location of cartographic text Date of Mapping: 1962	170m	-
53	Not Supplied	Not Supplied	Type: Electrical Sub Station Facilities Positional Accuracy: Positioned to location of cartographic text Date of Mapping: 1977	233m	-

Next Steps

If you would like any further information in respect of the above findings we recommend that you contact our Customer Services Team, whose details can be found in the 'Useful Contacts' section of this report. Further Information is also available in the 'Useful Information' section.




Section 2a and 2b: River and Coastal Flooding

The map below shows the location of potential river and coastal flood risk. The potential risk has been modelled on the basis of events with a 1 in 75, 200 or 1000 chance of occurring in any given year. Further details are shown on the following pages.




© Crown Copyright. All Rights Reserved. Licence Number 100022432.

River Flooding




Coastal Flooding






Section 2c: Surface Water Flooding

The map below shows the location of potential surface water flood risk. The potential risk has been modelled on the basis of events with a 1 in 75, 200 or 1000 chance of occurring in any given year. Further details are shown on the following pages.



© Crown Copyright. All Rights Reserved. Licence Number 100022432.

Surface Water Flooding





Section 2a: River Flooding

River flooding mainly happens when the river catchment (that is the area of land that feeds water into the river and the streams that flow into the main river) receives greater than usual amounts of water (for example through rainfall or melting of snow). The amount of runoff depends on the soil type, catchment steepness, drainage characteristics, agriculture and urbanisation as well as the saturation of the catchment. The extra water causes the level of the water in the river to rise above its banks or retaining structures. The result is a worst-case scenario and assumes the failure of any defences which may be present.

Enquiry	Result	Contact
Is there a potential risk of river flooding within 250m of the property?	No	-



Section 2b: Coastal Flooding

Coastal flooding is the inundation of land caused by sea water rising above normal tidal conditions due to the effects of severe weather conditions (a combination of storm surge, tides and river inflow). The result is a worst-case scenario and assumes the failure of any defences which may be present.

Enquiry	Result	Contact
Is there a potential risk of coastal flooding within 250m of the property?	No	-



Section 2c: Surface Water Flooding

Surface water flooding results from rainfall running over ground before entering a watercourse or sewer. It is usually associated with high intensity rainfall events (typically greater than 30mm per hour) but can also occur with lower intensity rainfall or melting snow where the ground is already saturated, frozen, developed (for example in an urban setting) or otherwise has low permeability.

Enquiry	Result	Contact
Is there a potential risk of surface water flooding within 250m of the property?	Yes	-

Next Steps

In order to gain more detailed information on the type and likelihood of your property being impacted by a flood event and the potential impact on insurance, we recommend that you purchase our Homecheck Professional Flood Report. If you would like more information please contact your Search Provider or our Customer Services Team on **0844 844 9966** or email helpdesk@landmark.co.uk.

Flood data provided by JBA Risk Management Limited. © Copyright JBA Risk Management Limited 2008-2016.




Section 2d and 2e: RoFRS and Historic Flood Events

The map below shows the location of RoFRS and Historic Flood Events. Further details are shown on the following pages.



© Crown Copyright. All Rights Reserved. Licence Number 100022432.

Risk of Flooding from Rivers and Sea (RoFRS)



Historic Flood Events





Section 2d: Risk of Flooding from Rivers and Sea (RoFRS)

The Risk of Flooding from Rivers and Sea (RoFRS) database provides an indication of river and coastal flood risk at a national level using a 50m grid as used by many insurance companies. The RoFRS data product has been created by calculating the actual likelihood of flooding to areas of land within the flood plain of an extreme flood and considers the probability that the flood defences will overtop or breach. The risk level is divided into four categories 'Low', 'Medium', 'High', and 'Very Low'.

Enquiry	Result
Is there a risk of flooding identified within 250m of the property based on the Risk of Flooding from Rivers and Sea (RoFRS)?	No

Map ID	Reference	Location	Details	Distance	Contact
Risk of Flooding from Rivers and Sea (RoFRS)					
No Risk Found					



Section 2e: Historic Flood Events

The Historic Flood Events shows the individual areas of all historic flood events recorded by the relevant agency. This information is a useful tool to identify homes and businesses that may have experienced flood problems in the past. An area affected by a historic flood event may now be protected through an increase in flood management schemes and defences, meaning that it may not necessarily flood again. Equally the absence of a historic flood event does not mean that flooding has never occurred in an area, but that the agency do not have a record of it.

Enquiry	Result
Have any Historic Flood Events occurred within 250m of the property?	No

Map ID	Reference	Location	Details	Distance	Contact
Historic Flood Events					
No Events Found					



Section 2f: Groundwater Flooding

Enquiry	Result	Contact
What is the risk of Groundwater Flooding within 250m of the property?	Negligible	3

Comment: Risk of groundwater flooding is considered negligible at, and near, this location. No further investigation of risk is deemed necessary.

Next Steps

In order to gain more detailed information on the type and likelihood of your property being impacted by a flood event and the potential impact on insurance, we recommend that you purchase our Homecheck Professional Flood Report. If you would like more information please contact your Search Provider or our Customer Services Team on **0844 844 9966** or email helpdesk@landmark.co.uk.



Section 3a: High Speed Rail 2 (HS2)

The High Speed 2 Rail Link is a proposed railway line between London and the North of England. Trains along this route will operate at speeds of up to 250mph. Proximity to the route is likely to have an impact on the surrounding areas.

Enquiry	Result	Contact
Is the property within 2km of the proposed High Speed 2 Rail Link?	No	-



Section 3b: Energy Exploration and Production

Any areas to be explored for their energy potential by the oil & gas industry must be licensed by the Department for Energy and Climate Change. Such exploration includes areas subject to hydraulic fracturing ("fracking") investigation.

Enquiry	Result	Contact
Is the property in an area licensed for onshore energy exploration and production?	No	-
Is the property within 4km of a well used for energy exploration or extraction?	Yes	-



Section 3c: Existing or Proposed Wind Farms and Wind Turbines

Wind energy is one of several alternative energy sources; however, location of wind farms or turbines can be contentious due to visual and auditory impact on the surrounding area. The information in this section gives insight into whether there are wind farms or turbines (planned or existing) in the vicinity of the report location.

Enquiry	Result	Contact
Is the property within 4km of existing or proposed wind farms or wind turbines?	No	-



Section 3d: Existing or Proposed Solar Farms

Solar energy is one of several alternative energy sources; however, location of solar farms can be contentious due to its visual impact on the surrounding area. The information in this section gives insight into whether there are solar farms (planned or existing) in the vicinity of the report location.

Enquiry	Result	Contact
Is the property within 2km of existing or proposed solar farms?	No	-

Next Steps

In order to gain more detailed information regarding the potential impact of HS2, Energy Production, Wind Farms or Solar Farms on your property we recommend that you purchase an Argyll Energy & Infrastructure report.

If you would like more information please contact your Search Provider or our Customer Services Team on **0844 844 9966** or email helpdesk@landmark.co.uk.



Section 4a: Man-Made Factors

Enquiry	Result	Contact
Is the property within 25m of a Coal Mining Affected Area?	Yes	4
Comment: The property is in an area which may be affected by Coal Mining activity. It is recommended that a Coal Mining report is obtained from the Coal Authority.		
What is the potential for ground instability relating to non-coal mining within 250m of the property?	Highly Unlikely	5
Comment: The British Geological Survey has assessed that hazards because of underground non-coal mine workings in this area are highly unlikely. It should be noted that there is always the possibility of excavations that are outside of the scope of this dataset which could affect ground stability.		
Are there any Man-Made mining cavities within 250m of the property?	No	-

Next Steps

This section has highlighted that the property is in a coal mining affected area. We recommend that you purchase a Coal Mining Report from the Coal Authority. Please contact your Search Provider or our Customer Services Team on **0844 844 9966** or email helpdesk@landmark.co.uk.



Section 4b: Natural Factors

Enquiry	Result	Contact
Are there any Natural cavities within 250m of the property?	No	-
What is the potential for natural ground instability in the area within 50m of the property?	Very Low	5
Comment: The British Geological Survey has assessed the area of search as having very low potential for natural ground instability. This does not necessarily mean there is cause for concern in terms of the property's stability. Active subsidence will be dependent on local conditions, such as the proximity of trees or areas where trees have been removed, which require an inspection of the site to identify the nature of the ground on which the property is built. A house buyers survey is advised to look for signs of property damage that may indicate poor natural ground conditions.		



Section 5: Radon Findings

The information within this section tells you whether the property is located in a radon affected area. Radon is a radioactive gas which occurs naturally in rocks and soils. You cannot see, hear, feel or taste it. Exposure to particularly high levels of radon may increase the risk of developing lung cancer, and is therefore something you need to be aware of.

Enquiry	Result	Contact
Is the property within 25m of a radon affected area?	The property is in a radon affected area, as between 1 and 3% of homes are above the action level	6
What level of radon protection measures for new dwellings or extensions to existing ones is required for the area within 25m of the property?	No radon protective measures are necessary in the construction of new dwellings or extensions	6

Next Steps

The level of radon concentration can only be established by having the building tested. Action should be taken if the indoor radon level is measured and found to be above 200 becquerel's per cubic meter. If you would like any further information we recommend you contact Public Health England, whose details can be found in the 'Useful Contacts' section of this report.

Further Action

Airtech Environmental Systems can advise on radon testing kits, which cost £39.36 including VAT and can run from 7 days to 3 months. They also have a team of surveyors on hand to provide recommendations and advice for any properties above the target level of 100 becquerel's per cubic meter or action level of 200 becquerel's per cubic meter. Airtech Environmental Systems can provide a report, recommendations and a quotation for any recommended works. For more detailed information please call their free-phone number 0800 378017.



Section 6a and 6b: Other Influential Factors

The map below shows the location of any Overhead Power Lines and Mobile Phone Masts highlighted within Section 6a of this report. It also shows the location of any Environmental Constraints that are from datasets recognised as being relevant to Part 2A of the Environmental Protection Act 1990, that are highlighted in Section 6b of this report. Further details are shown on the following pages.



© Crown Copyright. All Rights Reserved. Licence Number 100022432.

Section 6a

- Overhead Power Line
- Mobile Phone Mast
- Pylon or Mast

Section 6b

- Local Nature Reserves
- Marine Conservation Zones
- National Nature Reserves
- Ramsar Sites
- Sites of Special Scientific Interest
- Special Areas of Conservation
- Special Protection Areas



Section 6a: Overhead Power Lines and Mobile Phone Masts

Overhead lines and phone masts can be contentious and may have a visual impact on the surrounding area. This section of the report contains information on pylons and overhead power lines, as well as the locations of mobile phone masts.

Enquiry	Result	Contact
Are there any Overhead Power Lines or Mobile Phone Masts within 250m of the property?	Yes	-

Next Steps

If you would like any further information in respect of the above findings please contact your Search Provider or our Customer Services Team on **0844 844 9966** or email **helpdesk@landmark.co.uk** for more information.



Section 6b: Environmental Constraints

This section provides information on areas which have been designated as having environmental or historical importance; as such there may be constraints on property or land developments or alterations.

Enquiry	Result
Is the property within 250m of an area likely to be impacted by Environmental Constraints?	Yes

Map ID	Reference	Location	Details	Distance	Contact
Ancient Woodland					
No factors identified for this property					
Areas of Outstanding Natural Beauty					
No factors identified for this property					
Boundaries - National Parks					
No factors identified for this property					
Country Parks					
No factors identified for this property					
Environmentally Sensitive Areas					
No factors identified for this property					
Forest Parks					
No factors identified for this property					
Local Nature Reserves					
No factors identified for this property					



Map ID	Reference	Location	Details	Distance	Contact
Marine Conservation Zones					
No factors identified for this property					
National Nature Reserves					
No factors identified for this property					
National Parks					
No factors identified for this property					
National Scenic Areas					
No factors identified for this property					
Nature Improvement Areas					
N/A	Name: Dearne Valley Green Heart Reference: Not Supplied	N/A	Total Area (m2): 165140948.11	30m	7
Ramsar Sites					
No factors identified for this property					
Sites of Special Scientific Interest					
No factors identified for this property					
Special Areas of Conservation					
No factors identified for this property					
Special Protection Areas					
No factors identified for this property					
World Heritage Sites					
No factors identified for this property					

Next Steps

If you would like any further information in respect of the above findings we recommend that you get in touch with those listed in the 'Useful Contacts' section of this report. Each contact reference shown in the above table relates to detailed contact information contained within the back of this report.

Please see below the contact details of all those referred to within this report.
For all other queries please contact:

Landmark Information Group

Imperium
Imperial Way
Reading
RG2 0TD

If you require assistance please
contact our customer services
team on:

0844 844 9966

or by email at:

helpdesk@landmark.co.uk

Contact	Name	Address	Contact details
1	Environment Agency National Customer Contact Centre (NCCC)	PO Box 544 Templeborough Rotherham S60 1BY	T: 03708 506 506 E: enquiries@environment-agency.gov.uk
2	Barnsley Metropolitan Borough Council Environmental Health and Trading Standards	Central Offices Kendray Street Barnsley South Yorkshire S70 2TN	T: 01226 770770 F: 01226 772599 W: www.barnsley.gov.uk
3	ESI Limited	New Zealand House Abbey Foregate Shrewsbury West Midlands SY2 6FD	T: 0845 606 6650
4	The Coal Authority Property Searches	200 Lichfield Lane Mansfield Nottinghamshire NG18 4RG	T: 0345 762 6848 F: 01623 637 338 E: groundstability@coal.gov.uk
5	British Geological Survey Enquiry Service	British Geological Survey Kingsley Dunham Centre Nottingham Nottinghamshire NG12 5GG	T: 0115 936 3143 F: 0115 936 3276 E: enquiries@bgs.ac.uk W: www.bgs.ac.uk
6	Public Health England Radon Survey, Centre for Radiation, Chemical and Environmental Hazards	Chilton Didcot Oxfordshire OX11 0RQ	T: 01235 822622 F: 01235 833891 E: radon@phe.gov.uk W: www.ukradon.org
7	Natural England	Suite D Unex House Peterborough Cambridgeshire PE1 1NG	T: 0845 600 3078 E: enquiries@naturalengland.org.uk W: www.naturalengland.org.uk
	Argyll Environmental Ltd	1st Floor 98-99 Queens Road Brighton BN1 3XF	T: 0845 458 5250 F: 0845 458 5260 E: info@argyllenviro.com W: www.argyllenvironmental.com

The Landmark website contains links to many of our data suppliers which may prove useful.

Please note that the Environment Agency/Natural Resources Wales/SEPA have a charging policy in place for enquiries.

The following explanatory notes may be of assistance to users of the Envirosearch Residential report. Practitioners are reminded that full guidance notes are contained in the Practitioners Guide.

Professional Opinion

A Professional Opinion in relation to Part 2A of the Environmental Protection Act 1990 is provided by Argyll Environmental Ltd. In many cases the report will be PASSED without referral. However, in some cases, entries that may be of concern are revealed by the search, in which case the report is REFERRED free of charge for more detailed consideration, although this will not include a physical site inspection. After such referral the report may be PASSED or suggestions made of some FURTHER ACTION that could be taken, in the form of questions to ask of the appropriate authorities. When responses to these questions are received it is the responsibility of the client and their professional advisors to decide if they are happy to proceed.

Flood Risk

A limited flood risk screening exercise is included in this report designed to satisfy basic flood risk screening due diligence including consideration of river, coastal, surface water and groundwater flooding. Where a potential flood risk is "Identified" you may wish to consider commissioning a more detailed flood risk screening report. When there is "None Identified" this does not indicate that there is not risk of flooding at the property, but that the risk of flooding from the sources screened (river, coastal, surface water and groundwater) within the vicinity of the property is such that the risk may not be considered significant.

Positional Accuracy

We locate data in a variety of ways according to information provided to us and subsequent in-house research. If data is provided as a point on the ground, we provide a "positional accuracy" which tells you how confident we are of the actual location.

Section 1b: Landfill and Waste

At present no complete national data set exists for landfill site boundaries, therefore, a point grid reference, provided by the data supplier, is used for some landfill sites. In certain cases the point grid references supplied provide only an approximate position, and can vary from the site entrance to the centre of the site. Where the exact position of the site is unclear for Registered Landfill data, Landmark construct either a 100 metre or 250 metre "buffer" around the point to warn of the possible presence of landfill. The size of this "buffer" relates to the positional accuracy that can be attributed to the site. The "buffer" is shown on the map as a red hatched area. For further information regarding landfill sites identified in the report, please contact the relevant agency or authority referenced in the Useful Contacts section.

The BGS holds records of over 3,000 landfill sites that accepted waste prior to the Control of Pollution Act (COPA) 1974. These were not subject to any strict regulation or monitoring.

Permitted Waste Sites and Environmental Permitting Regulations - Waste cover current or recently current consents issued for landfill sites, waste transfer, treatment or disposal sites by the relevant agency, under Section 64 of the Environmental Protection Act 1990 (Part 2) and prescribed by regulation 10 of SI No. 1056 of the Waste Management Licensing Regulations 1994.

Section 1c: Potentially Contaminative Activities

Identified discharge consents could be for storm water discharges, soakaways or septic tanks.

If a radioactive substance licence has been identified the consent band will be given under enquiries and replies. Consents fall into one of four bands: Band 1 and 2 Nuclear licensed sites authorised by the Nuclear Installations Inspectorate e.g. nuclear power stations Band 3 Site registered/authorised to accumulate and dispose of radioactive materials, only non-nuclear operations are carried out on site e.g. hospitals Band 4 Sites registered to keep and use radioactive material e.g. laboratories, universities, commercial premises using appliances such as monitoring equipment, alarm systems, tritium lighting etc.

Data supplied for Explosive Sites, Control of Major Accident Hazards Sites (COMAH) and Notification of Installations Handling Hazardous Substances (NIHHS) contains public sector information published by the Health and Safety Executive and licensed under the Open Government Licence.

Section 1e: Other Potential Contaminative Land Uses

This section relates to categories of potentially contaminative land uses that have been identified by the analysis of selected Ordnance Survey historical mapping. The published date (range of dates) of the map (s) and the distance from the centre of search to the nearest point of the feature is given. Further details of the extent of the site or its activities are not available. Should you wish to examine the Ordnance Survey maps these are normally available for public inspection at the local archive or local major library. Alternatively, extracts of editions of Ordnance Survey maps are available on www.old-maps.co.uk

Potentially infilled land has been identified when a 'cavity' (a hole made by an extractive industry or natural occurrence e.g. pond) was indicated on a historic map but there was no evidence of its existence in the last available map for the area. No details of what may have been used to fill the cavity or exactly when or if it was filled are available from the mapping.

The point locations of historical tanks and energy facilities are identified from the text on Ordnance Survey 1:1250 and 1:2500 scale mapping published between 1943 and 1996, based upon a predetermined list of abbreviations, e.g. El Sub (Electricity Sub-station) and F Stn (Filling Station). The position of the point has been located at the centre of the identified text so that it would be within approximately 30 meters of the feature it was describing. The features themselves are related to energy and petroleum storage and cover the following: tanks, petrol storage, potential tanks (at depots etc.), electricity sub stations and related features, gas and gas monitoring related features, oil related features and miscellaneous power features. NB: It should be noted that the Ordnance Survey abbreviation for tank (tk) is the same as that for tracks. Therefore some of the captured text may relate to tracks and not tanks when the exact nature of the feature is not clear from the mapping.

Section 2: Flood Findings

Sections 2a, b and c of the report provide data on modelled extents of river, coastal and surface water flooding generated by JBA Risk Management, a market leader in flood risk assessment commonly engaged by insurers to assess flood risk. The data has been modelled for several perils or return periods: 1 in 75, 1 in 200 or 1 in 1000 which relate to areas with a 1.3%, 0.5% and 0.1% annual probability of flooding in any one year respectively. Properties at risk of flooding during a 1 in 75 year event are typically considered to be at a high risk of flooding. The data has been generated to provide a UK wide screening tool and as a result may have inherent limitations. In addition, there may be areas of the country which are modelled to varying degrees of accuracy based on currently available topographical information.

Section 2d of the report provides data relating to the Risk of Flooding from Rivers and Sea (RoFRS) dataset provided by the environment relevant agency. Each agency has used its own data to further assess the risk of river or coastal flooding to the area of land located within an extreme flood zone. It was originally conceived to guide where flood defences were most needed. The risk assessment takes into account a variety of hypothetical levels of rainfall or coastal flooding (both in terms of intensity and duration) and certain flood defences, which it assumes will work effectively. The data generated considers a 50m² area and assigns a risk level (either low, medium or high). The model does not differentiate between properties within the grid square, nor does it predict the depth of any resultant flood (merely the risk of a flood occurring). The RoFRS data does not include flood risk from very small catchments areas as these are not considered reliable for UK-wide flood risk assessments, nor does it consider the potential impacts of climate change on flood risk or provide coverage in Scotland. The assessment is regularly updated and Landmark uses the latest version supplied by RoFRS. Many insurers use RoFRS as a guide to where to offer flood risk insurance cover.

Section 2e of the report includes information relating to records of historical flooding provided by the Environment Agency/Natural Resources Wales. It should be noted that the historical flood event database is not comprehensive. Further details regarding the nature of any historical flood events are not supplied in this report, but can be obtained by contacting your local agency office.

Section 2f of the report provides data relating to the risk of groundwater flooding and is provided by ESI, a leading independent scientific environmental consultancy specialising in water, land and sustainable development. Through research and development, building on their expertise in addressing groundwater flooding issues for the Environment Agency/Natural Resources Wales and other clients in the UK, ESI has developed algorithms and calibrated predictions of the risk of groundwater flooding occurring in England and Wales. This differs from other suppliers of data regarding groundwater flooding which only report on the susceptibility of groundwater flooding. Susceptibility merely has to be identified, whereas risk must be quantified. The resulting data is a 50x50m classification of groundwater flooding risk into four categories (Negligible, Low, Moderate and High). ESI's classifications are based on the level of risk, combining severity and uncertainty that a site will suffer groundwater flooding within a return period of about 100 years.

The data is a general purpose indicative screening tool, and is intended to provide a useful initial view for a wide variety of applications. However, it does not provide an alternative to a site specific assessment, and a detailed risk assessment should be used for any site where the impact of groundwater flooding would have significant adverse consequences.

Section 5: Radon Findings

Due to the nature of way the information is gathered, your property/site may have more than one probability of radon attributed to it. We report the worst case scenario on the property/site you have provided. This information is an estimate of the probability that a property /site in Great Britain is at or above the "Action Level" for radon (the level at which Public Health England recommends that radon levels should be reduced, those with an average of 200 Bq m⁻³ or more). This information satisfies CON29 Standard Enquiry of Local Authority; 3.13 Radon Gas: Location of the Property in a Radon Affected Area and can also be used to advise house buyers and sellers in Scotland. Where the property/site is a new build, this information provides information on the level of protection required for new buildings under BR211 (Scivyer, 2007) Radon: Guidance on protective measures for new buildings and BR376 (BRE, 1999) Radon: Guidance on protective measures for new dwellings in Scotland.

Disclaimer: "Some of the responses contained in this section are based on data and information provided by the Natural Environment Research Council (NERC) or its component bodies the British Geological Survey (BGS). Your use of any information contained in this report which is derived from or based upon such data and information is at your own risk. Neither NERC, BGS nor Public Health England where applicable, gives any warranty, condition or representation as to the quality, accuracy or completeness of such information and all liability (including liability for negligence) arising from its use is excluded to the fullest extent permitted by law."

Section 6b: Environmental Constraints

The Local Nature Reserves national dataset is "indicative" not "definitive". Definitive information can only be provided by individual local authorities and you should refer directly to their information for all purposes that require the most up to date and complete dataset.

General

If after reading the details in this report regarding the sites identified, you still require further information, please contact the relevant agency or authority indicated in the Useful Contacts section quoting the corresponding reference given in the text of the report.

The contacts in the Useful Contacts section may be able to provide further information relating to items identified in the report, however they are not in a position to advise how these might affect the value of a property. The findings of the report should be discussed with your professional advisor.

The Purpose and Scope of the Report

The report is designed to satisfy the concerns raised by the Law Society warning card and has been prepared to assist conveyancing professionals who may be advising clients when they sell or buy a property, obtain a mortgage, seek further mortgage advice, or commence any building works. It is designed to bring information to their attention and help them decide whether they need to seek any further specialist advice. As the report is so detailed, this information can cause concern, but professional advisors will see that further action is suggested on all issues that have been identified.

Limitations

This report has been published by Landmark Information Group Limited ("Landmark") and is supplied subject to our Terms and Conditions of Business, which can be found at <http://www.landmarkinfo.co.uk/Terms/Show/515>. It has been prepared on the understanding that it is to be used for an individual residential property transaction and should not be used or relied upon in a commercial property transaction. This report is neither a guarantee of the physical condition of the subject property nor a substitute for any physical investigation or inspection. The information in Envirosearch Residential is derived from a number of statutory and non-statutory sources (see The Practitioner Guide for details). Whilst every effort is made to ensure the details in the report are correct, Landmark cannot guarantee the accuracy or completeness of such information or data, nor identify all the factors that may be relevant. If you are a private individual using this report Landmark recommends that you discuss its contents in full with your professional advisor. The methodology for risk assessment and the conclusions drawn therefrom are the responsibility of Argyll Environmental Ltd.

Insurance

Houses registered between 1st April 1999 and 31st December 2002 and covered by the NHBC Buildmark scheme probably have insurance against certain costs if contamination occurs within ten years of their construction. From 1st January 2003, NHBC will only provide this cover if building control has been carried out by NHBC Building Control Services Limited.

Landmark Standard Terms and Conditions

Full Terms and Conditions can be found on the following link: <http://www.landmarkinfo.co.uk/Terms/Show/515>

If you experience difficulties accessing our Terms and Conditions, please copy and paste the link directly into your browser, you will then be able to access our Terms and Conditions from there. Should you still experience difficulties, please telephone our Customer Service Team on 0844 844 9966.

Copyright Statement

The data supplied for this Envirosearch Residential report falls under the following copyrights: © Landmark Information Group and/or its Data Suppliers 2016; © Environment Agency and database right 2016; © Copyright 2016 Natural Resources Wales. All rights reserved ; ©Experian Ltd 2016; Produced in whole or in part under licence from, and based in whole or in part from copyright material of © Thomson Directories Limited; © The Coal Authority owns the copyright to this data and the coal mining information used to produce it; © Peter Brett Associates LLP 2016; © Ofcom copyright 2016; © Natural England 2016 material is reproduced with the permission of Natural England, <http://www.naturalengland.org.uk/copyright>; © Natural Resources Wales. All rights reserved; Contains Ordnance Survey Data. Ordnance Survey Licence number 100022432. Crown Copyright and Database Right 2016; © HS2 Ltd and licensed under the Open Government Licence; ESI Groundwater Flood Risk Map of England and Wales ©.

Landmark works in association with:



Important Consumer Protection Information

This search has been produced by Landmark Information Group Ltd, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD.

Tel: 0844 844 9966
Fax: 0844 844 9980
Email: helpdesk@landmark.co.uk

Landmark Information Group Ltd is registered with the Property Codes Compliance Board (PCCB) as a subscriber to the Search Code. The PCCB independently monitors how registered firms maintain compliance with the Code.

The Search Code:

- Provides protection for homebuyers, sellers, estate agents, conveyancers and mortgage lenders who rely on the information included in property search reports undertaken by subscribers on residential and commercial property within the United Kingdom.
- Sets out minimum standards which firms compiling and selling search reports have to meet.
- Promotes the best practice and quality standards within the industry for the benefit of consumers and property professionals.
- Enables consumers and property professionals to have confidence in firms which subscribe to the code, their products and services.

By giving you this information, the search firm is confirming that they keep to the principles of the Code. This provides important protection for you.

The Code's core principles

Firms which subscribe to the Search Code will:

- Display the Search Code logo prominently on their search reports.
- Act with integrity and carry out work with due skill, care and diligence.
- At all times maintain adequate and appropriate insurance to protect consumers.
- Conduct business in an honest, fair and professional manner.
- Handle complaints speedily and fairly.
- Ensure that products and services comply with industry registration rules and standards and relevant laws.
- Monitor their compliance with the Code.

Complaints

If you have a query or complaint about your search, you should raise it directly with the search firm, and if appropriate ask for any complaint to be considered under their formal internal complaints procedure. If you remain dissatisfied with the firm's final response, after your complaint has been formally considered, or if the firm has exceeded the response timescales, you may refer your complaint for consideration under The Property Ombudsman scheme (TPOs). The Ombudsman can award compensation of up to £5,000 to you if he finds that you have suffered actual loss as a result of your search provider failing to keep to the Code.

Please note that all queries or complaints regarding your search should be directed to your search provider in the first instance, not to TPOs or to the PCCB.

TPOs Contact Details:

The Property Ombudsman scheme
Milford House
43-55 Milford Street
Salisbury
Wiltshire SP1 2BP

Tel: 01722 333306
Fax: 01722 332296
Email: admin@tpos.co.uk

You can get more information about the PCCB from www.propertycodes.org.uk.
PLEASE ASK YOUR SEARCH PROVIDER IF YOU WOULD LIKE A COPY OF THE SEARCH CODE

Complaints Procedure

If you want to make a complaint, we will:

- Acknowledge it within 5 working days of receipt.
- Normally deal with it fully and provide a final response, in writing, within 20 working days of receipt.
- Keep you informed by letter, telephone or e-mail, as you prefer, if we need more time.
- Provide a final response, in writing, at the latest within 40 working days of receipt.
- Liaise, at your request, with anyone acting formally on your behalf.

Complaints should be sent to:

Landmark Information Group Ltd
Landmark UK Property
Imperium
Imperial Way
Reading
RG2 0TD

Tel: 0844 844 9966
Email: helpdesk@landmark.co.uk
Fax: 0844 844 9980

If you are not satisfied with our final response, or if we exceed the response timescales, you may refer the complaint to The Property Ombudsman Scheme (TPOs):

Tel: 01722 333306
Email: admin@tpos.co.uk

We will co-operate fully with the Ombudsman during an investigation and comply with his final decision.