



Scale 15mm To 300mm

STAFFORD IND EST
GILROYD
BARNSLEY
S75 3EJ

TEL/FAX: 01226 786599




Client Details:

Job No: J000729
Quote No:
Order No:
Order Ref:
Delivery Date:

Nett Price :
Vat :
Total Price :
Date: Tuesday, July 14, 2
Site Postcode:
Processor:

Internal Ringbeam Width:	3740mm
Internal Ringbeam Depth:	2150mm
Height to Top of Ridge Cap	827mm (Excl Crest)
HT to Underside of Ridge /	827mm - 172mm
HT to Underside of Lean-To	827mm - 191mm
Profile Ext/Int Colour:	white/white (W)
Glazing Colour:	Opal
Glazing Material:	Polycarbonate
Glazing Thickness:	32mm Glazing
Rafters:	Std Rafters
Edwardian Hip:	Std Edw Hip
Victorian Hip:	Std Vic Hip
Gutter System:	Std Gutter
Vent Mech:	
Finial Included:	Jacobean (PVC)
Cresting Included:	Jacobean (PVC)
Box Gutter Type:	Std Box Gutter
Spigot Outlet:	no
Ring beam On Gable:	no
Welded B/G Stop End:	yes
Tie Bar:	



CONFIRM OUTLET POS

1. All dimensions relating to perimeter are to internal face of supporting host building unless otherwise stated.

2. The support structure for this roof must provide the necessary lateral in accordance with the relevant British Standards. Guidance if required be sought from your frame supplier.

3. Please check the specification and dimensions shown herewith with your acceptance by signing here


Signed:.....

Print:.....*Date:*.....


If you are unsure of any detail appearing herewith please query with Roo

PORTLAND GLASS


CAD DRAWING PLEASE




A



C





WHITE.