


SITE PLAN 1:500

N



SITE LOCATION PLAN 1:1250

N

NOTES

Builder to check and clarify all levels, dimensions, drainage construction & specification prior to any works on site and to bring to the clients attention any variations or deviations for written confirmation before being carried out on site.

Do not scale from these drawings - If in doubt always ask first

Report any discrepancies and omissions to M2 Design
This Drawing is Copyright©

Drawings are prepared for the purposes of obtaining Town & Country Planning Permission and Building Regulation Approval only.

All materials shall be fixed, applied or mixed in accordance with all of the manufacturers instructions, recommendations & specifications. All materials shall be fit for the purposes that they are to be used for.

The contractor shall take into account everything necessary for the proper execution of the works and to the satisfaction of the Local Authority Building Surveyor, whether or not indicated on the drawing or in the specification.

It is the responsibility of the owner / client to serve a notice on the adjoining or adjacent neighbours for the proposed works under "The Party Wall Act 1996" Explanatory booklets can be obtained free of charge from the D.O.E. publications despatch centre, Blackhorse Road, London SE99 6TT Tel 0181 691 9191.

Rev	Date	Comments	by
A	May 09	Planning Issue	MS

Project

29 Ewden road
Wombwell
Barnsley
S73 ORF

Client

Mr & Mrs Brown


Drawing title

PROPOSED SITE & SITE LOCATION PLAN


Scale (s)	Drawing No.	Revision
1:1250 / 1:500 @ A3	09014/01	A
Date: May 09		
Drawn By: MS		

M2 DESIGN
Architectural Technology & Building Design


51 Fitzwilliam Street
Wath Upon Deame
Rotherham S63 7HG
Tel 07968 980275
m2design@mschardel.demon.co.uk



EXISTING GROUND FLOOR PLAN



EXISTING SIDE ELEVATION



EXISTING REAR ELEVATION

NOTES

Builder to check and clarify all levels, dimensions, drainage construction & specification prior to any works on site and to bring to the clients attention any variations or deviations for written confirmation before being carried out on site.

Do not scale from these drawings - if in doubt always ask first

Report any discrepancies and omissions to M2 Design

This Drawing is Copyright©

Drawings are prepared for the purposes of obtaining Town & Country Planning Permission and Building Regulation Approval only.

All materials shall be fixed, applied or mixed in accordance with all of the manufacturers instructions, recommendation & specifications. All materials shall be fit for the purposes that they are to be used for.

The contractor shall take into account everything necessa for the proper execution of the works and to the satisfactio of the Local Authority Building Surveyor, whether or not indicated on the drawing or in the specification.

It is the responsibility of the owner / client to serve a notice on the adjoining or adjacent neighbours for the proposed works under 'The Party Wall Act 1996' Explanatory booklet can be obtained free of charge from the D.O.E. publication despatch centre, Blackhorse Road, London SE99 6TT Tel 0181 691 9191.

Rev	Date	Comments
A	May 09	Planning Issue

Project

29 Ewden road
Wombwell
Barnsley
S73 ORF

Client


Mr & Mrs Brown

Drawing title

EXISTING PLANS & ELEVATIONS

Scale (s)	Drawing No.	Rev
1:100 @ A3	09014/02	
Date: May 09		
Drawn By: MS		

M2 DESI
Architectural Technology & Building
51 Fitzwilliam
Wath Upon D
Rotherham S6
Tel 07968 8
m2design@mscherdel.demo



PLAN KEY

NOTE: Read in conjunction with relevant specification notes

- Existing doors
- Existing doors removed
- Proposed doors
- FD30S — New 1/2 hour fire rated door with self closing device
- FD60S — New 1 hour fire rated door with self closing device
- Existing internal walls retained
- Existing internal walls removed
- Proposed internal timber stud walls
- Proposed internal blockwork walls
- Existing external walls / windows retained
- Existing external walls / windows removed
- New window formed at existing wall with lintols above and DPC's to reveals
- Proposed cavity external walls / windows
- Existing walls removed and 2 No. heavy duty lintols inserted above to the manufacturers design existing walls & floor made good
- Stuctural steel beams above to the engineers design

NOTES

Builder to check and clarify all levels, dimensions, drainage construction & specification prior to any works on site and to bring to the clients attention any variations or deviations for written confirmation before being carried out on site.

Do not scale from these drawings - If in doubt always ask first

Report any discrepancies and omissions to M2 Design

This Drawing is Copyright©

Drawings are prepared for the purposes of obtaining Town & Country Planning Permission and Building Regulation Approval only.

All materials shall be fixed, applied or mixed in accordance with all of the manufacturers instructions, recommendations & specifications. All materials shall be fit for the purposes that they are to be used for.

The contractor shall take into account everything necessary for the proper execution of the works and to the satisfaction of the Local Authority Building Surveyor, whether or not indicated on the drawing or in the specification.

It is the responsibility of the owner / client to serve a notice on the adjoining or adjacent neighbours for the proposed works under 'The Party Wall Act 1996' Explanatory booklets can be obtained free of charge from the D.O.E. publications despatch centre, Blackhorse Road, London SE99 6TT Tel 0181 691 9191.

Rev	Date	Comments	by
A	May 09	Planning Issue	MS

Project

29 Ewden road
Wombwell
Barnsley
S73 ORF

Client

Mr & Mrs Brown


Drawing title

PROPOSED GROUND FLOOR PLAN


Scale (s)	Drawing No.	Revision
1:50 @ A3	09014/03	A
Date: May 09		
Drawn By: MS		

M2 DESIGN
Architectural Technology & Building Design


51 Fitzwilliam Street
Wath Upon Dearne
Rotherham S63 7HG
Tel 07968 980275
m2design@mscherdel.demon.co.uk



PROPOSED SIDE ELEVATION



PROPOSED SIDE ELEVATION



PROPOSED REAR ELEVATION

MATERIALS KEY

NOTE: Read in conjunction with relevant specification notes

- Existing external materials
- New areas of facing brickwork to match existing
- New roof areas to match existing finish

NOTES

Builder to check and clarify all levels, dimensions, drainage construction & specification prior to any works on site and to bring to the clients attention any variations or deviations for written confirmation before being carried out on site.

Do not scale from these drawings - If in doubt always ask first

Report any discrepancies and omissions to M2 Design
This Drawing is Copyright©

Drawings are prepared for the purposes of obtaining Town & Country Planning Permission and Building Regulation Approval only.

All materials shall be fixed, applied or mixed in accordance with all of the manufacturers instructions, recommendations & specifications. All materials shall be fit for the purposes that they are to be used for.

The contractor shall take into account everything necessary for the proper execution of the works and to the satisfaction of the Local Authority Building Surveyor, whether or not indicated on the drawing or in the specification.

It is the responsibility of the owner / client to serve a notice on the adjoining or adjacent neighbours for the proposed works under "The Party Wall Act 1996' Explanatory booklets can be obtained free of charge from the D.O.E. publications despatch centre, Blackhorse Road, London SE99 6TT Tel 0181 691 9191.

Rev	Date	Comments	by
A	May 09	Planning issue	MS

Project

29 Ewden road
Wombwell
Barnsley
S73 ORF

Client

Mr & Mrs Brown


Drawing title

PROPOSED ELEVATIONS

Scale (s)	Drawing No.	Revision
1:100 @ A3	09014/04	A
Date: May 09		
Drawn By: MS		

M2 DESIGN
Architectural Technology & Building Design

51 Fitzwilliam Street
Wath Upon Dearne
Rotherham S63 7HQ
Tel 07968 980275
m2design@mscherdel.demon.co.uk



A
A

PROPOSED SECTION A-A

NOTES

Builder to check and clarify all levels, dimensions, drainage construction & specification prior to any works on site and to bring to the clients attention any variations or deviations for written confirmation before being carried out on site.

Do not scale from these drawings - If in doubt always ask first

Report any discrepancies and omissions to M2 Design
This Drawing is Copyright©

Drawings are prepared for the purposes of obtaining Town & Country Planning Permission and Building Regulation Approval only.

All materials shall be fixed, applied or mixed in accordance with all of the manufacturers instructions, recommendations & specifications. All materials shall be fit for the purposes that they are to be used for.

The contractor shall take into account everything necessary for the proper execution of the works and to the satisfaction of the Local Authority Building Surveyor, whether or not indicated on the drawing or in the specification.

It is the responsibility of the owner / client to serve a notice on the adjoining or adjacent neighbours for the proposed works under 'The Party Wall Act 1996' Explanatory booklets can be obtained free of charge from the D.O.E. publications despatch centre, Blackhorse Road, London SE99 6TT Tel 0181 691 9191.

Rev	Date	Comments	by
A	May 09	Planning Issue	MS

Project
29 Ewden road
Wombwell
Barnsley
S73 ORF

Client
Mr & Mrs Brown

Drawing title
PROPOSED SECTIONS

Scale (s)	Drawing No.	Revision
1:20 @ A3	09014/05	A
Date: May 09		
Drawn By: MS		

M2 DESIGN
Architectural Technology & Building Design

51 Fitzwilliam Street
Wath Upon Dearne
Rotherham S63 7HG
Tel 07968 980275
m2design@mscherdel.demon.co.uk

FOUNDATIONS
Concrete strip foundations to be at a minimum of 600mm below GL. and 900mm in clay subsoils
below invert level of adjacent drains within 1000mm radius.
Depth to go down to a level to the approval of the Local Authority District Building Surveyor.
Common brickwork below GL with lean mix concrete cavity fill.
DPC min. 150mm above GL

DRAINAGE
RWP's to soakaway min. 5m away from building. and 4M away from boundary Soakaway to be as BRE digest 365 percolation test to be submitted for approval prior to commencement on site.
100mm square sectioned UPVC gutters & downpipes.
All drainage above ground to comply with part H1 of the current Regs.
WC wastes to be 100mm diam.
Sink wastes to be 40mm diam.
All wastes fitted with anti-vac deep seal traps min. 75mm.
Below ground drainage in 100mm *Hepsleeve clayware min. fall 1in60* connected to existing manhole & mains drainage.
SVP's to terminate min. 1000mm above adjacent openings.

MECHANICAL & ELECTRICAL
Mechanical ventilation to be introduced as :-
15 litres/sec at Bathrooms / WC's / en-suites,
30 litres/sec at Utility rooms,
60 litres/sec at kitchens,
All fans with 15min. overrun.
All heating & hot water pipes to be adequately insulated.
Gas boilers to have minimum efficiency rating of 86%.
Combustion appliances and appliances to be identified with robust notice plate.
TRV's fitted to all new radiators
All electrical work required to meet the requirements of Part P (Electrical safety) to be designed, installed, inspected and tested by a person competent to do so. And on completion issue a design, installation & test certificate in accordance with BS7671

EXTERNAL WALLS
100mm Facing brickwork outer leaf
50mm Kingspan TW50 or similar rigid insulation boards clipped back *to inner leaf.*
100mm thermal blockwork inner leaf.
12.5mm lightweight plaster & skim.
Stainless steel safety wall ties @ 750mm ctrs horizontally & 450mm ctrs vertically & 225mm ctrs at reveals of openings.
Insulated DPC's to reveals of all openings by messrs Damcor or similar.
DPC min. 150mm above ground level.
IG or similar insulated galvanised steel lintols above openings with 150mm min. end bearing.
Tray DPC's above all openings with weepholes to external leaf.
New walls to be toothed and bonded into existing.

WINDOWS & DOORS
UPVC double glazed units with argon filled 16mm cavity and k glass to all windows & doors. to achieve min. U value of 1.8
Opening lights to give 1/20th floor area ventilation & 8000mmsq. background trickle ventilation.
Glazing within 800mm of ffl at windows & within 1500mm of ffl at doors and within 300mm to sides of doors to be glazed with toughened safety glass to BS6206.

INTERNAL WALLS
All new internal walls in 100X50mm SC3 studs @600mm ctrs horizontally & vertically with 12.5mm plasterboard & skim to each side.
100mm rockwool quilt infil.
Double joists to be inserted at position of new walls to accept fixings.

ROOFS (FLAT)
3 No. layers of built up roofing felt
200X50mm SC3 roof joists @450mm ctrs.
200mm thick rockwool insulation quilt *between joists.*
Joists underdrawn with 12.5mm p/board & skim finish.
100X50mm treated timber wall plate strapped down to external wall with stainless steel straps @ 1200mm ctrs.
Concrete interlocking roof tiles on 38X25mm treated battens on untearable felt to BS 747.
25mm continuous ventilation at eaves.
150mm code 5 lead flashing at abutment with existing building with tray DPC at existing cavity walls,

ROOF VENTILATION
25mm continuous ventilation at eaves soffit with insect mesh.
Proprietory vent flashings to be provided continously at wall abutments with integral code 5 lead flashing.
Proprietory vented ridge tiles to give min. 5mm continuous ventilation.

ELECTRICAL WORK
electrical work to be carried out by an electrical installer who is registered with a competent person's scheme and on completion issue a design, installation & test certificate under BS7671
fixed energy efficient lighting will be installed as one per 25msq of the dwelling
Light fittings to only take lamps to have luminous efficacy greater than 40 lumens per circuit watt

GROUND FLOORS (TIMBER)
25mm thick PT&G floor boarding on 150X50mm SC3 treated timber floor joists @ 450mm ctrs.
Joists built into internal and external walls and on concrete common brickwork honeycomb bond sleeper support walls located to ensure maximum 2000mm span
Sleeper walls to be built off foundations.
250mm rockwool insulation quilt between joists on galvanised steel support mesh. to achieve 0.22 U value
150mm min. *clear ventilated airspace* to achieve 1500mmsq ventilation per 1M run with 225X225mm air bricks to external walls
100mm oversite concrete.
100mm hardcore

FIRE PROTECTION / ESCAPE
Smoke alarms will be linked together and will be mains wired with battery back-up provided at each storey within 7.5m of each room.
All new first floor windows to have an escape window 0.33msq clear area at least 750mm high and 450mm wide. and at 900mm above relevent floor level
Exposed steelwork to be protected to half hour min. with 2 layers of p'board.
Garage door to be FD30S with 150mm step down.

construction & specification prior to any works on site and to bring to the clients attention any variations or deviations for written confirmation before being carried out on site.

Do not scale from these drawings - If in doubt always ask first

Report any discrepancies and omissions to M2 Design
This Drawing is Copyright ©

Drawings are prepared for the purposes of obtaining Town & Country Planning Permission and Building Regulation Approval only.

All materials shall be fixed, applied or mixed in accordance with all of the manufacturers instructions, recommendations & specifications. All materials shall be fit for the purposes that they are to be used for.

The contractor shall take into account everything necessary for the proper execution of the works and to the satisfaction of the Local Authority Building Surveyor, whether or not indicated on the drawing or in the specification.

It is the responsibility of the owner / client to serve a notice on the adjoining or adjacent neighbours for the proposed works under 'The Party Wall Act 1996' Explanatory booklets can be obtained free of charge from the D.O.E. publications despatch centre, Blackhorse Road, London SE99 6TT Tel 0181 691 9191.

Rev	Date	Comments	by
A	May 09	Planning Issue	MS

Project
29 Ewden road
Wombwell
Barnsley
S73 ORF

Client
Mr & Mrs Brown

Drawing title
PROPOSED SPECIFICATIONS

Scale (e)	Drawing No.	Revision
NTS @ A3	09014/06	A
Date: May 09		
Drawn By: MS		

M2 DESIGN
Architectural Technology & Building Desi
51 Fitzwilliam Str
With Upon Dear
Rotherham S63 7I
Tel 07968 982
m2design@mscherdel.demon.co