N
W E
S

BAMFORD CLOSE
EYAM CLOSE
HADDON CLOSE
Arable field
cemetery
T7
T5
G6
G8
G9
G10
G12
G4
G3
H1
H2
H11

Appendix 6: Tree Constraints Plan

TITLE: Field At The end of Bamford Close
Dodworth
Barnsley
JCA Ref: 10709/TP

SCALE 1:500 | PAPER SIZE A2

SURVEYED BY: TP | DRAWN BY: TP | APPROVED BY: PH

JCA Limited
Arboricultural & Forestry Consultants

BRITISH STANDARD 5837:2012: 4.5 RETENTION CATEGORIES

Detailed definitions of these catagories are at Appendix 2 of our report. N.B. These categories do not necessarily represent or correspond to recommendations for action made in this report.

	CATEGORY A: 'RETENTION MOST DESIRABLE'
	CATEGORY B: 'RETENTION DESIRABLE'
	CATEGORY C: 'TREE WHICH COULD BE RETAINED'
	CATEGORY U: 'TREE FOR REMOVAL'
	CENTRE OF TREE/SHRUB
	CENTRE OF TREE/SHRUB TO BE REMOVED
	ROOT PROTECTION AREA
	ROOT PROTECTION AREA PRIOR TO OFF-SETTING

Root Protection Area: RPA

THE ROOT PROTECTION AREA (RPA) INDICATES THE LIKELY ROOTING ZONE OF A TREE. THE RPA SHOULD IDEALLY REMAIN UNDISTURBED IF A TREE IS TO BE RETAINED.

THE DEVELOPMENT PROPOSALS SHOULD THEREFORE BE DESIGNED TO AVOID THE RPA OF ANY TREE WHICH IS TO BE RETAINED.

IF IT IS NECESSARY FOR THE DEVELOPMENT TO ENCROACH INTO THE RPA OF A TREE WHICH IS TO BE RETAINED THEN SPECIALIST CONSTRUCTION TECHNIQUES AND MATERIALS MUST BE CONSIDERED.