

Application for consent to display an advertisement(s).
Town and Country Planning (Control of Advertisement) Regulations 2007

Publication of applications on planning authority websites.

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website.
If you require any further clarification, please contact the Authority's planning department.

1. Applicant Name, Address and Contact Details

Title:	Mr	First name:	Mike	Surname:	Carroll		
Company name:	Lloyds Banking Group						
Street address:	PO Box 112			Country Code	National Number	Extension Number	
	Canons House			Telephone number:			
	Canons Way			Mobile number:			
Town/City:	Bristol			Fax number:			
County:				Email address:			
Country:							
Postcode:	BS99 7LB						
Are you an agent acting on behalf of the applicant?				☒ Yes	☐ No		

2. Agent Name, Address and Contact Details

Title:	Mr	First Name:	Andrew	Surname:	Taylor		
Company name:	Styles and Wood Ltd						
Street address:	Aspest House			Country Code	National Number	Extension Number	
	Manchester Road			Telephone number:	44	0161 926 6181	
				Mobile number:			
Town/City:	Altrincham			Fax number:			
County:				Email address:			
Country:							
Postcode:	WA14 5PG				ataylor@stylesandwood.co.uk		

3. Site Address Details

Full postal address of the site (including full postcode where available)

House:	2	Suffix:	
House name:	Halifax Plc		
Street address:	Queen Street		
Town/City:	Barnsley		
County:	South Yorkshire		
Postcode:	S70 1SJ		

Description of location or a grid reference
(must be completed if postcode is not known):

Easting:	434493
Northing:	406361

Description:

4. Pre-application Advice

Has assistance or prior advice been sought from the local authority about this application?

☐ Yes ☒ No

5. Neighbour and Community Consultation

Have you consulted your neighbours or the local community about the proposal?

☐ Yes ☒ No

6. Authority Employee/Member

With respect to the Authority, I am:

- (a) a member of staff
- (b) an elected member
- (c) related to a member of staff
- (d) related to an elected member

Do any of these statements apply to you?

☐ Yes ☒ No

7. Type of Proposed Advertisement(s)

Please describe the proposed advertisement(s):

Installation of 2no. internally illuminated 1000mmH fascia sign
Installation of 1no. internally illuminated 1000mmH brand mark fascia sign
Installation of 2no. internally illuminated 600mmH projecting sign
Installation of 3no. internally illuminated ATM tablet sign

How many of the following type of advertisements are you applying for?

Fascia sign(s) Projecting or hanging sign(s) Hoarding(s) Other

Please describe:

ATM tablet signs

8. Location of Advertisement(s)

Is the advertisement(s) you are applying for already in place?

☐ Yes ☒ No

Is an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal?

☒ Yes ☐ No ☐ Not Applicable

If Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or photograph(s).

50960146-AR01-E1-0101 Existing Elevation.pdf
50960146-AR01-E2-0102 Existing Elevation.pdf
50960146-AR01-E1-1101 Proposed Elevation.pdf
50960146-AR01-E2-1102 Proposed Elevation.pdf
50960146-AR01-00-Signage.pdf

Will the proposed advertisement(s) project over a footpath or other public highway?

☒ Yes ☐ No

9. Advertisement(s) Period

Please state the period of time for which consent is sought for the advertisement

From: To:

10. Interest in the Land

Does the applicant own the land or buildings where the adverts are to be placed? ☒ Yes ☐ No

11 (a). Details of Proposed Advertisement(s) - Fascia Sign

What is the height from the ground to the base of the advertisement (in metres)? m

What is the maximum projection of the advertisement from face of building (in metres)? m

What are the dimensions of the proposed advertisement? Height: x Width: x Depth: metres

What materials will the sign be made of?

Standard internally illuminated fascia should be BLUE to match PMS2728 - 30% gloss level. 2mm thick aluminium panels with a blue intergral internally illuminated perspex fascia facing. Letters and strokes are made from 3D perspex in OPAL 030. Lighting is provided by white LED modules. Lighting trough which is powder coated blue to match PMS 2728 Ref:CB-309-P3S with a 30% gloss finish. A 5mm perspex blue (same colour spec as powder coated lighting trough) running full length of trough with blue wash illumination provided by Blue LED's in an aluminium U channel. 2mm rolled and folded aluminium face panels are on the lighting trough powder coated to match PMS 2728 with a 30% gloss finish. The fascia brandmark will be formed from solid opal acrylic with embedded LED's allowing both lettering and strokes to fully illuminate, set in a coated metal housing.

What is the maximum height of any of the individual letters and symbols (in centimetres)? cm

The colour of text and background:

Text – Opal 030. Background – blue to match PMS 2728, 30% gloss level.

Will the sign be illuminated? ☒ Yes ☐ No

Will the sign be illuminated internally or externally? ☒ Internally ☐ Externally

Illuminance Levels: cd/m

Will the illumination be static or intermittent? ☒ Static ☐ Intermittent

11 (a). Details of Proposed Advertisement(s) - Fascia Sign

What is the height from the ground to the base of the advertisement (in metres)? m

What is the maximum projection of the advertisement from face of building (in metres)? m

What are the dimensions of the proposed advertisement? Height: x Width: x Depth: metres

What materials will the sign be made of?

Standard internally illuminated fascia should be BLUE to match PMS2728 - 30% gloss level. 2mm thick aluminium panels with a blue intergral internally illuminated perspex fascia facing. Letters and strokes are made from 3D perspex in OPAL 030. Lighting is provided by white LED modules. Lighting trough which is powder coated blue to match PMS 2728 Ref:CB-309-P3S with a 30% gloss finish. A 5mm perspex blue (same colour spec as powder coated lighting trough) running full length of trough with blue wash illumination provided by Blue LED's in an aluminium U channel. 2mm rolled and folded aluminium face panels are on the lighting trough powder coated to match PMS 2728 with a 30% gloss finish. The fascia brandmark will be formed from solid opal acrylic with embedded LED's allowing both lettering and strokes to fully illuminate, set in a coated metal housing.

What is the maximum height of any of the individual letters and symbols (in centimetres)? cm

The colour of text and background:

Text – Opal 030. Background – blue to match PMS 2728, 30% gloss level.

Will the sign be illuminated? ☒ Yes ☐ No

Will the sign be illuminated internally or externally? ☒ Internally ☐ Externally

Illuminance Levels: cd/m

Will the illumination be static or intermittent? ☒ Static ☐ Intermittent

11 (a). Details of Proposed Advertisement(s) - Fascia Sign

What is the height from the ground to the base of the advertisement (in metres)?

3.715

m

What is the maximum projection of the advertisement from face of building (in metres)?

0.100

m

What are the dimensions of the proposed advertisement?

Height:

1.000

 x Width:

2.022

 x Depth:

0.100

 metres

What materials will the sign be made of?

Letters are made from 3D perspex in Blue 7703. Strokes are made from 3D perspex in Blue 743. Backing is 2mm rolled aluminium. Lighting is provided by LED modules.

What is the maximum height of any of the individual letters and symbols (in centimetres)?

29.000

cm

The colour of text and background:

Text - Blue 7703. Strokes - Blue 743. Background - aluminium.

Will the sign be illuminated?

☒ Yes ☐ No

Will the sign be illuminated internally or externally?

☒ Internally ☐ Externally

Illuminance Levels:

400.000

 cd/m

Will the illumination be static or intermittent?

☒ Static ☐ Intermittent

11 (b). Details of Proposed Advertisement(s) - Hanging Sign

What is the height from the ground to the base of the advertisement (in metres)?

3.625

m

What is the maximum projection of the advertisement from face of building (in metres)?

1.022

m

What are the dimensions of the proposed advertisement?

Height:

0.600

 x Width:

0.090

 x Depth:

1.022

 metres

What materials will the sign be made of?

2mm aluminium panel powder coated blue to match PMS 2728 ref:CB-309-P3S at 30% gloss level. 10mm clear perspex panel with face and rear applied graphic detail. Blue wash illumination provided by the blue LED's around the perimeter.

What is the maximum height of any of the individual letters and symbols (in centimetres)?

12.500

cm

The colour of text and background:

Text – Opal 030. Background – blue to match PMS 2728, 30% gloss level.

Will the sign be illuminated?

☒ Yes ☐ No

Will the sign be illuminated internally or externally?

☒ Internally ☐ Externally

Illuminance Levels:

200.000

 cd/m

Will the illumination be static or intermittent?

☒ Static ☐ Intermittent

11 (b). Details of Proposed Advertisement(s) - Hanging Sign

What is the height from the ground to the base of the advertisement (in metres)?

4.912

m

What is the maximum projection of the advertisement from face of building (in metres)?

1.022

m

What are the dimensions of the proposed advertisement?

Height:

0.600

 x Width:

0.090

 x Depth:

1.022

 metres

What materials will the sign be made of?

2mm aluminium panel powder coated blue to match PMS 2728 ref:CB-309-P3S at 30% gloss level. 10mm clear perspex panel with face and rear applied graphic detail. Blue wash illumination provided by the blue LED's around the perimeter.

What is the maximum height of any of the individual letters and symbols (in centimetres)?

12.500

cm

The colour of text and background:

Text – Opal 030. Background – blue to match PMS 2728, 30% gloss level.

Will the sign be illuminated?

☒ Yes ☐ No

Will the sign be illuminated internally or externally?

☒ Internally ☐ Externally

Illuminance Levels:

200.000

 cd/m

Will the illumination be static or intermittent?

☒ Static ☐ Intermittent

11 (d). Details of Proposed Advertisement(s) - Other Sign

What is the height from the ground to the base of the advertisement (in metres)?

1.722

m

What is the maximum projection of the advertisement from face of building (in metres)?

0.010

m

What are the dimensions of the proposed advertisement?

Height:

0.600

 x Width:

0.715

 x Depth:

0.010

 metres

What materials will the sign be made of?

2mm aluminium panel powder coated blue to match PMS 2728 ref:CB-309-P3S at 30% gloss level. 10mm clear perspex panel with face and rear applied graphic detail. Blue wash illumination provided by the blue LED's around the perimeter.

What is the maximum height of any of the individual letters and symbols (in centimetres)?

6.800

cm

The colour of text and background:

Text – Opal 030. Background – blue to match PMS 2728, 30% gloss level.

Will the sign be illuminated?

☒

 Yes

☐

 No

Will the sign be illuminated internally or externally?

☒

 Internally

☐

 Externally

Illuminance Levels:

200.000

 cd/m

Will the illumination be static or intermittent?

☒

 Static

☐

 Intermittent

11 (d). Details of Proposed Advertisement(s) - Other Sign

What is the height from the ground to the base of the advertisement (in metres)?

1.722

m

What is the maximum projection of the advertisement from face of building (in metres)?

0.010

m

What are the dimensions of the proposed advertisement?

Height:

0.600

 x Width:

0.715

 x Depth:

0.010

 metres

What materials will the sign be made of?

2mm aluminium panel powder coated blue to match PMS 2728 ref:CB-309-P3S at 30% gloss level. 10mm clear perspex panel with face and rear applied graphic detail. Blue wash illumination provided by the blue LED's around the perimeter.

What is the maximum height of any of the individual letters and symbols (in centimetres)?

6.800

cm

The colour of text and background:

Text – Opal 030. Background – blue to match PMS 2728, 30% gloss level.

Will the sign be illuminated?

☒

 Yes

☐

 No

Will the sign be illuminated internally or externally?

☒

 Internally

☐

 Externally

Illuminance Levels:

200.000

 cd/m

Will the illumination be static or intermittent?

☒

 Static

☐

 Intermittent

11 (d). Details of Proposed Advertisement(s) - Other Sign

What is the height from the ground to the base of the advertisement (in metres)?

1.722

m

What is the maximum projection of the advertisement from face of building (in metres)?

0.010

m

What are the dimensions of the proposed advertisement?

Height:

0.600

 x Width:

0.715

 x Depth:

0.010

 metres

What materials will the sign be made of?

2mm aluminium panel powder coated blue to match PMS 2728 ref:CB-309-P3S at 30% gloss level. 10mm clear perspex panel with face and rear applied graphic detail. Blue wash illumination provided by the blue LED's around the perimeter.

What is the maximum height of any of the individual letters and symbols (in centimetres)?

6.800

cm

The colour of text and background:

Text – Opal 030. Background – blue to match PMS 2728, 30% gloss level.

Will the sign be illuminated?

☒

 Yes

☐

 No

Will the sign be illuminated internally or externally?

☒

 Internally

☐

 Externally

Illuminance Levels:

200.000

 cd/m

Will the illumination be static or intermittent?

☒

 Static

☐

 Intermittent

12. Site Visit

Can the site be seen from a public road, public footpath, bridleway or other public land? ☒ Yes ☐ No

If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? (Please select only one)

- ☒ The agent ☐ The applicant ☐ Other person

13. Declaration

I/we hereby apply for planning permission/consent as described in this form and the accompanying plans/drawings and additional information. I/we confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them.



Date

15/03/2013