

Branching Out Tree Services

**Tree survey completed 20th November 2011 for Andrew Swift at
A and E Garage in Grimethorpe**

**The following survey was completed by Craig Duggan.
A fully qualified self employed tree surgeon with 13 years experience.**

Tree 1,

A Sycamore

1.45m circumference at chest height

15m approximate height

10m approximate crown spread

**This tree has light damage due to scaring in bark, potential hazard as a climable tree for
members of the public, low amenity value to the surrounding area.**

Close to public footpath and road.

Tree 2

A Sycamore self seeded

0.75m circumference at chest height

2m approximate crown spread

10m approximate height

Tree 3

A Sycamore self seeded

0.55m circumference at chest height

3m approximate crown spread

10m approximate height

Tree 4

A Sycamore self seeded

0.4m circumference at chest height

2m approximate crown spread

10m approximate height

Tree 2,3 and 4, are a cluster that is self seeded and holds no amenity value to the area

Tree 5

A Cherry tree

0.5m circumference at chest height

6m approximate crown spread

4m approximate height

Tree 6

A Cherry tree

**0.3m circumference at chest height
3m approximate crown spread
4m approximate height**

Tree 5 and 6 are small self set trees which have a heavy lean due to growing in the shade of Tree 1, they hold no amenity value to the surrounding area.

**Completed by
Craig Duggan
(Cs30, Cs31, Cs32, Cs35, Cs38, Cs39, Cs40, Cs41, unit 1, unit 2 A and B unit 5 certified)
Director
Branching Out Tree Services**