



TREE CONSULTATION RESPONSE

Application No	2025/0267
Proposal	Remove Poplar tree marked on plan within TPO 36/1974.
Address	Fontenay Barracks, Wakefield Road, Barnsley, S71 1NV.
Date of Consultation Reply	05/08/2025
Consultee	Edward Jowett (Tree Officer)

Consultation Assessment and Justification

The tree is a large mature Poplar located on the banking adjacent to Wakefield Road, it is clearly visible and highly prominent and as such has high amenity value.

The works proposed are to remove the tree due to it losing a large limb and extensive decay being present at the union which is clearly demonstrated in the documents provided. Ultimately this coupled with the trees location within falling distance of Wakefield Road and the nature of the species mean unfortunately its removal is required.

The tree will need to be replaced, however no replacement planting has been proposed as part of the application. As such Oak has been specified in this instance but we would be open to alternative suggestions providing what is proposed is a large growing native species.

Note: Assessments of tree condition and safety are based on a simple visual inspection from ground level. Comments should not be taken as a definitive assessment of tree health, as this should be carried out by a suitably qualified arboriculturist, possibly including a high level inspection. The applicant should be reminded of the owner's legal responsibilities to ensure that trees are regularly inspected and maintained in a safe condition.

NO OBJECTION*

*Delete as applicable

Planning Obligations required: