

Eastwood & Partners				Page 1	
St Andrew's House 23 Kingfield Road Sheffield S11 9AS		Newett Homes Thurlstone Plot soakaway 300m2			
Date April 19 File Plot 300m2.srcx		Designed by CH Checked by			
Micro Drainage		Source Control 2016.1			
Summary of Results for 100 year Return Period (+30%)					
Half Drain Time : 19 minutes.					
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status
15 min Summer	228.900	0.900	3.0	5.1	O K
30 min Summer	229.042	1.042	3.5	5.9	O K
60 min Summer	229.095	1.095	3.7	6.2	O K
120 min Summer	229.019	1.019	3.4	5.8	O K
180 min Summer	228.921	0.921	3.1	5.2	O K
240 min Summer	228.834	0.834	2.8	4.8	O K
360 min Summer	228.701	0.701	2.3	4.0	O K
480 min Summer	228.608	0.608	2.0	3.5	O K
600 min Summer	228.540	0.540	1.8	3.1	O K
720 min Summer	228.487	0.487	1.6	2.8	O K
960 min Summer	228.409	0.409	1.4	2.3	O K
1440 min Summer	228.312	0.312	1.0	1.8	O K
2160 min Summer	228.233	0.233	0.8	1.3	O K
2880 min Summer	228.188	0.188	0.6	1.1	O K
4320 min Summer	228.138	0.138	0.5	0.8	O K
5760 min Summer	228.110	0.110	0.4	0.6	O K
7200 min Summer	228.092	0.092	0.3	0.5	O K
8640 min Summer	228.080	0.080	0.3	0.5	O K
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)		
15 min Summer	117.331	0.0	15		
30 min Summer	78.355	0.0	23		
60 min Summer	49.937	0.0	40		
120 min Summer	30.753	0.0	74		
180 min Summer	22.834	0.0	104		
240 min Summer	18.364	0.0	136		
360 min Summer	13.448	0.0	198		
480 min Summer	10.781	0.0	258		
600 min Summer	9.076	0.0	320		
720 min Summer	7.880	0.0	380		
960 min Summer	6.301	0.0	500		
1440 min Summer	4.589	0.0	738		
2160 min Summer	3.335	0.0	1104		
2880 min Summer	2.656	0.0	1468		
4320 min Summer	1.924	0.0	2200		
5760 min Summer	1.529	0.0	2936		
7200 min Summer	1.278	0.0	3664		
8640 min Summer	1.104	0.0	4384		
©1982-2016 XP Solutions					

Eastwood & Partners				Page 2	
St Andrew's House 23 Kingfield Road Sheffield S11 9AS		Newett Homes Thurlstone Plot soakaway 300m2			
Date April 19 File Plot 300m2.srcx		Designed by CH Checked by			
Micro Drainage		Source Control 2016.1			
Summary of Results for 100 year Return Period (+30%)					
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status
10080 min Summer	228.070	0.070	0.2	0.4	O K
15 min Winter	229.011	1.011	3.4	5.8	O K
30 min Winter	229.155	1.155	3.9	6.6	O K
60 min Winter	229.171	1.171	3.9	6.7	O K
120 min Winter	229.031	1.031	3.4	5.9	O K
180 min Winter	228.893	0.893	3.0	5.1	O K
240 min Winter	228.780	0.780	2.6	4.4	O K
360 min Winter	228.622	0.622	2.1	3.5	O K
480 min Winter	228.522	0.522	1.7	3.0	O K
600 min Winter	228.451	0.451	1.5	2.6	O K
720 min Winter	228.399	0.399	1.3	2.3	O K
960 min Winter	228.323	0.323	1.1	1.8	O K
1440 min Winter	228.237	0.237	0.8	1.3	O K
2160 min Winter	228.172	0.172	0.6	1.0	O K
2880 min Winter	228.138	0.138	0.5	0.8	O K
4320 min Winter	228.100	0.100	0.3	0.6	O K
5760 min Winter	228.080	0.080	0.3	0.5	O K
7200 min Winter	228.067	0.067	0.2	0.4	O K
8640 min Winter	228.058	0.058	0.2	0.3	O K
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)		
10080 min Summer	0.976	0.0	5136		
15 min Winter	117.331	0.0	15		
30 min Winter	78.355	0.0	24		
60 min Winter	49.937	0.0	42		
120 min Winter	30.753	0.0	76		
180 min Winter	22.834	0.0	110		
240 min Winter	18.364	0.0	142		
360 min Winter	13.448	0.0	204		
480 min Winter	10.781	0.0	264		
600 min Winter	9.076	0.0	326		
720 min Winter	7.880	0.0	386		
960 min Winter	6.301	0.0	508		
1440 min Winter	4.589	0.0	750		
2160 min Winter	3.335	0.0	1104		
2880 min Winter	2.656	0.0	1468		
4320 min Winter	1.924	0.0	2196		
5760 min Winter	1.529	0.0	2920		
7200 min Winter	1.278	0.0	3624		
8640 min Winter	1.104	0.0	4368		
©1982-2016 XP Solutions					

Eastwood & Partners		Page 3																				
St Andrew's House 23 Kingfield Road Sheffield S11 9AS	Newett Homes Thurlstone Plot soakaway 300m2																					
Date April 19 File Plot 300m2.srcx	Designed by CH Checked by																					
Micro Drainage		Source Control 2016.1																				
<u>Summary of Results for 100 year Return Period (+30%)</u> <table><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Infiltration (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr><tr><td>10080 min Winter</td><td>228.051</td><td>0.051</td><td>0.2</td><td>0.3</td><td>O K</td></tr></table> <table><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Time-Peak (mins)</th></tr><tr><td>10080 min Winter</td><td>0.976</td><td>0.0</td><td>5136</td></tr></table>			Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status	10080 min Winter	228.051	0.051	0.2	0.3	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)	10080 min Winter	0.976	0.0	5136
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status																	
10080 min Winter	228.051	0.051	0.2	0.3	O K																	
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)																			
10080 min Winter	0.976	0.0	5136																			
©1982-2016 XP Solutions																						

Eastwood & Partners		Page 4																																	
St Andrew's House 23 Kingfield Road Sheffield S11 9AS	Newett Homes Thurlstone Plot soakaway 300m2																																		
Date April 19 File Plot 300m2.srcx	Designed by CH Checked by																																		
Micro Drainage		Source Control 2016.1																																	
<u>Rainfall Details</u> <table> <tr> <td>Rainfall Model</td> <td>FSR</td> <td>Winter Storms</td> <td>Yes</td> </tr> <tr> <td>Return Period (years)</td> <td>100</td> <td>Cv (Summer)</td> <td>0.750</td> </tr> <tr> <td>Region</td> <td>England and Wales</td> <td>Cv (Winter)</td> <td>0.840</td> </tr> <tr> <td>M5-60 (mm)</td> <td>19.000</td> <td>Shortest Storm (mins)</td> <td>15</td> </tr> <tr> <td>Ratio R</td> <td>0.364</td> <td>Longest Storm (mins)</td> <td>10080</td> </tr> <tr> <td>Summer Storms</td> <td>Yes</td> <td>Climate Change %</td> <td>+30</td> </tr> </table> <u>Time Area Diagram</u> Total Area (ha) 0.030 <table> <tr> <th colspan="2">Time (mins)</th> <th>Area</th> </tr> <tr> <th>From:</th> <th>To:</th> <th>(ha)</th> </tr> <tr> <td>0</td> <td>4</td> <td>0.030</td> </tr> </table>			Rainfall Model	FSR	Winter Storms	Yes	Return Period (years)	100	Cv (Summer)	0.750	Region	England and Wales	Cv (Winter)	0.840	M5-60 (mm)	19.000	Shortest Storm (mins)	15	Ratio R	0.364	Longest Storm (mins)	10080	Summer Storms	Yes	Climate Change %	+30	Time (mins)		Area	From:	To:	(ha)	0	4	0.030
Rainfall Model	FSR	Winter Storms	Yes																																
Return Period (years)	100	Cv (Summer)	0.750																																
Region	England and Wales	Cv (Winter)	0.840																																
M5-60 (mm)	19.000	Shortest Storm (mins)	15																																
Ratio R	0.364	Longest Storm (mins)	10080																																
Summer Storms	Yes	Climate Change %	+30																																
Time (mins)		Area																																	
From:	To:	(ha)																																	
0	4	0.030																																	
©1982-2016 XP Solutions																																			

Eastwood & Partners		Page 5																																																																																				
St Andrew's House 23 Kingfield Road Sheffield S11 9AS	Newett Homes Thurlstone Plot soakaway 300m2																																																																																					
Date April 19 File Plot 300m2.srcx	Designed by CH Checked by																																																																																					
Micro Drainage		Source Control 2016.1																																																																																				
<u>Model Details</u> Storage is Online Cover Level (m) 230.000 <u>Cellular Storage Structure</u> Invert Level (m) 228.000 Safety Factor 2.0 Infiltration Coefficient Base (m/hr) 0.00000 Porosity 0.95 Infiltration Coefficient Side (m/hr) 2.44800 <table border="1"> <thead> <tr> <th>Depth (m)</th> <th>Area (m²)</th> <th>Inf. Area (m²)</th> <th>Depth (m)</th> <th>Area (m²)</th> <th>Inf. Area (m²)</th> </tr> </thead> <tbody> <tr><td>0.000</td><td>6.0</td><td>6.0</td><td>2.600</td><td>0.0</td><td>18.7</td></tr> <tr><td>0.200</td><td>6.0</td><td>8.0</td><td>2.800</td><td>0.0</td><td>18.7</td></tr> <tr><td>0.400</td><td>6.0</td><td>9.9</td><td>3.000</td><td>0.0</td><td>18.7</td></tr> <tr><td>0.600</td><td>6.0</td><td>11.9</td><td>3.200</td><td>0.0</td><td>18.7</td></tr> <tr><td>0.800</td><td>6.0</td><td>13.8</td><td>3.400</td><td>0.0</td><td>18.7</td></tr> <tr><td>1.000</td><td>6.0</td><td>15.8</td><td>3.600</td><td>0.0</td><td>18.7</td></tr> <tr><td>1.200</td><td>6.0</td><td>17.8</td><td>3.800</td><td>0.0</td><td>18.7</td></tr> <tr><td>1.400</td><td>0.0</td><td>18.7</td><td>4.000</td><td>0.0</td><td>18.7</td></tr> <tr><td>1.600</td><td>0.0</td><td>18.7</td><td>4.200</td><td>0.0</td><td>18.7</td></tr> <tr><td>1.800</td><td>0.0</td><td>18.7</td><td>4.400</td><td>0.0</td><td>18.7</td></tr> <tr><td>2.000</td><td>0.0</td><td>18.7</td><td>4.600</td><td>0.0</td><td>18.7</td></tr> <tr><td>2.200</td><td>0.0</td><td>18.7</td><td>4.800</td><td>0.0</td><td>18.7</td></tr> <tr><td>2.400</td><td>0.0</td><td>18.7</td><td>5.000</td><td>0.0</td><td>18.7</td></tr> </tbody> </table>			Depth (m)	Area (m ²)	Inf. Area (m ²)	Depth (m)	Area (m ²)	Inf. Area (m ²)	0.000	6.0	6.0	2.600	0.0	18.7	0.200	6.0	8.0	2.800	0.0	18.7	0.400	6.0	9.9	3.000	0.0	18.7	0.600	6.0	11.9	3.200	0.0	18.7	0.800	6.0	13.8	3.400	0.0	18.7	1.000	6.0	15.8	3.600	0.0	18.7	1.200	6.0	17.8	3.800	0.0	18.7	1.400	0.0	18.7	4.000	0.0	18.7	1.600	0.0	18.7	4.200	0.0	18.7	1.800	0.0	18.7	4.400	0.0	18.7	2.000	0.0	18.7	4.600	0.0	18.7	2.200	0.0	18.7	4.800	0.0	18.7	2.400	0.0	18.7	5.000	0.0	18.7
Depth (m)	Area (m ²)	Inf. Area (m ²)	Depth (m)	Area (m ²)	Inf. Area (m ²)																																																																																	
0.000	6.0	6.0	2.600	0.0	18.7																																																																																	
0.200	6.0	8.0	2.800	0.0	18.7																																																																																	
0.400	6.0	9.9	3.000	0.0	18.7																																																																																	
0.600	6.0	11.9	3.200	0.0	18.7																																																																																	
0.800	6.0	13.8	3.400	0.0	18.7																																																																																	
1.000	6.0	15.8	3.600	0.0	18.7																																																																																	
1.200	6.0	17.8	3.800	0.0	18.7																																																																																	
1.400	0.0	18.7	4.000	0.0	18.7																																																																																	
1.600	0.0	18.7	4.200	0.0	18.7																																																																																	
1.800	0.0	18.7	4.400	0.0	18.7																																																																																	
2.000	0.0	18.7	4.600	0.0	18.7																																																																																	
2.200	0.0	18.7	4.800	0.0	18.7																																																																																	
2.400	0.0	18.7	5.000	0.0	18.7																																																																																	
©1982-2016 XP Solutions																																																																																						