














| Reference (G = Group, H = Hedge) | Age & Species | Height (m) | Crown Ht (m) | Diameter (cm) | Crown Spread (m) N / W / E / S | Scaled Tree Diagram (m) | Notes | Recommendations (Independent of any development proposals) | | Vigour / Physiological Condition / Structural Condition | Amenity Value / Life Expectancy (yrs) / Retention Category |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Priority | Inspect Freq (yrs) | | |
| **T1** | Semi-Mature<br>**Leyland Cypress**<br>X Cupressocyparis leylandii. | 8.5 | 0 | 42 | N 1.5, W 1.5, E 1.5, S 1.5 |  | Form: Single stemmed and vertical with a narrow, upright habit.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.** | No action required.<br>n/a | 3 | High<br>Good<br>Good | Low<br>40+<br>C |
| **T2** | Semi-Mature<br>**Lawson Cypress**<br>Chamaecyparis lawsoniana. | 5 | 0 | 30 @ Base | N 1, W 1, E 1, S 1 |  | Form: Multi-stemmed at 0.5m with a narrow, upright habit.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.** | No action required.<br>n/a | 3 | Moderate<br>Good<br>Good | Low<br>40+<br>C |
| **G3** | Semi-Mature<br>**Leyland Cypress**<br>X Cupressocyparis leylandii. | av 10 | av 0 | av 25 | N av, W 1.2, E 1.2, S 1.2 each |  | Form: 3 close growing specimens.<br>History: Typical form. | No action required.<br>n/a | 3 | High<br>Good<br>Good | Low<br>40+<br>C |
| **T4** | Early-Mature<br>**Sycamore**<br>Acer pseudoplatanus. | 9.5 | 3 | 42 | N 4.5, W 4.5, E 5, S 4.5 |  | Position: Adjacent boundary.<br>Form: Multi-stemmed at 2m with a balanced crown.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.** | No action required.<br>n/a | 3 | High<br>Good<br>Good | Moderate<br>40+<br>B |
| **T5** | Young<br>**Sycamore**<br>Acer pseudoplatanus. | 5 | 3 | 11 | N 1, W 3, E 1, S 2 |  | Position: Adjacent boundary.<br>Form: Single stemmed and vertical with a narrow, upright habit (spindly).<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.**<br>Other: Poor specimen. | No action required.<br>n/a | 3 | Low<br>Fair<br>Good | Low<br>20-40<br>C |
| **T6** | Semi-Mature<br>**Sycamore**<br>Acer pseudoplatanus. | 10 | 2 | 35 | N 4, W 5, E 6, S 3 |  | Position: Adjacent boundary.<br>Form: Single stemmed and vertical with a well-formed crown.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.** | No action required.<br>n/a | 3 | Moderate<br>Good<br>Good | Moderate<br>40+<br>B |
| **T7** | Young<br>**Rowan**<br>Sorbus aucuparia. | 4 | 2 | 17 | N 1, W 2, E 4.5, S 1 |  | Position: Adjacent boundary.<br>Form: Twin-stemmed at ground level with an unbalanced crown.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.**<br>Other: Poor specimen. | No action required.<br>n/a | 3 | Low<br>Fair<br>Poor | Low<br>10-20<br>C - |

| Reference (G = Group, H = Hedge) | Age & Species | Height (m) | Crown Ht (m) | Diameter (cm) | Crown Spread (m) W N E S | Scaled Tree Diagram (m) | Notes | Recommendations (Independent of any development proposals) Priority | Inspect Freq (yrs) | Vigour / Physiological Condition / Structural Condition | Amenity Value / Life Expectancy (yrs) / Retention Category |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **T8** | Semi-Mature **Sycamore** Acer pseudoplatanus. | 10 | 5 | 33 | W 4, N 2, E 4.5, S 2 |  | Position: Adjacent boundary.<br>Form: Twin-stemmed at 2.5m with a narrow, upright habit.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.**<br>Other: 11cm branch at base. | No action required. | n/a | 3 | Moderate / Good / Good | Moderate / 40+ / **B -** |
| **T9** | Semi-Mature **Sycamore** Acer pseudoplatanus. | 9 | 2.5 | 28 | W 6, N 3, E 6, S 3 |  | Position: Adjacent boundary.<br>Form: Single stemmed and vertical with a balanced crown.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.**<br>Other: 9cm branch at base. | No action required. | n/a | 3 | Moderate / Good / Good | Low / 40+ / **C +** |
| **T10** | Young **Apple** Malus sp. | 3 | 1 | 10 | W 0, N 1, E 3, S 1 |  | Position: Adjacent boundary.<br>Form: Multi-stemmed at 1m with a poorly formed crown, leaning.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.**<br>Other: Poor specimen. | No action required. | n/a | 3 | Low / Fair / Poor | Low / 10-20 / **C** |
| **T11** | Early-Mature **Ash** Fraxinus excelsior. | 12 | 3 | 38 | W 4.5, N 4, E 4.5, S 4 |  | Form: Twin-stemmed at 2m with a well-formed crown.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.** | No action required. | n/a | 3 | High / Good / Good | Moderate / 40+ / **B** |
| **T12** | Mature **Cherry** Prunus sp. | 9 | 3 | 40 | W 2, N 1, E 5, S 6 |  | Form: Twin-stemmed at 1m with an unbalanced crown.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.** | No action required. | n/a | 3 | Moderate / Good / Good | Low / 10-20 / **C** |
| **G13** | Semi-Mature **Cherry** Prunus sp. | av 4.5 | av 2 | av 9 | W 2, N av, E 2, S 2 each |  | Position: Situated on third party land.<br>Form: 2 close growing spindly specimens.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.** | No action required. | n/a | 3 | Low / Fair / Fair | Low / 40+ / **C** |
| **T14** | Semi-Mature **Cherry** Prunus sp. | 8 | 2 | 34 | W 0, N 4, E 4, S 4 |  | Position: Situated on third party land. Adjacent boundary. Overhanging the boundary.<br>Form: Twin-stemmed at ground level with a narrow, upright habit.<br>History: No evidence of significant pruning.<br>**Defects: Significant ib at base.** | No action required. | n/a | 3 | Moderate / Good / Poor | Low / 10-20 / **C** |

| Reference<br>G = Group<br>H = Hedge | Age & Species | Height (m) | Crown Ht (m) | Diameter (cm) | Crown Spread (m)<br>N<br>W E<br>S | Scaled Tree Diagram (m) | Notes | Recommendations<br>(Independent of any development proposals)<br>Priority / Inspect Freq (yrs) | Vigour<br>Physiological Condition<br>Structural Condition | Amenity Value<br>Life Expectancy (yrs)<br>Retention Category |
|---|---|---|---|---|---|---|---|---|---|---|
| **T15** | Semi-Mature<br>**Sycamore**<br>Acer pseudoplatanus. | 4.5 | 1.8 | 21 | 3<br>2 3<br>2.5 |  | Position: Centre of garden.<br>Form: Single stemmed and vertical with a balanced crown.<br>History: No evidence of significant pruning.<br>**Defects: No defects observed.** | No action required.<br>n/a / 3 | High<br>Good<br>Good | Low<br>40+<br>C |