



DRAINS: EXISTING AND NEW 150ØSGE DRAINS PASSING UNDER NEW EXTENSION TO BE ENCASED IN 150mmTHK. CONC. WITH MOVEMENT JOINTS @MAX. 5.0M AND BOTH SIDES OF WALL WHEN PASSING THROUGH WALLS. ALL TO MANUF. RECOMMENDATIONS. ALL DRAINS PASSING THROUGH WALLS TO BE PROTECTED BY LINTELS, FOUNDATIONS TO BE TAKEN LOWER THAN DRAINS. ALL REDUNDANT DRAINS TO BE SEALED OFF/GRUBBED UP

SITE PLAN (1:200)

PLANNING

SUFFIX	REVISIONS	DATE
<p>BEST DRAUGHTING SERVICES Ltd TEL : 07919492457 EMAIL: swilding75@yahoo.co.uk</p>		
CLIENT MR & MRS MYERS		
PROJECT PROPOSED SINGLE STOREY REAR EXTENSION TO No.16 PARK LANE, GREAT HOUGHTON BARNSELY S72 0AX		
TITLE SITE PLAN		
PLOT DATE SEPT 11		
SCALE 1:200	DRAWN SAW	
PROJECT No. BDS 171-02-11		

COPY RIGHT ©
 THIS DRAWING AND COPYRIGHT BELONGS TO BEST DRAUGHTING SERVICES LTD. NO LICENCE OR ASSIGNMENT OF ANY SUCH RIGHT IS GRANTED HEREUNDER. THIS DRAWING FULL OR PART IS NOT TO BE COPIED OR DIVULGED TO A THIRD PARTY WITH OUT WRITTEN PERMISSION.