



© Crown copyright and Landmark Information Group Limited 2007. All Rights Reserved.

Envirocheck®
A Landmark service


## Ordnance Survey Plan
## Published 1962
## Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)




### Historical Map - Segment A13




### Order Details


| | |
|---|---|
| Order Number: | 22837981_1_1 |
| Customer Ref: | 30423/MJY/KE |
| National Grid Reference: | 440360, 403440 |
| Slice: | A |
| Site Area (Ha): | 5.68 |
| Search Buffer (m): | 100 |

### Site Details

Site at 440340, 403480

LANDMARK Information Group

Tel: 0870 850 6670
Fax: 0870 850 6671
Web: www.envirocheck.co.uk





© Crown copyright and Landmark Information Group Limited 2007. All Rights Reserved.

Envirocheck®
A Landmark service


## Ordnance Survey Plan
## Published 1982
## Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)




### Historical Map - Segment A13





### Order Details

| | |
|---|---|
| Order Number: | 22837981_1_1 |
| Customer Ref: | 30423/MJY/KE |
| National Grid Reference: | 440360, 403440 |
| Slice: | A |
| Site Area (Ha): | 5.68 |
| Search Buffer (m): | 100 |

### Site Details

Site at 440340, 403480

LANDMARK Information Group
Tel: 0870 850 6670
Fax: 0870 850 6671
Web: www.envirocheck.co.uk





© Crown copyright and Landmark Information Group Limited 2007. All Rights Reserved.

Envirocheck®
A Landmark service


## Additional SIMs
## Published 1987 - 1991
## Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)




### Historical Map - Segment A13





### Order Details

| | |
|---|---|
| Order Number: | 22837981_1_1 |
| Customer Ref: | 30423/MJY/KE |
| National Grid Reference: | 440360, 403440 |
| Slice: | A |
| Site Area (Ha): | 5.68 |
| Search Buffer (m): | 100 |

### Site Details

Site at 440340, 403480

LANDMARK Information Group
Tel: 0870 850 6670
Fax: 0870 850 6671
Web: www.envirocheck.co.uk





© Crown copyright and Landmark Information Group Limited 2007. All Rights Reserved.

Envirocheck®
A Landmark service


## Large-Scale National Grid Data
## Published 1993
## Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)




### Historical Map - Segment A13





### Order Details

| | |
|---|---|
| Order Number: | 22837981_1_1 |
| Customer Ref: | 30423/MJY/KE |
| National Grid Reference: | 440360, 403440 |
| Slice: | A |
| Site Area (Ha): | 5.68 |
| Search Buffer (m): | 100 |

### Site Details

Site at 440340, 403480

LANDMARK Information Group
Tel: 0870 850 6670
Fax: 0870 850 6671
Web: www.envirocheck.co.uk





© Crown copyright and Landmark Information Group Limited 2007. All Rights Reserved.

Envirocheck®
A Landmark service


## Large-Scale National Grid Data
## Published 1993 - 1994
## Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)




### Historical Map - Segment A13





### Order Details

| | |
|---|---|
| Order Number: | 22837981_1_1 |
| Customer Ref: | 30423/MJY/KE |
| National Grid Reference: | 440360, 403440 |
| Slice: | A |
| Site Area (Ha): | 5.68 |
| Search Buffer (m): | 100 |

### Site Details

Site at 440340, 403480

LANDMARK Information Group
Tel: 0870 850 6670
Fax: 0870 850 6671
Web: www.envirocheck.co.uk




© Crown copyright and Landmark Information Group Limited 2007. All Rights Reserved.

Envirocheck®
A Landmark service


## Large-Scale National Grid Data

**Published 1994**


**Source map scale - 1:1,250**

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

### Map Name(s) and Date(s)




### Historical Map - Segment A13




### Order Details

| | |
|---|---|
| Order Number: | 22837981_1_1 |
| Customer Ref: | 30423/MJY/KE |
| National Grid Reference: | 440360, 403440 |
| Slice: | A |
| Site Area (Ha): | 5.68 |
| Search Buffer (m): | 100 |

### Site Details

Site at 440340, 403480

LANDMARK Information Group
Tel: 0870 850 6670
Fax: 0870 850 6671
Web: www.envirocheck.co.uk

The Coal Authority

Issued by:
The Coal Authority, Property Search Services, 200 Lichfield Lane, Berry Hill, Mansfield, Nottinghamshire, NG18 4RG
Website: www.groundstability.com Phone: 0845 762 6848 DX 716176 MANSFIELD 5

**LANDMARK INFORMATION GROUP LIMITED**
**SOWTON INDUSTRIAL ESTATE**
**ABBEY COURT**
**UNIT 5/7 EAGLE WAY**
**EXETER**
**DEVON**
**EX2 7HY**

| | |
|---|---|
| Our reference: | **51000635059001** |
| Your reference: | **60651626_1\|** |
| Date of your enquiry: | **29 September 2014** |
| Date we received your enquiry: | **29 September 2014** |
| Date of issue: | **29 September 2014** |

This report is for the property described in the address below and the attached plan.

## Non-Residential Coal Authority Mining Report

## STATION ROAD, WOMBWELL, BARNSLEY, SOUTH YORKSHIRE,

This report is based on and limited to the records held by, the Coal Authority, and the Cheshire Brine Subsidence Compensation Board's records, at the time we answer the search.

| | |
|---|---|
| Coal mining | See comments below |
| Brine Compensation District | No |

### *Information from the Coal Authority*

### Underground coal mining

**Past**

The property is in the likely zone of influence from workings in 9 seams of coal at 140m to 630m depth, and last worked in 1989.

Any ground movement from these coal workings should have stopped by now.

**Present**

The property is not in the likely zone of influence of any present underground coal workings.

**Future**

The property is not in an area for which the Coal Authority is determining whether to grant a licence to remove coal using underground methods.

The property is not in an area for which a licence has been granted to remove or otherwise work coal using underground methods.

All rights reserved. You must not reproduce, store or transmit any part of this document unless you have our written permission.
© The Coal Authority

The property is not in an area that is likely to be affected at the surface from any planned future workings.

However, reserves of coal exist in the local area which could be worked at some time in the future.

No notice of the risk of the land being affected by subsidence has been given under section 46 of the Coal Mining Subsidence Act 1991.

***Mine entries***

There are no known coal mine entries within, or within 20 metres of, the boundary of the property.

**Coal mining geology**

The Authority is not aware of any evidence of damage arising due to geological faults or other lines of weakness that have been affected by coal mining:

**Opencast coal mining**

**Past**

The property is not within the boundary of an opencast site from which coal has been removed by opencast methods.

**Present**

The property does not lie within 200 metres of the boundary of an opencast site from which coal is being removed by opencast methods.

**Future**

The property is not within 800 metres of the boundary of an opencast site for which the Coal Authority is determining whether to grant a licence to remove coal by opencast methods.

The property is not within 800 metres of the boundary of an opencast site for which a licence to remove coal by opencast methods has been granted.

**Coal mining subsidence**

The Coal Authority has not received a damage notice or claim for the subject property, or any property within 50 metres, since 31st October 1994.

There is no current Stop Notice delaying the start of remedial works or repairs to the property.

The Authority is not aware of any request having been made to carry out preventive works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991.

**Mine gas**

There is no record of a mine gas emission requiring action by the Coal Authority within the boundary of the property.

**Hazards related to coal mining**

The property has not been subject to remedial works, by or on behalf of the Authority, under its Emergency Surface Hazard Call Out procedures.

**Withdrawal of support**

The property is in an area for which a notice of entitlement to withdraw support was published in 1983.

The property is not in an area for which a notice has been given under section 41 of the Coal Industry Act 1994, revoking the entitlement to withdraw support.

**Working facilities orders**

The property is not in an area for which an Order has been made under the provisions of the Mines (Working Facilities and Support) Acts 1923 and 1966 or any statutory modification or amendment thereof.

**Payments to owners of former copyhold land**

The property is not in an area for which a relevant notice has been published under the Coal Industry Act 1975/Coal Industry Act 1994.

© The Coal Authority

### *Information from the Cheshire Brine Subsidence Compensation Board*

The property lies outside the Cheshire Brine Compensation District.


### *Additional Remarks*

This report is prepared in accordance with the Law Society's Guidance Notes 2006, the User Guide 2006 and the Coal Authority and Cheshire Brine Board's Terms and Conditions 2006.

The Coal Authority owns the copyright in this report. The information we have used to write this report is protected by our database right. All rights are reserved and unauthorised use is prohibited. If we provide a report for you, this does not mean that copyright and any other rights will pass to you. However, you can use the report for your own purposes.


## *Location map*

Approximate position of property




## *Enquiry boundary*

Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database right 2014. All rights reserved. Ordnance Survey Licence number: 100020315




### Key

Approximate position of enquiry boundary shown

Mapping sourced from Ordnance Survey

SE [illegible] / 67 M1 FORM 407

SOUTH YORKSHIRE COUNTY COUNCIL
DEPARTMENT OF ENGINEERING
ENGINEERING SERVICES LABORATORY

# BOREHOLE RECORD

SITE: Station Road Industrial Estate LOCATION: Wombwell BOREHOLE No. 13

CUT/FILL(M) CHAINAGE(M) OFFSET(M) SHEET 2 OF 2

BORING METHOD/SIZE(MM) Rotary Openhole -- 73mm

| BORING | | | SAMPLES | | STRATA | | | | TESTING | |
|---|---|---|---|---|---|---|---|---|---|---|
| DATE | CASING (M) | WATER (M) | DEPTH (M) | TYPE | KEY | DEPTH (M) | LEVEL (M) | DESCRIPTION | % RQD | % |
| | | | | | | | | Light grey-white MUDSTONE (Fireclay). | | |
| | | | | | | 12.20 | 16.75 | | | |
| | | | | | | 12.60 | 16.35 | Very light grey-white MUDSTONE (Fireclay) | | |
| | | | | | | 12.80 | 16.15 | Medium grey MUDSTONE | | |
| | | | | | | | | Hard medium grey SILTSTONE | | |
| 11/11/77 | | | | | | 13.50 | 15.45 | End of borehole | | |

REMARKS

British Geological Survey

SE 41 SW / 67 NW FORM 407

SOUTH YORKSHIRE COUNTY COUNCIL
DEPARTMENT OF ENGINEERING
ENGINEERING SERVICES LABORATORY

# BOREHOLE RECORD

SITE: Station Road Industrial Estate LOCATION: Hombwell BOREHOLE No. 13

CUT/FILL(M) — CHAINAGE(M) — OFFSET(M) — SHEET 1 OF 2

BORING METHOD/SIZE(MM) Rotary Openhole - 73mm

| BORING | | | SAMPLES | | STRATA | | | | TESTING | |
|---|---|---|---|---|---|---|---|---|---|---|
| DATE | CASING (M) | WATER (M) | DEPTH (M) | TYPE | KEY | DEPTH (M) | LEVEL (M) | DESCRIPTION | 'N' RQD | % |
| 11/11/77 | | | | | | 0.00 | 28.95 | | | |
| | | | | | | 0.30 | 28.65 | TOPSOIL | | |
| | | | | | | | | MADE GROUND: Medium grey mudstone with black and red shale and coal fragments | | |
| | | | | | | 6.00 | 22.95 | | | |
| | | | | | | | | Medium brown sandy pebbly CLAY | | |
| | | | | | | 6.80 | 22.15 | | | |
| | | | | | | | | Medium brown clayey SAND and GRAVEL | | |
| | | | | | | 7.80 | 21.15 | | | |
| | | | | | | | | Medium grey MUDSTONE | | |
| | | | | | | 9.80 | 19.15 | | | |
| | | | | | | | | Light grey-white MUDSTONE (Fireclay) | | |

REMARKS No cavities detected
Good water returns all the way

British Geological Survey

SE 40 SW / 67

FORM 407

SOUTH YORKSHIRE COUNTY COUNCIL
DEPARTMENT OF ENGINEERING
ENGINEERING SERVICES LABORATORY

# BOREHOLE RECORD

SITE: Station Road Industrial Estate LOCATION: Wombwell BOREHOLE No. 11

CUT/FILL(M) — CHAINAGE(M) — OFFSET(M) — SHEET 2 OF 2

BORING METHOD/SIZE(MM) Rotary Openhole - 73mm

| BORING | | | SAMPLES | | STRATA | | | | TESTING | |
|---|---|---|---|---|---|---|---|---|---|---|
| DATE | CASING (M) | WATER (M) | DEPTH (M) | TYPE | KEY | DEPTH (M) | LEVEL (M) | DESCRIPTION | 'N' RQD | % |
| | | | | | | | | Medium grey MUDSTONE | | |
| | | | | | | 10.50 | 18.10 | | | |
| | | | | | | 10.80 | 17.80 | Light grey-white MUDSTONE (Fireclay) | | |
| | | | | | | 10.90 | 17.70 | | | |
| | | | | | | | | Dark grey-white MUDSTONE (Fireclay) | | |
| | | | | | | | | Very light grey-white MUDSTONE (Fireclay) | | |
| | | | | | | 12.00 | 16.60 | | | |
| | | | | | | | | Medium grey MUDSTONE | | |
| 8/11/77 | | | | | | 13.50 | 15.10 | End of borehole | | |

REMARKS

British Geological Survey

SE 40 SW / 67 K

FORM 107

SOUTH YORKSHIRE COUNTY COUNCIL
DEPARTMENT OF ENGINEERING
ENGINEERING SERVICES LABORATORY

# BOREHOLE RECORD

British Geological Survey

SITE: Station Road Industrial Estate LOCATION: Hoyland BOREHOLE No. 11

CUT/FILL(M) — CHAINAGE(M) — OFFSET(M) — SHEET 1 OF 2

BORING METHOD/SIZE(MM) Rotaty Openhole - 73mm

| BORING | | | SAMPLES | | STRATA | | | | TESTING | |
|---|---|---|---|---|---|---|---|---|---|---|
| DATE | CASING (M) | WATER (M) | DEPTH (M) | TYPE | KEY | DEPTH (M) | LEVEL (M) | DESCRIPTION | 'N' ROD | % |
| 8/11/77 | | | | | | 0.00 | 28.60 | | | |
| | | | | | | 0.30 | 28.30 | TOPSOIL | | |
| | | | | | | | | MADE GROUND<br>Medium grey mudstone with red and black shale and coal fragments | | |
| | | | | | | 5.00 | 23.60 | | | |
| | | | | | | | | Brown sandy pebbly CLAY | | |
| | | | | | | 5.90 | 22.70 | | | |
| | | | | | | | | Medium brown clayey SAND and GRAVEL | | |
| | | | | | | 8.40 | 20.20 | | | |
| | | | | | | | | Medium grey MUDSTONE | | |

REMARKS No traces of cavities
Good water returns all the way

British Geological Survey

SE 40 SW / 67E FORM 407

SOUTH YORKSHIRE COUNTY COUNCIL
DEPARTMENT OF ENGINEERING
ENGINEERING SERVICES LABORATORY

# BOREHOLE RECORD

SITE: Station Road Industrial Estate LOCATION: Hombwell BOREHOLE No. 5

CUT/FILL(M) — CHAINAGE(M) — OFFSET(M) — SHEET 2 OF 2

BORING METHOD/SIZE(MM) Shell and Auger - 150mm/Rtoary Coring - 98mm

| BORING DATE | CASING (M) | WATER (M) | SAMPLES DEPTH (M) | TYPE | KEY | DEPTH (M) | LEVEL (M) | STRATA DESCRIPTION | TESTING 'N' RQD | TESTING % |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | 10.25 | SPT | | | | Medium dense, medium brown fine to coarse grained clayey SAND and GRAVEL | 11 for 150mm 104 for 150mm | 15 |
| | 10.70 | | 10.70 | | | 10.55 | 16.63 | | | |
| | | | 10.70-11.00 | B | | | | Medium grey-brown silty shaly weathered MUDSTONE | | 18 |
| | | | 11.00 | | | 11.20 | 15.98 | | 136 | 8.4 |
| | | | 11.45 | SPT | | | | Light grey silty MUDSTONE (Fireclay) | | |
| | 11.60 | | | | | | | | 100 blows for 150mm | |
| 26/10/77 | | | 12.05 | SPT | | 12.20 | 14.98 | | | 5.4 |
| 31/10/77 | | | 12.20 | | | | | Light grey medium bedded slightly fractured, silty, slightly weathered MUDSTONE | R>300 R.Q.D. | |
| | | | | | | 12.70 | 14.48 | | | |
| | | | | Core 1 (100%) | | 13.30 | 13.88 | Light grey white, thickly bedded weak MUDSTONE (Fireclay) | 36% | |
| | | | | | | 13.60 | 13.58 | Medium grey silty shaly strong MUDSTONE | | |
| | | | | | | 13.74 | 13.44 | Light grey thinly bedded, fresh SILTSTONE | | |
| | | | | | | 14.05 | 13.13 | Medium grey well bedded slightly fractured silty fresh MUDSTONE | | |
| | | | | | | 14.55 | 12.63 | Medium grey thinly bedded, laminated, fractured fresh SILTSTONE, strong, brittle | | |
| | | | 15.50 | | | 15.30 | 11.88 | Medium to dark grey, medium bedded, fractured silty fresh MUDSTONE, strong, brittle | | |
| 31/10/77 1/11/77 | | | | | | 15.90 | 11.28 | Medium grey, medium bedded, laminated, fractured, fresh SILTSTONE, strong | | |
| | | | | Core 2 (100%) | | | | Medium grey, medium bedded, laminated, fractured, fresh SILTSTONE, strong, with thin bands of dark grey MUDSTONE | 19% | |
| | | | 17.40 | | | 17.40 | 9.78 | | | |
| | | | | Core 3 (100%) | | | | Light to medium grey, medium bedded, laminated fresh SILTSTONE, strong with occasional thin mudstone bands | 46% | |
| | | | 20.00 | | | 20.00 | 7.18 | End of borehole | | |

REMARKS

SE 40 SW / 67 E

FORM 407

British Geological Survey

# BOREHOLE RECORD

British Geological Survey

SOUTH YORKSHIRE COUNTY COUNCIL
DEPARTMENT OF ENGINEERING
ENGINEERING SERVICES LABORATORY

SITE: Station Road Industrial Estate LOCATION: Wombwell BOREHOLE No. 5

CUT/FILL(M) — CHAINAGE(M) — OFFSET(M) — SHEET 1 OF 2

BORING METHOD/SIZE(MM) Shell and Auger - 150mm/Rotary coring - 98mm

| BORING | | | SAMPLES | | STRATA | | | | TESTING | |
|---|---|---|---|---|---|---|---|---|---|---|
| DATE | CASING (M) | WATER (M) | DEPTH (M) | TYPE | KEY | DEPTH (M) | LEVEL (M) | DESCRIPTION | 'N' RQD | % |
| 17/10/77 | | | 0.10 | U4 | | 0.00 | 27.18 | | | |
| | | | 0.55 | SPT | | 0.10 | 27.08 | TOPSOIL | | 8.3 |
| | | | 1.00 | | | | | MADE GROUND<br>Well compacted dark grey mudstone with red and black shale, and coal fragments | 23 | 9.7 |
| | | | 1.30 | U4 | | | | | | 12 |
| | 1.70 | | 1.75 | | | 1.75 | 25.43 | | | |
| | | 26/10 a.m. w | 2.20 | SPT | | | | MADE GROUND<br>Well compacted dark grey-black - brown mudstone with black shale, coal and sandstone fragments | 19 | 13 |
| | | | 2.40-2.80 | B | | | | | | 24 |
| | | | 2.80 | SPT | | 2.90 | 24.28 | | 7 | 34 |
| | 3.20 | 3/11 a.m. w | 3.25 | | | 3.30 | 23.88 | MADE GROUND<br>Black ash, coal and shale | | |
| | | 26/10 a.m. w | 3.60 | U4 | | | | Medium brown very sandy, very gravelly CLAY | | 20 |
| | | water struck | 4.05 | | | 4.00 | 23.18 | | | |
| | 4.70 | | 4.90 | SPT | | | | Medium dense medium brown fine to coarse grained clayey SAND and GRAVEL | 2 | |
| 17/10/77 | | | 5.35 | | | | | | | |
| 25/10/77 | | | 6.00 | SPT | | | | | 11 | 16 |
| | 6.20 | | 6.45 | | | | | | | |
| | | | 7.45 | SPT | | | | | 8 | 13 |
| | 7.70 | | 7.90 | | | | | | | |
| | | | 8.00-8.30 | B | | | | | | 8.3 |
| | 9.00 | | 9.00 | SPT | | | | | 13 | 16 |
| 25/10/77 | | | 9.45 | | | | | | | |
| 26/10/77 | | | | | | | | | | |

REMARKS
Groundwater encountered at 4.00m, casing at 3.20m
Borehole dry on completion of shell and auger drilling
Slow water seepage into borehole overnight of the 26/10/77
Rotary coring commenced at 12.20m using water flush
Final standing water level in openhole was 3.25m

British Geological Survey

SE 40 SW / 67

FORM 407

# BOREHOLE RECORD

SOUTH YORKSHIRE COUNTY COUNCIL
DEPARTMENT OF ENGINEERING
ENGINEERING SERVICES LABORATORY

SITE: Station Road Industrial Estate LOCATION: Hoxbwell BOREHOLE No. 4

CUT/FILL(M) — CHAINAGE(M) — OFFSET(M) — SHEET 1 OF 1

BORING METHOD/SIZE(MM) Shell and Auger - 150mm

| BORING DATE | BORING CASING (M) | BORING WATER (M) | SAMPLES DEPTH (M) | SAMPLES TYPE | STRATA KEY | STRATA DEPTH (M) | STRATA LEVEL (M) | STRATA DESCRIPTION | TESTING 'N' RQD | TESTING % |
|---|---|---|---|---|---|---|---|---|---|---|
| 11/10/77 | | | | | | 0.00 | 28.07 | | | |
| | | | | | | 0.20 | 27.87 | TOPSOIL | | |
| | | | 0.35 | U4 | | | | MADE GROUND | | 13 |
| | | | 0.80 | | | | | Well compacted medium grey shaly mudstone with red and black shale, coal fragments and brown clay | | |
| | | | | SPT | | | | | 17 | 11 |
| | | | 1.25 | | | | | | | |
| | 1.90 | | | | | | | | | |
| | | | 2.05 | U4 | | | | | | 14 |
| | | | 2.50 | | | 2.50 | 25.57 | | | |
| | 2.80 | | | SPT | | | | MADE GROUND | 18 | 12 |
| | | | 2.95 | | | | | Well compacted dark grey mudstone with black shale and coal fragments | | |
| | | | 3.35 | | | | | | | 15 |
| | | | 3.80 | U4 | | | | | | |
| | 4.00 | 11/10 p.m. | | | | 4.00 | 24.07 | | 10 | 28 |
| | | 12/10 p.m. | 4.25 | SPT | | | | | | |
| | | | 4.40-4.60 | B | | | | Firm medium grey-brown mottled silty sandy CLAY | | 27 |
| | 4.80 | | | | | 5.00 | 23.07 | | | |
| | | water struck | 5.00 | U4 | | | | Firm medium brown very sandy very stony CLAY with sub-angular sandstone pebbles | | 24 |
| | | | 5.45 | | | 5.40 | 22.67 | | | |
| | | | 5.45-5.90 | B | | | | Medium dense medium brown fine to coarse grained clayey SAND and GRAVEL | | 14 |
| 11/10/77 | 5.90 | | | | | | | | | |
| 12/10/77 | 6.20 | | | | | | | | | |
| | | | 6.40-6.65 | B | | | | | | 11 |
| | | | 6.65 | | | | | | | |
| | | | | SPT | | | | | 38 | 13 |
| 12/10/77 | | | 7.10 | | | 7.10 | 20.97 | End of Borehole | | |

REMARKS Groundwater struck at 5.45m, casing at 4.80m
Water level rose to 4.00m; casing at 5.90m
Final standing level in openhole was 4.00m

British Geological Survey