BARNSLEY
Metropolitan Borough Council

GRANT OF PLANNING PERMISSION

TOWN AND COUNTRY PLANNING ACT 1990

APPLICATION NO. 2014/0350

To Acanthus WSM Architects
56 Woodhall Lane
Calverley
Leeds
LS28 5NY

DESCRIPTION Demolition of existing building and erection of 6 no. affordable bungalows
LOCATION Highgate Daycare Centre, Saltersbrook, Goldthorpe, Rotherham, S63 9AR

Permission is granted for the proposals which were the subject of the Application and Plans registered by the Council on 10 April 2014 and described above.

The approval is subject on compliance with the following conditions:

1 The development hereby permitted shall be begun before the expiration of 3 years from the date of this permission.
Reason: In order to comply with the provision of Section 91 of the Town and Country Planning Act 1990.

2 The development hereby approved shall be carried out strictly in accordance with the plans (Nos 2358.18.105a, 2358.18.150, 2358.18.185A, 2358.18.151 and the Arboricultural Method Statement dated 28th May 2014) and specifications as approved unless required by any other conditions in this permission.
Reason: In the interests of the visual amenities of the locality and in accordance with LDF Core Strategy Policy CSP 29, Design.

3 All planting, seeding or turfing comprised in the approved details of landscaping shall be carried out in the first planting and seeding seasons following the occupation of the buildings or the completion of the development, whichever is the sooner; and any trees or plants which die within a period of 5 years from the completion of the development, are removed, or become seriously damaged or diseased shall be replaced in the next planting season with other of similar size and species.
Reason: In the interests of the visual amenities of the locality and in accordance with Core Strategy Policy CSP 36, Biodiversity and Geodiversity.

Stephen Moralee

The grant of this consent does not constitute or imply permission, approval or consent by the Local Authority for any other purpose.

Signed
Head of Planning, Building Control and Sustainability

Dated 03 June 2014

Development Service
PO Box 604, Barnsley, S70 9FE
Telephone: 01226 - 772000
Fax: 01226 - 772591

4 No development shall take place until:

(a) Full foul and surface water drainage details, including a scheme to reduce surface water run off by at least 30% and a programme of works for implementation, have been submitted to and approved in writing by the Local Planning Authority:

(b) Porosity tests are carried out in accordance with BRE 365, to demonstrate that the subsoil is suitable for soakaways;

(c) Calculations based on the results of these porosity tests to prove that adequate land area is available for the construction of the soakaways;

Thereafter no part of the development shall be occupied or brought into use until the approved scheme has been fully implemented. The scheme shall be retained throughout the life of the development.
Reason: To ensure proper drainage of the area in accordance with Core Strategy Policy CSP 40, Pollution Control and Protection.

5 The parking/manoeuvring facilities, indicated on the submitted plan, shall be surfaced in a solid bound material (i.e. not loose chippings) and made available for the manoeuvring and parking of motor vehicles prior to the development being brought into use, and shall be retained for that sole purpose at all times.
Reason: To ensure that satisfactory off-street parking/manoeuvring areas are provided, in the interests of highway safety and the free flow of traffic and in accordance with Core Strategy Policy CSP 26, New Development and Highway Improvement.

6 Construction or remediation work comprising the use of plant, machinery or equipment, or deliveries of materials shall only take place between the hours of 0800 to 1800 Monday to Friday and 0900 to 1400 on Saturdays and at no time on Sundays or Bank Holidays.
Reason: In the interests of the amenities of local residents and in accordance with Core Strategy Policy CSP 40, Pollution Control and Protection.

7 No development works shall begin until a report, endorsed by a competent engineer experienced in ground contamination and remediation, has been submitted and agreed with the Local Planning Authority. The report shall, amongst other matters, include the following:-
1. A survey of the extent, scale and nature of contamination.
2. An assessment of the potential risks to human health, property, adjoining land, groundwaters and surface waters, ecological systems and archaeological sites and ancient monuments.
3. An appraisal of remedial options, and proposal of the preferred option(s).
4. A remediation statement summarising the works to be undertaken (if required).
The above must be conducted in accordance with DEFRA and the Environment Agency's 'Model Procedures for the Management of Land Contamination, CLR 11. The development shall thereafter be undertaken in full accordance with the submitted report. For further information, see BMBC's Supplementary Planning Guidance 28, "Developing Contaminated Land".
Reason: To ensure the adequate remediation of any contamination in line with policy CSP40 of the Core Strategy.

8 Pedestrian intervisibility splays, having the dimensions 2m x 2m, shall be safeguarded at the drive entrances/exits such that there is no obstruction to visibility at a height exceeding 1m above the nearside channel level of the adjacent highway.
Reason: In the interests of road safety in accordance with Core Strategy Policy CSP 26.

9 The dwelling(s) shall achieve a Code Level 3 in accordance with the requirements of the Code for Sustainable Homes: Technical Guide (or such national measure of sustainability for house design that replaces that scheme). No dwelling shall be occupied until a Final Code Certificate has been issued for it certifying that Code Level 3 has been achieved.
Reason: In the interest of sustainable development in accordance with Core Strategy Policy CSP2.

Informative(s)

Pursuant to article 31(1)(cc) of the Town and Country Planning (Development Management Procedure) Order 2010 (as amended), the Local Planning Authority have, where possible, made a pre-application advice service available, complied with our Planning Service Charter for Business and otherwise actively engaged with the applicant in dealing with the application.

1 The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to The Coal Authority on 0845 762 6848.

Further information is also available on The Coal Authority website at www.coal.decc.gov.uk

Property specific summary information on past, current and future coal mining activity can be obtained from The Coal Authority's Property Search Service on 0845 762 6848 or at www.groundstability.com

2 The granting of planning permission does not in any way infer that consent of the landowner is given. Therefore the consent of all relevant landowners is required before proceeding with any development including that of the Council as landowner.

If it should transpire that the applicant does not own any of the land included in this consent then it is the responsibility of the applicant to seek all necessary consents and approvals of the landowner.

3 The granting of planning permission does not effect the status of species such as owls and bats which have protection under other legislation. These may be present, and it is the applicant's responsibility to seek advice on how to avoid damaging operations. Further advice can be obtained from the Countryside Unit in the Planning & Transportation Services, on 01226-772576, or directly from www.naturalengland.org.uk

NOTES:-

Appeals to the Secretary of State

If you are aggrieved by the decision of the Council to grant permission for the proposed development subject to conditions then you can appeal to the Secretary of State for the Environment, Transport and Regions under Section 78 of the Town and Country Planning Act. If you want to appeal, then you must do so within six months of the date of this notice, using a form which you can get from The Planning Inspectorate, Room 3/24 Hawk Wing, Temple Quay House, 2 The Square, Temple Quay, Bristol, BS1 6PN.

The Secretary of State can allow a longer period for giving notice of an appeal, but he will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal. The Secretary of State need not consider an appeal if it seems to him that the Local Planning Authority could not have granted planning permission for the proposed development or could not have granted it without the conditions it imposed, having regard to the statutory requirements, to the provisions of the development order and to any directions giving under the order. In practice, the Secretary of State does not refuse to consider appeals solely because the Local Planning Authority based its decision on a direction given by him.

Purchase Notices

If either the Local Planning Authority or the Secretary of State for the Environment, Transport and Regions refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor can he render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted. In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of part VI of the Town and Country Planning Act 1990.

Compensation

In certain circumstances compensation may be claimed from the Local Planning Authority if permission is refused or granted subject to conditions by the Secretary of State on appeal or on reference to the application to him. These circumstances are set out in Sections 114 and related provisions of the Town and Country Planning Act 1990.

Development Service **Telephone: 01226 - 772600**
PO Box 604, Barnsley, S70 9FE **Fax: 01226 - 772599**