

SIDE ELEVATION

Reinforce using Brickforce SBF30W60 or similar approved at 150mm vertical centres in entire outer leaf.



Reinforce using Brickforce SBF30W60 or similar approved at 150mm vertical centres in outer leaf above and below window openings.

REAR ELEVATION

300x150 art-stone pad for fixing of external light – u/s of pad to be 1650 mm above f.f.l. – (central on pier).



SIDE ELEVATION

Reinforce using Brickforce SBF30W60 or similar approved at 150mm vertical centres in entire outer leaf.

Reinforce using Brickforce SBF30W60 or similar approved at 150mm vertical centres in outer leaf above and below window openings.

SEE 'TRAY DETAILS' DRAWING – 292/MB/TD – FOR STEPPED CAVITY TRAYS/FLASHING DETAILS.

FRONT ELEVATION.

REV A: 14/01/20: GENERAL AMENDMENTS.

Arncliffe
ARNCLIFFE HOMES LIMITED
Arncliffe House, Bramley Grange,
Thorner, Leeds LS14 3DW.
Tel: 0113 237 5900 Fax: 0113 265 4458

Proposed Residential Development

HALIFAX ROAD,

THURGOLAND.

MULBERRY (882)

ELEVATIONS

SCALE 1:50/1:100

DATE 14/01/2020 DRAWN IanDi

DRG. No. 292/MBS/3 REV. A.