



Notes:
 • This drawing is copyright.
 • Do not scale dimensions from this drawing.
 • This drawing is to be read in conjunction with all other relevant drawings.
 • All discrepancies on this drawing are to be reported to the architect.
 • Do not modify any element of this drawing.
 • Use drawing only for purpose(s) issued.



0 4m 8m 12m 16m
 1:200 Scale

The following external model files are included within this drawing:

ROOF KEY		
Ref	Description	Keynote
13	Fully adhered single ply membrane/cold liquid applied waterproofing warm roof system, on dual layer acoustic mineral wool insulation system. Insulation and acoustic membrane thickness to provide target U-Value and sound reduction. Roof drainage falls (min 1:60) to be achieved by variable purlin heights.	RT1
14	Glazed canopy on feature steel sections	
15	Polyester powder coated aluminium coping system	EWC10
64	Profiled metal decking with in situ concrete, polymer modified polyester reinforced bitumen roofing membranes, rounded pebbles/ paving slabs	



Rev	Date	Revision Notes	Drawn	Review
4	12/04/17	Planning Issue	EA	SL
3	12/12/16	Coordination Issue	EA	SL
2	19/08/16	Stage 2 Issue - General Update	EA	SL
1	29/07/16	Stage 2 Issue	EA	SL

Client: Turner & Townsend



Project: Better Barnsley Town Centre Phase 2 - Development Site 3/5 & 6/7

Drawing Title: DS.385 - Roof Plan

Job Number: 50727 Date Created: PAS 1192 Status Code

Scale: A1 Purpose: Planning

Drawing Number: BBTCT_IBI_DS-35_A_F100_PL_RF_001 Revision: 4

