



# maparch

MAP Archaeological Practice

## Land north of Hemingfield Road Hemingfield South Yorkshire

MAP 05.39.23

Planning Reference-2024/0122

August 2025

### Archaeological Evaluation by Trial Trenching



# maparch

MAP Archaeological Practice

Client Hargreaves Land Limited

Work Type Archaeological Evaluation by Trial Trenching

Address Land north of Hemingfield Road, Hemingfield

LPA Archaeologist Andy Lines - South Yorkshire Archaeology Service

NGR SE 39255 01856

Site Code 05.39.23

Project Manager Charlie Puntorno

Project Team Matthew Reeves, Michael Keating, Alexandra Wilford,  
Toby White

Report Team Charlie Puntorno (Text)  
Max Stubbings (Illustrations)  
Kelly Hunter (Post Excavation)  
Emma Tong (Archaeobotony)  
Sophie Coy (Administration)

Version History	Edited/QA by	Notes
A-17.04.25	Max Stubbings	
B-07.08.25	Max Stubbings	

Land off Hemingfield Road  
Hemingfield  
South Yorkshire

05.39.23

Archaeological Evaluation by Trial Trenching

Contents	Page
Figure List	2
Plate List	2
Appendices	3
Non-technical Summary	4
1. Introduction & Planning History	5
2. Site Description	5
3. Archaeological and Historical Background	6
4. Aims and Objectives	7
5. Methodology	8
6. Results	9
7. Conclusions	14
8. Recommendations	14
9. Bibliography	16

## Figure List

Figure 1:	Site Location	6
Figure 2:	Trench Locations	9
Figure 3:	Trench 6. Trench Plan & Section. Scale 1:20 & 1:100 @ A4	17
Figure 6:	Trench 9. Trench Plan & Section. Scale 1:20 & 1:100 @ A3	20
Figure 7:	Trench 10. Trench Plan & Section. Scale 1:20 & 1:100 @ A4	21
Figure 8:	Trench 13. Trench Plan & Section. Scale 1:20 & 1:100 @ A3	22
Figure 9:	Trench 14. Trench Plan & Section. Scale 1:20 & 1:100 @A3	23
Figure 10:	Trench 15. Trench Plan & Section. Scale 1:20 & 1:100 @A4	24
Figure 11:	Trench 16. Trench Plan & Section. Scale 1:20 & 1:100 @A4	25
Figure 12:	Trench 19. Trench Plan & Section. Scale 1:20 & 1:100 @A4	26
Figure 13:	Trench 20. Trench Plan & Section. Scale 1:20 & 1:100 @A4	27
Figure 14:	Proposed Mitigation Areas	28

## Plate List

Plate 1:	Trench 6 facing north-east. 2x 1m scale	29
Plate 2:	South-east facing section of ditch [605]. 2m scale	29
Plate 3:	Trench 7 facing south-west. 2x 1m scale	30
Plate 4:	West facing section of ditch [704]. 2m scale	30
Plate 5:	Trench 8 facing south. 2x 1m scale	31
Plate 6:	West facing section of ditch [804] 1m scale	31
Plate 7:	East facing section of ditch [807]. 2m scale	32
Plate 8:	Trench 9 facing north. 1m scale	32
Plate 9:	South-west facing section of ditch [904]. 2m scale	33
Plate 10:	East facing section of ditch [906]. 1m scale	33
Plate 11:	Trench 10 facing west. 1m scale	34
Plate 12:	South-west facing section of ditch/ pit [1004]. 0.5m scale	34
Plate 13:	Trench 13 facing south-west. 2x 1m scale	35
Plate 14:	North-east facing section of ditch [1304]. 1m scale	35
Plate 15:	South-east facing section of ditch [1307]. 1m scale	36
Plate 16:	Trench 14 facing west. 2x 1m scale	36
Plate 17:	East facing section of ditch [1405]. 1m scale	37
Plate 18:	North facing section of ditch [1403]. 2m scale	37

## Appendices

Appendix 1.	Context Listing	38
Appendix 2.	Drawing Listing	51
Appendix 3.	Photographic Listing	52
Appendix 4.	Sample Listing	56
Appendix 5.	Environmental Assessment	57
Appendix 6.	Written Scheme of Investigation	62

## Non-technical Summary

*An Archaeological Evaluation by Trial Trenching was carried out by MAP Archaeological Practice Ltd., on land north of Hemingfield Road, Hemingfield, in November 2024. The evaluation was undertaken to inform South Yorkshire Archaeology Service (SYAS) of the archaeological potential of the site and to allow a reasoned decision to be made regarding the need for further archaeological work, in advance of housing development.*

*The Trial Trenching, which followed a Desk Based Assessment and Geophysical Survey, identified features highlighted in the results of the survey. The majority of excavated features relate to a possible trackway or driveway which is flanked on both sides by a ditch that continues beyond the site boundary. No evidence (e.g. metalling) was observed to suggest any surface between the flanking ditches. An alternative interpretation of the features is that they may relate to an attempt to enclose the higher land within the northern portion of the site.*

## 1. Introduction & Planning History

- 1.1 This report sets out the results of an Archaeological Evaluation by Trial Trenching which was carried out by MAP Archaeological Practice Ltd. on land to the north of Hemingfield Road, Hemingfield, in November 2024.
- 1.2 The work, which followed a Desk Based Assessment and Geophysical Survey, was carried out to inform South Yorkshire Archaeology Services (henceforth SYAS) of the archaeological potential of the site, and to allow a reasoned decision to be made regarding the need for further archaeological work in advance of development.
- 1.3 The work was carried out in accordance with paragraph 207 of the National Planning Policy Framework (NPPF) (2024) which states that; *'Where a site on which development is proposed includes, or has the potential to include, heritage assets with archaeological interest, local planning authorities should require developers to submit an appropriate desk-based assessment and, where necessary, a field evaluation'*. The works have been undertaken in adherence with a specification that was prepared by MAP and approved by SYAS in their role as archaeological advisor to Barnsley Metropolitan Borough Council. This specification can be found at Appendix 6.
- 1.4 MAP adhered to the principles of both the Chartered Institute for Archaeologists (CIfA) *'Code of Conduct'* (2022), *'Standard and Guidance for Archaeological Field Evaluation'* (2023) and, SYAS Standards for Archaeological Field Evaluation throughout the duration of the project.
- 1.5 All maps within this report have been produced with permission of the Controller of His Majesty's Stationary Office (© Crown copyright. License AL50453A). Additional mapping data has been derived from OpenStreetMap (<https://www.openstreetmap.org/copyright>).

## 2. Site Description

- 2.1 The site is located to the north and west of Hemingfield Road and south of the Dearne Valley Parkway (centred at SE 39255 01856, Fig. 1) in the settlement of Hemingfield.
- 2.2 It is currently two parcels of agricultural land bisected by a hedgerow and public footpath. The site is bounded to the east by further arable land, to the south and west by Hemingfield Road and residential properties on Briery Meadows, and to the north by the Dearne Valley Parkway (A6195).

2.3 The bedrock geology within the site boundary consists of Woolley Edge Rock (BGS. 2025). No superficial geology is recorded by BGS although Soilsmap (2025) records ‘slowly permeable seasonally wet acid loamy and clayey soils’.




Figure 1: Site Location

### 3. Archaeological and Historical Background

3.1 Prehistoric activity is well recognised within the vicinity of the site, particularly at Wombwell Woods to the north-west of the site. Flints of Mesolithic date were recovered from land to the west of the woodland (Historic England Monument Number 52441), while implements have also been recovered from an outcrop within the woods (Historic England Monument Number 52441).

3.2 Iron Age and Romano-British activity is well recognised within Wombwell Woods, part of which is designated as a Scheduled Monument (NHLE 1004796). The complex, which comprises settlement

features, enclosures, a trackway and field systems, is visible as earthworks (Historic England; 2023) and can clearly be discerned in LiDAR data

- 3.3 Archaeological work including Geophysical Survey, Watching Briefs and Trial Trenching was carried out in advance of the construction of the Dearne Valley Parkway. Trial Trenching, carried out to the south of Wombwell Woods, and approximately 320m west of the site, targeted features which had been identified in a Geophysical Survey (ASWYAS; 1995a). Features which were interpreted as field boundaries, which did not conform to the current field system, were identified. Although no dating evidence was available, given the prevalence of prehistoric or Romano-British activity within the vicinity, it is likely that these features are comparable (ASWYAS; 1995b).
- 3.4 Archaeological features, including pits, gullies and a ditch, of potential late prehistoric or Romano-British date have also been identified at School Street, which is located approximately 250m to the south of the site. Although no datable material was recovered from the features, their stratigraphic relationships and the nature of their fills was suggestive of potential late prehistoric or Romano-British origin (ASWYAS; 2007).
- 3.5 A Geophysical Survey carried out across the site identified anomalies which are likely to be of archaeological origin, with former field boundaries and agricultural anomalies also noted (Magnitude; 2024). Features thought to be of archaeological origin include a ditch flanked trackway, ring ditches and possible enclosures.
- 3.6 Shallow coal mining works are recorded within the north-eastern corner of the site although this is not reflected in the results of the Geophysical Survey and therefore it is unlikely this activity impacted archaeological features.

## **4. Aims and Objectives**

- 4.1 The aim of the Archaeological Trial Trenching was to determine the presence and/or absence of archaeological features. Should archaeological features be encountered, their extent, depth, character and/or significance would be investigated and recorded to enable an assessment of the archaeological potential. This would allow the Archaeologist at SYAS to make a reasoned decision regarding any required mitigation.

4.2 Based on known archaeological activity within the vicinity of the site, and the results of the Geophysical Survey, the evaluation has the potential to inform the following research questions outlined in the South Yorkshire Historic Environment Research Framework;

- QSY0029: Can we characterise different types of Iron Age and Romano-British field systems in different landscape zones and environments?
- QSY0030: What were the economic, social or political roles of Iron Age and Romano-British field systems?
- QSY0034: What were the reasons for variations in the form, shape, and size of Iron Age and Romano-British field systems and fields?
- QSY0040: What were the economic, social or political roles of linear trackways?
- QSY0041: What may we deduce from studies of trackways with respect to changes in the agrarian landscape? What can we say about any relationships or discontinuities between Iron Age and Romano-British routeways and roads?
- QSY0042: Can we identify more tangible physical traces of past human and animal movements through the landscape?
- QSY0043: Can any spatial patterning be identified within roundhouses in South Yorkshire?
- QSY0044: Can any clear traditions of the internal use of space within roundhouses and rectangular buildings be identified?
- QSY0045: Is it possible to distinguish between roundhouses occupied on a permanent basis, or examples inhabited seasonally?
- QSY0046: How can we better understand depositional patterns within and around roundhouses?

## 5. Methodology

5.1 Twenty two trenches were located and levelled using a Trimble GPS Rover (Fig. 2). The trench positions were selected to assess anomalies highlighted in the results of the Geophysical Survey and also to cover areas which the Geophysical Survey suggested would be devoid of archaeological activity. All but three trenches measured 40m x 2m, while trenches 3, 14 and 19 measured 25m x 4m. The intention of the wider trenches was to allow for a wider view of geophysical anomalies in areas of presumed archaeological activity.




Figure 2: Trench Locations

5.2 Once positioned the trenches were excavated using a tracked mechanical excavator, fitted with a wide toothless bucket operating under close archaeological supervision. In each trench, soils were removed down to the perceived archaeological horizon. The exposed surfaces were cleaned appropriately, and any subsequent excavation was carried out by hand.

5.3 A sufficient sample of archaeological features and deposits were hand excavated, to address the aims of the Archaeological Evaluation by Trial Trenching. All excavation and recording were carried out in line with the approved specification (Appendix 8).

## 6. Results

6.1 Excavation of the twenty two trenches revealed a deposit of topsoil that consisted of a very dark brown silty sand, with a mid-orange brown sandy subsoil identified in all trenches other than trenches 16 and 17. Natural deposits of a mid orangey yellow sand was noted across the trenches. The total

depths of excavation, depths of the topsoil, and elevations of all trenches are displayed in the table below, along with their orientation within the site.

Trench	Orientation – Elevation	Excavation Depth	Topsoil Thickness	Subsoil Thickness
Tr.1	East – 67.92m AOD West – 66.30m AOD	0.32m– 0.59m	0.37m–0.44m	0.25m (avg.)
Tr.2	North –67.74m AOD South-65.68m AOD	0.42m– 0.61m	0.41m–0.46m	0.31m (avg.)
Tr.3	North-east – 71.84m AOD South-west –71.80m AOD	0.33m– 0.56m	0.40m–0.47m	0.12m (avg.)
Tr.4	North-west – 72.23m AOD South-east – 72.56m AOD	0.37m– 0.42m	0.45m–0.51m	0.15m (avg.)
Tr.5	East – 76.84m AOD West – 75.81m AOD	0.39m– 0.51m	0.35m–0.49m	0.08m–0.12m
Tr.6	North-west – 74.56m AOD South-east – 75.45m AOD	0.49m– 0.56m	0.56m–0.61m	0.34m (avg.)
Tr.7	East – 77.59mAOD West – 78.39m AOD	0.54m (avg.)	0.30m–0.40m	0.05m–0.10m
Tr.8	North – 69.33mAOD South – 72.22m AOD	0.40m– 0.60m	0.40m–0.60m	0.21m–0.32m
Tr.9	North – 68.98m AOD South – 65.61m AOD	0.55m (avg.)	0.23m–0.35m	0.32 (avg.)
Tr.10	North-west – 74.49mAOD South-east – 73.17m AOD	0.49m– 0.59m	0.33m–0.42m	0.12m–0.16m
Tr.11	North – East-76.48m AOD South – West-80.04m AOD	0.70m– 0.35m	0.40m–0.68m	0.16m–0.26m
Tr.12	North – 75.35m AOD South – 76.31m AOD	0.47m– 0.51m	0.33m–0.37m	0.07m–0.21m
Tr. 13	North-east – 68.31m AOD South-west – 70.87m AOD	0.35m	0.29m–0.31m	0.20m (avg.)
Tr.14	North-east – 63.92m AOD South-west – 64.12m AOD	0.30m– 0.47m	0.26m–0.30m	0.09m–0.21m
Tr.15	North-east – 67.63m AOD South-west – 69.90m AOD	0.55m– 0.20m	0.30m(avg.)	0.22m–0.06m
Tr.16	North – 73.080m AOD South – 72.00m AOD	0.35m (avg.)	0.30m–0.35m	–
Tr.17	North-east – 71.08m AOD South-west – 72.20m AOD	0.40m (avg.)	0.28m–0.40m	–
Tr.18	North-west – 78.78m AOD South-east – 78.62m AOD	0.39m– 0.44m	0.21m–0.39m	0.05m–0.10m
Tr.19	North-east – 77.73m AOD South-west – 78.03m OAD	0.27m– 0.34m	0.20m–0.27m	0.07m (avg.)
Tr.20	North-east – 71.76m AOD South-west – 68.29m AOD	0.50m– 0.52m	0.31m–0.40m	0.24m (avg.)
Tr.21	North-east –74.34m AOD South-west – 71.14m AOD	0.30m– 0.59m	0.23m–0.34m	0.15m–0.22m
Tr.22	North-east – 71.84m AOD South-west – 70.48m AOD	0.39m– 0.30m	0.38m (avg.)	0.08m (avg.)

6.2 Trenches 1-5, 9, 11, 12, 17, 21 and 22 contained no archaeological finds, features, or deposits.

- 6.3 Trench 6 was located within the western parcel and was positioned in order to assess curvilinear and linear anomalies. No evidence of curvilinear features were found within the trench although a ditch terminus (approximately aligned north to south) was identified.
- 6.3.1 Recorded as segment [605] the ditch, measured 0.34m wide, 0.25m deep and continued beyond the limit of excavation. The feature contained two fills consisting of a mid-grey brown and mid-orange brown sand. No archaeological or archaeobotanical material was recovered from the feature.
- 6.4 Trench 7 was positioned to the rear of existing farm buildings, in the western parcel of land in order to target two linear anomalies. Upon excavation the eastern-most anomaly was not identified, with the other being recorded as ditch [704]/ [706].
- 6.4.1 Ditch [704] ran on a north to south orientation across the trench, measuring 1.64m wide and 0.52m deep. The single fill of the feature (comprising a very light brownish yellow sand) contained no archaeological material.
- 6.4.2 Ditch [704] was truncated on its western edge by ditch [706] which followed the same alignment and measured 1.50m wide and 0.46m deep. This later ditch (which had a 'U' shaped profile) contained a single mid-yellowish brown sandy silt fill which contained no archaeological material. Environmental samples taken from the features contained small amounts of charcoal along with charred seeds of ivy leaved speedwell, and cabbage/mustard. A single cereal grain has been tentatively identified as hulled barley.
- 6.5 Located within the western parcel, Trench 8 was positioned in order to assess three geophysical anomalies, including a pair of parallel linear features which appeared to run across the site. Upon excavation two features were identified, both running on an east to west orientation.
- 6.5.1 Gully [804] , the northernmost feature, measured 1.28m wide and survived to a depth of 0.18m, with concave sides and an uneven base. The single fill of the feature, a mid-grey brown silty sand contained no archaeological material.
- 6.5.2 The southern feature, recorded as segment [807] was substantially larger than [804] measuring 4.72m wide and 1.56m deep. The ditch, which had moderately steep sides and a flat base, contained two fills, the upper consisting of a light -reddish brown silty sand and the lower a mid-grey brown

silty sand. Neither fill contained any archaeological material, with the sample taken from the upper fill containing several fragments of charcoal, which may be suitable for radiocarbon dating.

- 6.6 Trench 9 was located to the east of Trench 8, to target the same parallel linear features.
- 6.6.1 The southern most ditch was recorded as Ditch [904] which measured 4.80m wide and survived to a depth of 0.34m. The ditch, which had gently sloping sides and an almost flat base contained a single fill which consisted of a mid-orange brown silty sand. An environmental sample taken from the feature contained several fragments of charcoal, which may be suitable for radiocarbon dating.
- 6.6.2 The second ditch, recorded as segment [906] was much narrower, measuring 0.38m in width and 0.58m in depth. This ditch had steep sides and a flat base, and was filled by two deposits; a mid-grey brown silty sand and a light yellowish brown silty sand, neither of which contained any archaeological finds.
- 6.7 Trench 10 was also positioned within the western parcel, with the aim of assessing a north-east to south-west orientated linear feature.
- 6.7.1 Gully [1004] measured 0.66m wide and 0.10m deep, containing a mid-grey brown sandy silt. No finds were recovered from the feature, with an environmental sample containing no plant macrofossils.
- 6.8 A north-east to south-west orientated ditch was identified within Trench 13, which was located close to the western boundary of the eastern parcel of land.
- 6.8.1 The ditch, recorded as segment [1304], had steep sides and an uneven base. Measuring 1.92m wide and 0.75m deep, the ditch contained two fills, an upper mid- reddish brown sandy silt and a lower dark reddish brown sandy silt. Neither area of fill contained any archaeological material with the environmental sample containing charcoal which has the potential to be assigned to a species and may be suitable for radiocarbon dating.
- 6.8.2 A second feature, recorded as [1307] was located to the north-east of [1304] and measured 1.06m wide and 0.25m deep. the feature, which had concave sides and a rounded base, contained a single light grey brown silty sand and could not confidently be determined as being of archaeological origin.

- 6.9 Trench 14 was located in the north-eastern corner of the site positioned to target the southern most of the aforementioned parallel features.
- 6.9.1 Two linear features were identified within Trench 14, with Ditches [1405] and [1409] representing the geophysical anomaly. This ditch measured 1.10m wide and 0.50m deep, with moderately steep sides and an almost flat base. The single fill of the ditch, a mid-grey brown sandy silt contained no archaeological material, with only coal and clinker being present within the environmental sample.
- 6.9.2 Ditch [1405] / [1409] was shown to truncate an earlier north to south orientated linear feature which was recorded as Ditch [1403] / [1407]. At its full extent Ditch [1403]/ [1407] measured 4.70m wide and up to 0.20m deep, albeit with an uneven base. The feature was filled by a reddish grey silty sand which contained a fragment of hazelnut shell and fragments of charcoal which may be suitable for radiocarbon dating.
- 6.10 Trench 15 was located centrally within the eastern parcel and contained a single north-east to south-west oriented feature. The feature, which was recorded as segment [1504], measured 0.97m wide and 0.29m deep, with moderately steep sides and an almost flat base. The ditch was filled by a single deposit, consisting of a brown silt, from which charcoal which may be suitable for radiocarbon dating was recovered.
- 6.11 Trench 16 was located close to the western boundary of the eastern parcel of land and contained one shallow linear feature. Recorded as segment [1603] the gully ran on a north-west to south-east orientation, measuring 0.80m wide and 0.20m deep, containing a light brown silty sand from which no archaeological or archaeobotanical material was recovered.
- 6.12 Trench 19 contained a single east to west orientated ditch which was recorded as [1904] measured 2.96m wide and 0.22m deep. The fill of the ditch consisted of a light yellowish brown silty sand which contained no archaeological or archaeobotanical material.
- 6.13 Trench 20 was located to the immediate north of Trench 3, in order to assess a roughly east to west oriented geophysical anomaly. The trench contained a single ditch which was record as [2003] and measured 1.90m wide and 0.32m wide. The bowl shaped ditch contained a mid-brown orange sandy silt, from which no archaeological or archaeobotanical material was noted.

## 7. Conclusions

- 7.1 The Archaeological Evaluation confirmed the presence of archaeological features, which largely correlate to the results of the Geophysical Survey across the site, although some anomalies were deemed to be of a natural or agricultural origin.
- 7.2 The majority of excavated features relate to a possible trackway or driveway which is flanked on both sides by ditching that continues beyond the site boundary. No evidence (e.g. metallurgy) was observed to suggest any surface between these ditches. An alternative interpretation of the features is that they may relate to an attempt to enclose the higher land within the northern portion of the site.
- 7.3 This evaluation by trial trenching has identified archaeological remains of only local significance and preservation in situ is not necessary. The harm caused to heritage is therefore very minimal and suitable mitigation, in the form of a targeted Strip, Map and Record, will be secured via an appropriately wording planning condition.

## 8. Recommendations

- 8.1 Three main areas of archaeological interest have been identified which warrant investigation through the targeted Strip, Map and Record (see figure 14).
- Area 1 (1263sqm) is located between trenches 8 and 9 in order to further investigate the potential trackway/ driveway features. The aim of the area is to assess the varying sizes of the features, as identified during this evaluation.
  - Area 2 (225sqm). Located to the south-east of Trench 13. Positioned with the aim to further assess two linear features identified within the trench and any potential interactions between them.
  - Area 3 (225sqm). Located south-east of Trench 15 in order to further characterise the north to south oriented feature identified within the trench and also the potential interaction between the north-east to south-west ditch identified in Trench 13.
- 8.2 All subsequent archaeological work will be the subject of a Written Scheme of Investigation which will be submitted to and approved by South Yorkshire Archaeology Service.
- 8.3 A lack of material culture recovered during the evaluation has hindered the dating of features. Should mitigation also produce a lack of material culture it is recommended that charcoal should be

submitted for radiocarbon dating which will allow the site to be appreciated within its wider archaeological landscape. As such it is recommended that the charred plant and grain remains should be retained for the duration of the project and be reconsidered alongside any subsequently recovered material.

## 9. Bibliography

Archaeological Services West Yorkshire Archaeological Services. 1995a. Dearne Towns Link Road: Archaeological Geophysical Survey

Archaeological Services West Yorkshire Archaeological Services. 1995b. Dearne Towns Link Road: Archaeological Evaluation

Archaeological Services West Yorkshire Archaeological Services. 2007. Land off School Street, Hemingfield,

British Geological Society. Geology of Britain Viewer.  
Available at: <http://mapapps.bgs.ac.uk/geologyofbritain/home.html> [accessed 07.01.2025].


ClfA. 2023. Standard for archaeological field evaluation

ClfA. 2023. Universal guidance for archaeological field evaluation

Magnitude Surveys. 2024. Geophysical Survey Report of Hemingfield Road, Barnsley

MAP. 2023. Land off Hemingfield Road, Hemingfield, South Yorkshire. Archaeology and Heritage Desk Based Assessment

SouthLandIS: The Land Information System. Available at: <http://www.landis.org.uk/soilscapes> [accessed 07.01.2025].






Figure 4  
Trench 7  
Trench Plan and Section  
Scale: Plan 1:20  
Section 1:100 @ A4







Figure 5  
Trench 8  
Trench Plan and Section  
Scale: Plan 1:20  
Section 1:100 @ A3





Figure 6  
Trench 9  
Trench Plan and Section  
Scale: Plan 1:20  
Section 1:100 @ A3








Figure 8  
Trench 13  
Trench Plan and Section  
Scale: Plan 1:20  
Section 1:100 @ A3








Figure 10  
Trench 15  
Trench Plan and Section  
Scale: Plan 1:20  
Section 1:100 @ A4







Figure 11  
Trench 16  
Trench Plan and Section  
Scale: Plan 1:20  
Section 1:100 @ A4








Figure 14: Proposed Mitigation Areas

*Plates*



*Plate 1: Trench 6 facing north-east. 2x 1m scale*



*Plate 2: South-east facing section of ditch [605]. 2m scale*



Plate 3: Trench 7 facing south-west. 2x 1m scale



Plate 4: West facing section of ditch [704]. 2m scale



Plate 5: Trench 8 facing south. 2x 1m scale




Plate 6: West facing section of ditch [804] 1m scale



Plate 7: East facing section of ditch [807]. 2m scale



Plate 8: Trench 9 facing north. 1m scale



Plate 9: South-west facing section of ditch [904]. 2m scale



Plate 10: East facing section of ditch [906]. 1m scale



Plate 11: Trench 10 facing west. 1m scale



Plate 12: South-west facing section of ditch/ pit [1004]. 0.5m scale



Plate 13: Trench 13 facing south-west. 2x 1m scale



Plate 14: North-east facing section of ditch [1304]. 1m scale



Plate 15: South-east facing section of ditch [1307]. 1m scale



Plate 16: Trench 14 facing west. 2x 1m scale



Plate 17: East facing section of ditch [1405]. 1m scale



Plate 18: North facing section of ditch [1403]. 2m scale

## APPENDIX 1

### Context Listing

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
100	1	Topsoil	Deposit		Colour: dark blackish brown Compaction: moist, malleable Composition: fine silty sand	Topsoil
101	1	Subsoil	Deposit		Colour: mid brownish orange Compaction: moist, firm Composition: fine sand	Subsoil
102	1	Natural	Deposit		Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand	Natural
200	2	Topsoil	Deposit		Colour: dark blackish brown Compaction: moist, malleable Composition: fine silty sand	Topsoil
201	2	Subsoil -	Deposit		Colour: mid brownish orange Compaction: moist, friable Composition: fine sand	Subsoil
202	2	Natural	Deposit		Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand	Natural
300	3	Topsoil	Deposit		Colour: dark blackish brown Compaction: moist, loose Composition: fine silty sand	Top soil
301	3	Subsoil	Deposit		Colour: mid orangey brown Compaction: moist, loose Composition: fine sand	Subsoil
302	3	Natural	Deposit		Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand	Natural
400	4	Topsoil	Deposit		Colour: dark blackish brown Compaction: moist, spongy Composition: fine silty sand	Topsoil
401	4	Subsoil	Deposit		Colour: mid brownish orange Compaction: moist, firm Composition: fine sand Inclusions: frequent large to very large sub-rounded spheroidal limestone, concentrated E side of	Subsoil
402	4	Natural	Deposit		Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand	Natural
500	5	Topsoil	Deposit		Colour: dark blackish brown Compaction: moist, loose Composition: fine silty sand	Topsoil

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
501	5	Subsoil	Deposit		Colour: mid orangey brown Compaction: moist, friable Composition: fine sand Notes: trench is severely undermachined across entire length subsoil only visible in base not sections	Subsoil
502	5	Natural	Deposit		no natural has been exposed with Notes: not observed due to undermachining	Natural geology is not observed in this trench due to severe undermachining. Machine stripped only to subsoil at base. Only top soil is visible in section. Modern ceramic pipe running NW-SE at W side of trench, packed with gravel and containing plastic wrap. No archaeology observed.
600	6	Topsoil	Deposit		Colour: dark blackish brown Compaction: moist Composition: fine silty sand	Topsoil
601	6	Subsoil	Deposit		Colour: mid brownish orange Compaction: moist, firm Composition: fine sand	Subsoil
602	6	Natural	Deposit		Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand	Natural
603	6	Fill	Ditch	605	Colour: mid greyish brown Compaction: moist, loose Composition: fine sand	Second fill of boundary ditch that was removed in 1955
604	6	Fill	Ditch	605	Colour: mid orangey brown Compaction: moist, loose Composition: fine sand Notes: first fill of [605]	First fill of modern field boundary that was removed in 1955
605	6	Cut	Ditch	605	Shape in plan: linear Shape in profile: shallow u-shaped Break at top: gradual Break at base: imperceptible Base: rounded Sides: gentle, concave	Cut of field boundary ditch. Per land owner field boundary was removed in 1955. No finds.
700	7	Deposit			Colour: dark greyish brown Compaction: moist, friable Composition: sandy silt	Topsoil
701	7	Deposit			Colour: mid greyish brown Compaction: moist, friable Composition: sandy silt	Subsoil
702	7	Deposit			Colour: light brownish yellow Compaction: moist, loose Composition: medium pebbly sand	Geology

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
703	7	Fill	Ditch		Colour: very light brownish yellow Compaction: moist, friable Composition: fine silty sand	Fill of ditch [704]. Truncated by later ditch [706]. Likely formed by gradual washed in silting and wind blown sands. No finds present.
				704	Inclusions: 1) occasional small angular to sub-rounded spheroidal pebbles, evenly distributed 2) moderate flecks of manganese, evenly distributed	
704	7	Cut	Ditch		Orientation: north to south Shape in plan: linear Shape in profile: u-shaped	Cut of north to South ditch in t7. Truncated by later ditch [706] to the west. Function unknown.
				704	Break at top: 1) e: gradual 2) west: imperceptible Break at base: gradual Base: rounded	
705	7	Fill	Ditch		Colour: mid yellowish brown Compaction: moist, friable Composition: sandy silt	Fill of ditch [706]. Likely formed by gradual washed in silting. No finds.
				706	Inclusions: small to medium sub-angular to rounded spheroidal sandstone, evenly distributed	
706	7	Cut	Ditch		Orientation: north to south Shape in plan: linear	Cut of ditch oriented north to South in Trench 7, function unknown, no dating evidence. Truncates an earlier ditch on the same orientation [704].
				706	Shape in profile: u-shaped Break at top: gradual Break at base: gradual Base: rounded	
800	8	Deposit			Colour: dark blackish brown Compaction: moist, spongy Composition: fine silty sand	Topsoil
801	8	Deposit			Colour: mid orangey brown Compaction: moist, friable Composition: silty sand	Subsoil
802	8	Deposit			Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand	Natural
803	8	Fill	Ditch		Colour: mid greyish brown Compaction: moist, loose Composition: medium silty sand	Presence of multiple larger stones suggests the fill saw some deliberate deposition during land clearance. The silty sand is likely a natural accumulation that formed around them through silting. Due to this the feature was probably exposed until the subsoil formed. No dating evidence is present so the provisional period is unknown
				804	Inclusions: frequent medium to very large sub-rounded stones, evenly distributed Notes: stones have no regular shape	
804	8	Cut	Ditch		Orientation: E-W Shape in plan: regular, linear Shape in profile: irregular, shallow	Cut appears to continue past the L.O.E. Very shallow, but single fill (803) contains a high number of larger stones relative to the depth, suggesting some use in land clearance.
				804	Break at top: gradual Break at base: gradual Base: uneven	

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
805	8	Fill	Ditch	807	Colour: light reddish brown Compaction: moist, loose Composition: medium silty sand Inclusions: frequent flecks of stones and gravel, evenly distributed	This deposit was likely formed through natural silting onto the lower fill (806). There is no dating evidence.
806	8	Fill	Ditch	807	Colour: mid greyish brown Compaction: moist, loose Composition: medium silty sand Inclusions: frequent flecks to small sub-rounded stone, base	The deposit was formed through a combination of dumping, shown by the large stones to the bottom of the fill, and natural siltation building up around these dumped stones. One of these larger stones had tool marks but unfortunately there is no further dating evidence.
807	8	Cut	Ditch	807	Orientation: east to west Shape in plan: regular, linear Shape in profile: deep u-shaped Break at top: gradual Break at base: gradual Base: uneven Sides: dipping, convex	The shape and depth of the cut suggest it was made intentionally. The lower fill (806) has a significant number of larger rocks, including a large stone with tool marks, suggesting that the cut was left open and used in land clearance. It appears to continue towards trench 9.
900	9	Deposit			Colour: dark blackish brown Compaction: moist, malleable Composition: fine silty sand	Topsoil
901	9	Deposit			Colour: mid orangey brown Compaction: moist, firm Composition: fine sand	Subsoil
902	9	Deposit			Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand	Natural
903	9	Fill	Ditch	904	Colour: mid orangey brown Compaction: moist Composition: medium silty sand Inclusions: occasional flecks to small angular to sub-rounded platy sandstone, evenly distributed	Fill of linear [904]. Likely formed by gradual washed in silting and wind blown sands. No finds recovered.
904	9	Cut	Ditch	904	Orientation: NE-SW Shape in plan: linear Shape in profile: shallow u-shaped Break at top: gradual Break at base: gradual Base: rounded	Cut of wide shallow linear, likely a possible field boundary, no dating evidence recovered. Contains a single fill
905	9	Fill	Ditch	906	Colour: mid greyish brown Compaction: moist, loose Composition: medium silty sand Inclusions: occasional flecks to medium angular to sub-rounded spheroidal sandstone, evenly distributed	Fill of ditch, likely formed by gradual washed in silting and wind blown sands.

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
906	9	Cut	Ditch	906	Shape in plan: linear Shape in profile: regular, u-shaped Break at top: gradual Break at base: gradual Base: rounded	Cut of ditch, filled by two fills, likely a boundary ditch. No date
907	9	Fill	Ditch	906	Colour: light yellowish brown Compaction: moist, loose Composition: silty sand Inclusions: occasional flecks of very angular to sub-rounded platy sandstone, evenly distributed	Fill of ditch likely formed by wind blown sands and gradual silting. No finds.
1000	10	Deposit			Colour: dark blackish brown Compaction: moist, loose Composition: fine silty sand	Topsoil
1001	10	Deposit			Colour: mid orangey brown Compaction: dry, friable Composition: fine silty sand	Subsoil
1002	10	Deposit			Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand	Natural
1003	10	Fill	Gully	1004	Colour: mid greyish brown Compaction: moist, loose Composition: sandy silt Inclusions: occasional medium to large sub-angular to sub-rounded spheroidal sandstone, concentrated se	Fill of gully, likely formed by washed in silting, no finds recovered.
1004	10	Cut	Gully	1004	Orientation: NE-SW Shape in plan: linear Shape in profile: shallow Break at top: gradual Break at base: gradual Base: rounded Sides: gentle, concave	Cut of possible gully, contains a single fill.
1100	11	Deposit			Colour: dark blackish brown Compaction: moist, loose Composition: fine silty sand	Topsoil
1101	11	Deposit			Colour: mid brownish orange Compaction: moist, firm Composition: fine sand	Subsoil
1102	11	Deposit			Colour: light orangey yellow Compaction: dry, firm Composition: fine sand	Natural

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
1200	12	Deposit			Colour: dark blackish brown Compaction: moist, friable Composition: fine silty sand	Topsoil
1201	12	Deposit			Colour: mid orangey brown Compaction: moist, firm Composition: fine silty sand	Subsoil
1202	12	Deposit			Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand	Natural
1300	13	Deposit			Colour: dark greyish brown Compaction: moist, friable Composition: sandy silt	Topsoil
1301	13	Deposit			Colour: light brownish orange Compaction: moist, very loose Composition: medium pebbly sand	Natural geology
1302	13	Fill	Ditch	1304	Colour: mid reddish brown Compaction: moist, loose Composition: sandy silt Inclusions: occasional flecks to small very angular to rounded platy sandstone, evenly distributed	Upper fill of linear [1304]. Likely formed by gradual washing silting and wind blown sands. No finds recovered.
1303	13	Fill	Ditch	1304	Colour: dark reddish brown Compaction: moist, loose Composition: sandy silt Inclusions: rare flecks to small very angular to sub-rounded platy sandstone, evenly distributed	Lower fill of linear [1304]. Likely formed by natural washed in silting and wind blown sands. No finds recovered.
1304	13	Cut	Ditch	1304	Orientation: NE-SW Shape in plan: linear Shape in profile: irregular, u-shaped at this point Break at top: 1) nw: sharp 2) se: gradual Break at base: 1) nw: sharp 2) sw: gradual Base: sloping towards nw Sides: 1) nw: steep, straight 2) sw: moderate, convex	Cut of linear, filled by two fills. No finds recovered. Function unknown
1305	13	Deposit			Colour: mid reddish brown Compaction: moist, loose Composition: sandy silt	Subsoil t13

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
1306	13	Fill	Ditch	1307	Colour: very light greyish brown Compaction: moist, loose Composition: fine silty sand Inclusions: moderate medium very angular to sub-rounded platy sandstone, evenly distributed	Fill of possible linear, no finds, naturally deposited.
1307	13	Cut	Ditch	1307	Orientation: NW-SE Shape in plan: linear Shape in profile: irregular, u-shaped Break at top: gradual Break at base: gradual Base: rounded Sides: gentle, concave	Cut of possible ditch or gully. May be a natural band of sand but had edges. Very dubious of it being real. Single fill, no finds.
1400	14	Deposit			Colour: dark blackish brown Compaction: moist, malleable Composition: fine silty sand	Topsoil
1401	14	Deposit			Colour: mid orangey brown Compaction: moist, friable Composition: silty sand	Subsoil
1402	14	Fill	Ditch	1403	Colour: reddish grey Compaction: moist, loose Composition: sandy silt Inclusions: occasional small sub-angular to sub-rounded stones, concentrated towards base	Naturally infilling of ditch 1403
1403	14	Cut	Ditch	1403	Orientation: E-W Shape in plan: regular, linear Shape in profile: regular Break at top: gradual Break at base: gradual Base: uneven Sides: gentle, concave	Shallow Linear, uncertain
1404	14	Fill	Ditch	1405	Colour: greyish brown Compaction: moist, loose Composition: medium silty sand	Gully running through tr 14 se to nw. Sterile feature with no dating evidence Natural infilling silting up from rain / mudslide Potential feature left to disuse but irregularity in base suggests a natural feat such as burrowing and/or furrow The fill itself is patchy greyish-brown, signs of rooting evidence from darker patches.

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
1405	14	Cut	Ditch	1405		No evidence for use of ditch. Appears naturally formed by burrowing and erosion. Ditch collides with larger feature still being excavated to determine relationship
1406	14	Fill	Ditch	1407	Colour: mid yellowish brown Compaction: moist, friable Composition: sandy silt	Fill of linear deposited by possible natural process eg. weathering
1407	14	Cut	Ditch	1407	Orientation: NE-SW Shape in plan: linear Shape in profile: irregular Break at top: 1) n: gradual 2) south: imperceptible Break at base: 1) n: gradual 2) south: imperceptible Base: rounded Sides: 1) north: moderate, concave 2) south:	Cut of linear, appears to truncate linear 1409
1408	14	Fill	Ditch	1409	Colour: mid greyish brown Compaction: moist, friable Composition: fine silty sand Inclusions: small to medium angular to sub-rounded spheroidal sandstone, evenly distributed	Fill of linear 1409 likely formed by gradual washed in silting and wind blown sands.
1409	14	Cut	Ditch	1409	Shape in plan: linear Break at top: 1) w: sharp 2) east: imperceptible Break at base: 1) w: sharp 2) east: imperceptible Base: rounded Sides: 1) east: 2) west: steep, straight	Cut of north to South ditch, appear to be truncated by ditch 1407
1410	14	Deposit			Colour: mid brownish yellow Compaction: moist, friable Composition: medium silty sand Inclusions: medium angular platy stone, evenly distributed	Geology
1500	15	Deposit			Colour: dark brown Compaction: wet, loose Composition: silt Inclusions: occasional small angular spheroidal stone, evenly distributed	Topsoil organic

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
1501	15	Deposit			Colour: dark yellow Compaction: moist, friable Composition: silty sand Notes: none found	Subsoil
1502	15	Deposit			Colour: mid brownish yellow Compaction: moist, friable Composition: medium silty sand Inclusions: medium angular platy stone, evenly distributed	
1503	15	Fill	Ditch		Colour: brown Compaction: moist, friable Composition: silt	Fill of linear deposited by possible natural process
				1504	Inclusions: rare medium angular elongate stone, concentrated towards the middle	
1504	15	Cut	Ditch		Orientation: NE-SW Shape in plan: linear Shape in profile: shallow u-shaped Break at top: gradual	cut of linear
				1504	Break at base: gradual Base: flat Sides: moderate, concave	
1600	16	Deposit			Colour: very dark brown Compaction: moist, friable Composition: sandy silt	Topsoil
1601	16	Deposit			Colour: light brownish yellow Compaction: moist, loose Composition: medium pebbly sand Inclusions: frequent small to large very angular to sub-rounded platy sandstone, evenly distributed	Geology
1602	16	Fill	Gully		Colour: light brown Compaction: moist, loose Composition: fine silty sand	Fill of linear, likely formed by gradual washed in silting and wind blown sands.
				1603	Inclusions: occasional flecks to small very angular to rounded platy sandstone, evenly distributed	

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
1603	16	Cut	Gully	1603	Orientation: NW-SE Shape in plan: linear Shape in profile: shallow u-shaped Break at top: gradual Break at base: gradual Base: rounded Sides: gentle, concave	Cut of gully, single fill. Function unknown
1700	17	Deposit			Colour: dark greyish brown Compaction: moist, friable Composition: sandy silt	Topsoil
1701	17	Deposit			Colour: light brownish yellow Compaction: moist, loose Composition: medium pebbly sand Inclusions: frequent flecks to large angular to sub-rounded platy sandstone, evenly distributed	Geology
1800	18	Deposit			Colour: dark blackish brown Compaction: moist, malleable Composition: fine silty sand	Topsoil
1801	18	Deposit			Colour: mid orangey brown Compaction: moist, friable Composition: fine sand Notes: trench undermachined in areas with topsoil present at base not showing sub or natural	Subsoil
1802	18	Deposit			Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand Notes: under machined	Natural
1900	19	Deposit			Colour: dark greyish brown Compaction: moist, friable Composition: sandy silt	Topsoil
1901	19	Deposit			Colour: mid brown Compaction: moist, friable Composition: sandy silt	Subsoil
1902	19	Deposit			Colour: light brownish yellow Compaction: moist, loose Composition: medium pebbly sand	Geology

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
1903	19	Fill	Ditch	1904	Colour: light yellowish brown Compaction: moist, friable Composition: medium silty sand Inclusions: occasional small to medium very angular platy sandstone	Fill of linear, likely natural deposition via washed in silting and wind blown sands. No finds
1904	19	Cut	Ditch	1904	Orientation: east to west Shape in plan: linear Shape in profile: shallow Break at top: gradual Break at base: gradual Base: uneven Sides: gentle, concave	Cut of linear, possibly same linear as seen in t8 and t9. Very uneven and fill is very close to the natural.
2000	20	Deposit			Colour: dark blackish brown Compaction: moist, malleable Composition: fine silty sand	Topsoil
2001	20	Deposit			Colour: mid brownish orange Compaction: moist, firm Composition: fine sand	Subsoil
2002	20	Fill	Ditch	2003	Colour: brownish orange Compaction: moist, loose Composition: sandy silt	Single fill of ditch [2003]. Unclear purpose and date. Diffuse clarity where it underlies subsoil (2001). No finds. 40l sample taken
2003	20	Cut	Ditch	2003	Orientation: E-W Shape in plan: linear Shape in profile: shallow u-shaped Break at top: gradual Break at base: imperceptible Base: rounded Sides: gentle, concave	Unclear purpose and date.
2004	20	Deposit			Colour: mid orangey yellow Compaction: dry, firm Composition: fine sand	Natural
2100	21	Deposit			Colour: dark blackish brown Compaction: moist, malleable Composition: fine silty sand	Topsoil
2101	21	Deposit			Colour: mid orangey brown Compaction: moist, friable Composition: fine silty sand	Subsoil
2102	21	Deposit			Colour: mid orangey yellow Compaction: moist, firm Composition: fine sand	Natural

Context no.	Trench	Type	Feature	Cut no.	Description	Interpretation
2200	22	Deposit			Colour: dark brown Composition: silty peat Inclusions: occasional small angular spheroidal stone, evenly distributed	Topsoil organic
2202	22	Deposit			Colour: mid brownish yellow Compaction: moist, friable Composition: medium silty sand Inclusions: medium angular platy stone, evenly distributed	Natural

## APPENDIX 2

### Drawing Listing

Drawing No.	Sheet no.	Type	Description	Facing	Scale
1	1	Section	Ditch [1304]	NE	1:20
2	1	Plan	Ditch [1304]		1:20
3	1	Section	Ditch [1405]	E	1:10
4	1	Section	Ditch [1504]	S	
5	1	Plan	Ditch [1504]		1:20
6	2	Section	Ditch [1307]	SE	1:10
7	2	Plan	Ditch [1307]		1:20
8	2	Section	Gully [1603]	NW	1:10
9	2	Plan	Gully [1603]		1:20
10	3	Section	Ditch [904]	SW	1:20
11	3	Plan	Ditch [904]		1:50
12	4	Section	Ditch [906]	NE	1:20
13	4	Plan	Ditch [906]		1:20
14	4	Plan	Ditch [1403]		1:50
15	2	Section	Ditch [1403]	N	1:20
16	4	Section	Gully [1004]	SW	1:10
17	4	Plan	Gully [1004]		1:20
18	5	Section	Ditch [2003]	W	1:10
19	5	Plan	Ditch [2003]		1:20
20	6	Section	Ditch [1904]	W	1:20
21	6	Plan	Ditch [1904]		1:50
22	6	Section	Ditch [706], Ditch [704]	N	1:20
23	6	Plan	Ditch [706], Ditch [704]		1:20
24	5	Section	Ditch [605]	S	1:20
25	5	Plan	Ditch [605]		1:50
26	7	Section	Ditch [807]	W	1:20
27	7	Plan	Ditch [807]		1:50
28	3	Section	Ditch [804]	W	1:20
29	3	Plan	Ditch [804]		1:50
30	2	Section	Ditch [1407], Ditch [1409]	N	1:10
31	2	Section	Ditch [1407], Ditch [1409]	W	1:10
32	2	Section	Ditch [1407], Ditch [1409]	S	1:10

## APPENDIX 3

### Photo Listing

Shot no.	Type	Description	Trench	Scale	Direction
0001	Trench shot	Trench 14	14	1 m	
0002	Trench shot	Trench 14	14	1 m	
0003	Trench shot	Trench 14	14	1 m	
0004	Trench shot	Trench 14	14	1 m	
5	Trench shot	Trench 14	14	1 m	
6	Trench shot	Trench 14	14	1 m	
7	Trench shot	Trench 15	15		SW
8	Trench shot	Trench 15	15		SW
9	Trench shot	Trench 15	15		SW
10	Trench shot	Trench 15	15		E
11	Trench shot	Trench 15	15		E
12	Trench shot	Trench 15	15		E
13	Trench shot	Trench 17	17		SW
14	Trench shot	Trench 17	17		SW
15	Trench shot	Trench 17	17		SW
16	Trench shot	Trench 17	17		NE
17	Trench shot	Trench 17	17		NE
18	Trench shot	Trench 17	17		NE
19	Trench shot	Trench 22	22		E
20	Trench shot	Trench 22	22		E
21	Trench shot	Trench 22	22		E
22	Trench shot	Trench 22	22		S
23	Trench shot	Trench 22	22		S
24	Trench shot	Trench 22	22		S
25	Trench shot	Trench 13	13	1m	SW
26	Trench shot	Trench 13	13	1m	SW
27	Trench shot	Trench 13	13	1m	SW
28	Trench shot	Trench 13	13		NE
29	Trench shot	Trench 13	13		NE
30	Trench shot	Trench 13	13		NE
31	Trench shot	Trench 16	16		SE
32	Trench shot	Trench 16	16		SE
33	Trench shot	Trench 16	16		SE
34	Trench shot	Trench 16	16		NW
35	Trench shot	Trench 16	16		NW
36	Trench shot	Trench 16	16		NW
37	Post-excavation shot	Ditch [1304]	13	1m	SW
38	Post-excavation shot	Ditch [1304]	13	1m	SW
39	Post-excavation shot	Ditch [1304]	13	1m	SW
40	Post-excavation shot	Ditch [1405]	14	1m	W
41	Post-excavation shot	Ditch [1405]	14	1m	W
42	Post-excavation shot	Ditch [1405]	14	1m	W
43	Post-excavation shot	Ditch [1504]	15	1m	N
44	Post-excavation shot	Ditch [1504]	15	1m	N

Shot no.	Type	Description	Trench	Scale	Direction
45	Post-excavation shot	Ditch [1504]	15	1m	N
46	Post-excavation shot	Ditch [1504]	15	1m	N
47	Post-excavation shot	Ditch [1504]	15	1m	N
48	Post-excavation shot	Ditch [1504]	15	1m	N
49	Post-excavation shot	Ditch [1307]	13	1m	NW
50	Post-excavation shot	Ditch [1307]	13	1m	NE
51	Post-excavation shot	Gully [1603]	16	0.5m	SE
52	Post-excavation shot	Gully [1603]	16	0.5m	SE
53	Post-excavation shot	Gully [1603]	16	0.5m	SE
54	Post-excavation shot	Gully [1603]	16	0.5m	SE
68		Trench 8	8	1m	
69		Trench 8	8	1m	
70		Trench 8	8	1m	
71		Trench 8	8	1m	
72		Trench 8	8	1m	
73		Trench 8	8	1m	
78	Trench shot	Trench 1	1	1m	NE
79	Trench shot	Trench 1	1	1m	NE
80	Trench shot	Trench 1	1	1m	SW
81	Trench shot	Trench 1	1	1m	SW
82	Trench shot	Trench 2	2	1m	NE
83	Trench shot	Trench 2	2	1m	NE
84	Trench shot	Trench 2	2	1m	SW
85	Trench shot	Trench 2	2	1m	SW
86	Trench shot	Trench 4	4	1m	E
87	Trench shot	Trench 4	4	1m	E
88	Trench shot	Trench 4	4	1m	W
89	Trench shot	Trench 4	4	1m	W
90	Trench shot	Trench 3	3	1m	S
91	Trench shot	Trench 3	3	1m	S
92	Trench shot	Trench 3	3	1m	E
93	Trench shot	Trench 3	3	1m	E
94	Trench shot	Trench 6	6	1m	NE
95	Trench shot	Trench 6	6	1m	NE
96	Trench shot	Trench 6	6	1m	SW
97	Trench shot	Trench 6	6	1m	SW
98	Trench shot	Trench 7	7	1m	SW
99	Trench shot	Trench 7	7	1m	SW
100	Trench shot	Trench 7	7	1m	NE
101	Trench shot	Trench 7	7	1m	NE
102	Trench shot	Trench 19	19	1m	EEW
103	Trench shot	Trench 19	19	1m	EEW
104	Trench shot	Trench 19	19	1m	ESE
105	Trench shot	Trench 19	19	1m	ESE
106	Post-excavation shot	Gully [1004]	10	0.5m	NE
107	Post-excavation shot	Gully [1004]	10	0.5m	NE
108	Post-excavation shot	Ditch [2003]	20	1m	E
109	Post-excavation shot	Ditch [2003]	20	1m	E
110	Post-excavation shot	Ditch [804]	8	1m	E

Shot no.	Type	Description	Trench	Scale	Direction
111	Post-excavation shot	Ditch [804]	8	1m	E
112	Post-excavation shot	Ditch [804]	8	1m	E
113	Post-excavation shot	Ditch [1904]	19	2m	NE
114	Post-excavation shot	Ditch [1904]	19	2m	NE
115	Post-excavation shot	Ditch [706], Ditch [704]	7	2m	E
116	Post-excavation shot	Ditch [706], Ditch [704]	7	2m	E
117	Post-excavation shot	Ditch [605]	6	2m	NE
118	Post-excavation shot	Ditch [605]	6		NE
119	Working shot	Ditch [807]	8	2m	W
120	Working shot	Ditch [807]	8	2m	W
121	Working shot	Ditch [807]	8	2m	W
126	Working shot	Ditch [807]	8	2m	E
127	Working shot	Ditch [807]	8	2m	E
130		Trench 4	4	0.5m	E
131		Trench 4	4	0.5m	E
132	Post-excavation shot	Ditch [807]	8		W
133	Post-excavation shot	Ditch [807]	8		W
134	Post-excavation shot	Ditch [807]	8		W
135	Post-excavation shot	Ditch [807]	8		W
136	Post-excavation shot	Ditch [807]	8		W
137	Trench shot	Trench 12	12	1m	S
138	Trench shot	Trench 12	12	1m	E
139	Post-excavation shot	Ditch [807]	8		E
140	Post-excavation shot	Ditch [807]	8		E
143	OSL sample 16	Ditch [1304]	13		SW
144	OSL sample 16	Ditch [1304]	13		SW
145		Trench 13	13		E
146		Trench 13	13		E
1302	Trench shot	Trench 5	5	1m	
1303	Trench shot	Trench 5	5	1m	NE
1304	Trench shot	Trench 5	5	1m	NE
1305	Trench shot	Trench 5	5	1m	W
1306	Trench shot	Trench 5	5	1m	W
1307	Trench shot	Trench 5	5	1m	W
1308	Trench shot	Trench 20	20	1m	N
1314		Trench 21	21	1m	N
1315		Trench 21	21	1m	N
1316		Trench 21	21	1m	N
1317		Trench 21	21	1m	N
1318		Trench 21	21	1m	S
1319		Trench 21	21	1m	S
1320		Trench 21	21	1m	S
1321		Trench 21	21	1m	S
1322		Trench 21	21	1m	S
1323		Trench 18	18	1m	E
1324		Trench 18	18	1m	E
1325		Trench 18	18	1m	E
1326		Trench 18	18	1m	E
1327		Trench 18	18	1m	E

Shot no.	Type	Description	Trench	Scale	Direction
1328		Trench 18	18	1m	E
1329	Trench shot	Trench 9	9	1m	N
1330	Trench shot	Trench 9	9	1m	N
1331	Trench shot	Trench 9	9	1m	N
1332	Trench shot	Trench 9	9	1m	N
1333	Trench shot	Trench 9	9	1m	N
1334	Trench shot	Trench 9	9	1m	N
1335	Trench shot	Trench 10	10	1m	W
1336	Trench shot	Trench 10	10	1m	W
1337	Trench shot	Trench 10	10	1m	W
1338	Trench shot	Trench 10	10	1m	W
1339	Trench shot	Trench 10	10	1m	W
1340	Trench shot	Trench 10	10	1m	W
1341	Trench shot	Trench 11	11	1m	E
1342	Trench shot	Trench 11	11	1m	E
1343	Trench shot	Trench 11	11	1m	E
1344	Trench shot	Trench 11	11	1m	E
1345	Trench shot	Trench 11	11	1m	E
1346	Trench shot	Trench 11	11	1m	E
65-67	Post-excavation shot	Ditch [904]	9	2m	NE
74-77	Post-excavation shot	Ditch [906]	9	1m	W
55-57	Post-excavation shot	Ditch [1403]	14	2m	S
62-64	Post-excavation shot	Ditch [1407], Ditch [1409]	14	0.5m	SE
60-61	Post-excavation shot	Ditch [1407], Ditch [1409]	14	0.5m	S
58-59	Post-excavation shot	Ditch [1407], Ditch [1409]	14	0.5m	N
128-129	Post-excavation shot	Ditch [2003]	20	1m	W
124-125	Post-excavation shot	Ditch [807]	8	2m	SE
141-142	Working shot	Ditch [807]	8	0.5m	



DSC\_1302



DSC\_1302



DSC\_1303



DSC\_1303



DSC\_1304



DSC\_1304



DSC\_1305



DSC\_1305



DSC\_1306



DSC\_1306



DSC\_1307



DSC\_1307



DSC\_1308



DSC\_1308



DSC\_1309



DSC\_1309



DSC\_1310



DSC\_1310



DSC\_1311



DSC\_1311



DSC\_1312



DSC\_1312



DSC\_1313



DSC\_1313



DSC\_1314



DSC\_1314



DSC\_1315



DSC\_1315



DSC\_1316



DSC\_1316



DSC\_1317



DSC\_1317



DSC\_1318



DSC\_1318



DSC\_1319



DSC\_1319



DSC\_1320



DSC\_1320



DSC\_1321



DSC\_1321



DSC\_1322



DSC\_1322



DSC\_1323



DSC\_1323



DSC\_1324



DSC\_1324



DSC\_1325



DSC\_1325



DSC\_1326



DSC\_1326



DSC\_1327



DSC\_1327



DSC\_1328



DSC\_1328



DSC\_1329



DSC\_1329



DSC\_1330



DSC\_1330



DSC\_1331



DSC\_1331



DSC\_1332



DSC\_1332



DSC\_1333



DSC\_1333



DSC\_1334



DSC\_1334



DSC\_1335



DSC\_1335



DSC\_1336



DSC\_1336



DSC\_1337



DSC\_1337



DSC\_1338



DSC\_1338



DSC\_1339



DSC\_1339



DSC\_1340



DSC\_1340



DSC\_1341



DSC\_1341



DSC\_1342



DSC\_1342



DSC\_1343



DSC\_1343



DSC\_1344



DSC\_1344



DSC\_1345



DSC\_1345



DSC\_1346



DSC\_1346



IMG\_0001



IMG\_0002



IMG\_0003



IMG\_0004



IMG\_0005



IMG\_0006



IMG\_0007



IMG\_0008



IMG\_0009



IMG\_0010



IMG\_0011



IMG\_0012



IMG\_0013



IMG\_0014



IMG\_0015



IMG\_0016



IMG\_0017



IMG\_0018



IMG\_0019



IMG\_0020



IMG\_0021



IMG\_0022



IMG\_0023



IMG\_0024



IMG\_0025



IMG\_0026



IMG\_0027



IMG\_0028



IMG\_0029



IMG\_0030



IMG\_0031



IMG\_0032



IMG\_0033



IMG\_0034



IMG\_0035



IMG\_0036



IMG\_0037



IMG\_0038



IMG\_0039



IMG\_0040



IMG\_0041



IMG\_0042



IMG\_0043



IMG\_0044



IMG\_0045



IMG\_0046



IMG\_0047



IMG\_0048



IMG\_0049



IMG\_0050



IMG\_0051



IMG\_0052



IMG\_0053



IMG\_0054



IMG\_0055



IMG\_0056



IMG\_0057



IMG\_0058



IMG\_0059



IMG\_0060



IMG\_0061



IMG\_0062



IMG\_0063



IMG\_0064



IMG\_0065



IMG\_0066



IMG\_0067



IMG\_0068



IMG\_0069



IMG\_0070



IMG\_0071



IMG\_0072



IMG\_0073



IMG\_0074



IMG\_0075



IMG\_0076



IMG\_0077



IMG\_0078



IMG\_0079



IMG\_0080



IMG\_0081



IMG\_0082



IMG\_0083



IMG\_0084



IMG\_0085



IMG\_0086



IMG\_0087



IMG\_0088



IMG\_0089



IMG\_0090



IMG\_0091



IMG\_0092



IMG\_0093



IMG\_0094



IMG\_0095



IMG\_0096



IMG\_0097



IMG\_0098



IMG\_0099



IMG\_0100



IMG\_0101



IMG\_0102



IMG\_0103



IMG\_0104



IMG\_0105



IMG\_0106



IMG\_0107



IMG\_0108



IMG\_0109



IMG\_0110



IMG\_0111



IMG\_0112



IMG\_0113



IMG\_0114



IMG\_0115



IMG\_0116



IMG\_0117



IMG\_0118



IMG\_0119



IMG\_0120



IMG\_0121



IMG\_0122



IMG\_0123



IMG\_0124



IMG\_0125



IMG\_0126



IMG\_0127



IMG\_0128



IMG\_0129



IMG\_0130



IMG\_0131



IMG\_0132



IMG\_0133



IMG\_0134



IMG\_0135



IMG\_0136



IMG\_0137



IMG\_0138



IMG\_0139



IMG\_0140



IMG\_0141



IMG\_0142



IMG\_0143



IMG\_0144



IMG\_0145



IMG\_0146

## APPENDIX 4

### Sample Listing

Sample no.	Context no.	Context Title	Trench	Reason
1	1303	Fill - Ditch [1304]	13	Bulk
2	1402	Fill - Ditch [1403]	14	Bulk. Environmental. Carbon dating
3	1306	Fill - Ditch [1307]	13	Bulk
4	1602	Fill - Gully [1603]	16	Bulk
5	1503	Fill - Ditch [1504]	15	Bulk
6	903	Fill - Ditch [904]	9	Bulk
7	1404	Fill - Ditch [1405]	14	Bulk. Environmental
8	905	Fill - Ditch [906]	9	Bulk
9	803	Fill - Ditch [804]	8	Bulk. Environmental
10	1003	Fill - Gully [1004]	10	Bulk
11	2002	Fill - Ditch [2003]	20	Bulk. Environmental
12	1903	Fill - Ditch [1904]	19	Bulk
13	805	Fill - Ditch [807]	8	Bulk. Environmental
14	703	Fill - Ditch [704]	7	Bulk
15	705	Fill - Ditch [706]	7	Bulk
16	1303	Fill - Ditch [1304]	13	OSL
17	1301	Natural - Trench 13	13	OSL
18	805	Fill - Ditch [807]	8	OSL

# Assessment of environmental samples from: Land off Hemingfield Road, Hemingfield, South Yorkshire

Emma Tong BA MSc PhD

## 1. Introduction

- 1.1 Fifteen environmental samples (approximately 640 litres of sediment) were taken during archaeological excavations. This report presents the results of sample processing, including a list of items recovered from the retent and flots, and an assessment of the environmental remains. The flots were sorted and assessed in January 2025.

## 2. Methodology

- 2.1 The samples were processed using the Siraf method of flotation (Williams 1973) at MAP Archaeological Practice, Malton. Flots were collected using a 300 µm (micron) mesh and once dry were sieved using 2mm, 1mm and 300 µm Endecott sieves. The flots were sorted under a low-powered Celestron stereo zoom microscope. Retents were sieved at 4mm, 2mm and 1mm, with the >4mm fraction sorted and the <4mm scanned for any artefacts or ecofacts. A magnet was run through the retent to recover any magnetic material, including hammerscale (Dungworth and Wilkes 2007). The sample residues were assessed in accordance with Historic England guidelines (Campbell et al. 2011) and the ClfA toolkit for specialist reporting (ClfA 2021).
- 2.2 Plant macrofossils were identified to the lowest taxon where possible, under a low-powered Celestron stereo zoom microscope using published guides (Digital Plant Atlas; Cappers et al. 2006; Jones et al. 2004; Delorit 1970, Jacomet, 2006; Zohary et al, 2012). Plant nomenclature followed Stace (2019). Quantification was by count, with grain/seed/fruit remains with 51-100% survival quantified separately from fragments representing 50% or less of the complete item.
- 2.3 All material has been counted and/or assigned an abundance score, listed as; a (1-10), b (11-50), c (51-100), d (101-200), e (201-500), f (501-1000), g (>1000). Results were recorded in an electronic pro forma in Microsoft Excel. The sample residues were assessed in accordance with Historic England guidelines for environmental archaeology (Campbell et al. 2011) and the ClfA toolkit for specialist reporting (ClfA 2021).

### 3. Results

- 3.1 A range of environmental remains were identified in both the retent and flots, as summarised in Table 1. Material recovered from the flots is detailed in Table 2 and 3. A list of the charcoal fragments that may be suitable candidates for species identification and radiocarbon dating is set out in Table 4. Environmental remains recovered from the retent (Table 1) will be assessed and included in this report.
- 3.2 The preservation of environmental remains was generally poor, often hindering identification. The samples contained small quantities of poorly preserved carbonised material, including cereal grains and seeds (Tables 2 and 3). While charcoal was present in most samples, only a few fragments from six contexts (five from flots and one from retent) appear suitable for radiocarbon dating (Table 4).
- 3.3 The presence of modern material, such as earthworm capsules and insect remains (Table 3), suggests ongoing bioturbation. Additionally, modern roots indicate soil disturbance. The modern seeds recovered from the flots (Table 3) primarily belong to species associated with open, cultivated/disturbed ground, as well as woodland and hedgerow environments. This material likely represents modern intrusions resulting from bioturbation.

### 4. Discussion

#### 4.1 *Trench 7*

- 4.1.1 Ditches (703) fill 704 and (705) fill 706 contained small fragments of comminute charcoal (<2mm). Single charred seeds identified as ivy leaved speedwell (*Veronica hederifolia*) and cabbage/mustard family (*Brassica* sp.) were recovered from ditch fill 704. Fragments of poorly preserved indeterminate charred cereal grain was present in ditch fill 706. A single grain was tentatively identified as hulled barley (*Hordeum vulgare* ssp. *Vulgare*). Modern roots and insect remains were present in very low numbers.

#### 4.2 *Trench 8*

- 4.2.1 Several charcoal fragments >2mm, potentially suitable for radiocarbon dating, were recovered from the fill (807) of ditch (805). The remaining charcoal fragments <2mm were abraded and poorly preserved. Charred cereal grains and seeds from the fill (804) of ditch (803) were too poorly preserved by charring to be identified. However, charred sedge (*Carex* sp.) and amaranth

(Amaranthus sp.) seeds were recovered from the fill (807) of ditch (805). Modern wild species, including amaranth (Amaranthus sp.), greater stitchwort (*Stellaria holostea*), chickweed (*Stellaria* sp.), and elderberry (*Sambucus nigra*), suggest a mixed environment of cultivated land, woodland, and hedgerows in the vicinity of the site. Modern roots, earthworm capsules and insect remains were present in very low numbers.

#### 4.3 *Trench 9*

4.3.1 Very little material was recovered from the ditches within trench 9. Several charcoal fragments >2mm, potentially suitable for radiocarbon dating, were recovered from ditch (905) fill 906. The remaining material is of no interpretative value.

#### 4.4 *Trench 10*

4.4.1 The material recovered from gully (1003) fill 1004 is of no interpretive value. No plant macrofossils were recovered from context 1003.

#### 4.5 *Trench 13*

4.5.1 The material recovered from ditch (1306) fill 1307 is of no interpretable value. No plant macrofossils were recovered.

4.5.2 Ditch 1303 fill 1304 contained fragments of charcoal >2mm that may be identifiable to species and may be suitable for radiocarbon dating. The remaining charcoal (<2mm) was comminuted and in poorly preserved. Several charred ivy leaved speedwell (*Veronica hederifolia*) seeds were recovered along with several seeds belonging to the cabbage/mustard family (*Brassica/sinapis* sp. A small assemblage of modern plant macrofossils, taxa present were wild species identified as violet/pansy (*Viola* sp.) and fumitory (*Fumaria* sp.). Also present in the features were modern roots and insect remains.

#### 4.6 *Trench 14*

4.6.1 Ditch (1402) fill 1403 contained fragments of charcoal (>2mm) recovered from both the flot and retent that may allow for surface breakage to consider species identification and in turn radiocarbon dating. The remaining charcoal (<2mm) recovered from the ditches was comminuted and in poor condition. Fragments of clinker were present in ditch (1404) fill 1405 along with small fragments of coal. A single fragment of hazelnut shell was recovered from ditch (1402) fill 1403. A single

indeterminate charred cereal grain and a seed identified as ivy leaved speedwell (*Veronica hederifolia*) were recovered from ditch (1404) fill 1405. Modern intrusive wild taxa were identified as goosefoot (*Chenopodium* sp.), Dock (*Rumex* sp.) and elderberry (*Sambucus nigra*). Small quantities of modern roots and earthworm capsules were also present in the flots.

#### 4.7 *Trench 15*

4.7.1 Ditch (1503) fill 1504 contained charcoal >2mm that may allow for surface breakage to consider species identification and in turn radiocarbon dating. The remaining charcoal (<2mm) was comminuted and in poor condition. A single indeterminate charred cereal grain and a seed identified as ivy leaved speedwell (*Veronica hederifolia*) were recovered from ditch fill 1504 along with a small assemblage of modern wild species including violet/pansy (*Viola* sp.) and common dandelion (*Taraxacum officinale*). The remaining material included modern roots and earthworm capsules.

#### 4.8 *Trench 16*

4.8.1 Fragments of comminuted charcoal (<2mm) were present in the flot from gully (1602) fill 1603. The modern material recovered included taxa identified as violet/wild pansy (*Viola* sp.) and fool's parsley (cf. *Aethusa cynapium*). The remaining material included modern roots and insect remains.

#### 4.9 *Trench 19*

4.9.1 The material recovered is of no interpretative value. No plant macrofossils were recovered.

#### 4.10 *Trench 20*

4.10.1 Fragments of comminuted charcoal (<2mm) were present in the flot from ditch (2002) fill 2003 along with charred seeds of ivy leaved speedwell (*Veronica hederifolia*) and cf. lentil (cf. *Lens culinaris*). The remaining modern material is of no interpretative value.

4.11 The charcoal (>2mm) recovered from ditch fills [807], [906], [1403], [1304] and [1504] likely represents a build-up of domestic waste that has been discarded into the features. The charcoal may be suitable for radiocarbon dating if material was identified to species, but there remains the possibility that the feature fills include re-deposited material. In addition to this however, no roundwood fragments that are most appropriate for radiocarbon dating were observed. The <2mm wood charcoal remains are of low local significance with limited potential to contribute to current understanding of past human

activities or local environments and habitats. The small size of the surviving fragments of wood charcoal, precludes any further discussion or confirmation of any specific interpretation.

4.12 The charred plant remains provide very limited information regarding the past use of the site and human diet. The cultivated species, in this case, a single grain of barley, along with fragments of indeterminate charred cereal grains indicate that crop drying and/or cooking of cereals was taking place at or close to the site. Interestingly, a single lentil (cf. *Lens culinaris*) was recovered from context 2002 however as only a single seed was present it is not possible to provide any further interpretation with regards to farming practices, diet etc. The *Brassica/Sinapis* sp. seeds could not be identified at species level and as such could represent a wide range of wild or cultivated species which include (amongst others) cabbage (wild and cultivated), turnip (wild and cultivated), radish, rapeseed, black mustard, wild mustard. As the seed cannot be identified at species level, it contributes little towards our understanding of any past distributions of plant species or human use of these types of plants. The charred wild taxa, particularly ivy speed-well (*Veronica herderifolia*) seeds may represent weeds that grew amongst the cereals that were unintentionally included during the drying process and/or made it through to the dry grain used in cooking where it became accidentally charred.

4.13 Modern seeds (i.e. not charred, waterlogged or mineralised) usually represent those that have entered the deposit/sample in recent years, sometimes even between excavation and the sample being sealed on site. These remains represent the types of plants occurring at the site or close by in recent times, and while they do not indicate that the features from which they were recovered were recent in nature, they do attest to the potential for recent contamination within those contexts. Combined, these species are typical of those that grow in and around woodland, hedgerows and on cultivated/disturbed/ scrub/wasteland.

## 5. Conclusions and Recommendations

5.1 The >2mm charcoal has the potential to provide sufficient material for radiocarbon dating should this be desirable; however, the material has the potential to be residual considering its context of discovery and would require identification to species prior to submission. Charcoal fragments that are assigned to species would at least allow for a discussion on wood and fuel procurement within the local area.

- 5.2 No further work is recommended for any of the modern seeds as they are likely to be modern intrusions introduced by bioturbation further suggested by the presence of modern roots, insect remains, insect capsules and earthworm capsules that were present in all contexts.
- 5.3 Charred grain/plant remains should be retained for the duration of the project and reconsidered within any future archaeological work undertaken associated with the project. They may be discarded at project archiving.

## 6. References

Campbell, G. Moffett, L. and Straker, V. 2011. Environmental Archaeology. A Guide to the Theory and Practice of Methods, from Sampling and Recovery to Post-excavation. Second Edition. Portsmouth: English Heritage.

Cappers, R. T. J., Bekker, R. M. and Jans, J. E. A. 2006. Digital Seed Atlas of the Netherlands. Eelde: Barkhuis Publishing.

Chartered Institute for Archaeologists (CIfA). 2021. Toolkit for Specialist Reporting. <https://www.archaeologists.net/reporting-toolkit>

Delorit, R. J. 1970. Illustrated Taxonomy Manual of Weed Seeds. River Falls, Wisconsin: Agronomy Publications.

Dungworth, D. and Wilkes, R. 2007. An Investigation of Hammerscale. Research Department Report Series no. 26/2007. Portsmouth: English Heritage.

Jacomet, S. 2006. Identification of Cereal Remains from Archaeological Sites (2nd edition, trans. by James Greig), Basel, Archaeobotany Laboratory, IPAS, Basel University.

Jones, S. Taylor, J. and Ash, F. (eds) 2004. Seed Identification Handbook. Agriculture, Horticulture and Weeds. Second Edition. Cambridge: NIAB.

MAP, 2024. Land off Hemingfield Road Hemingfield South Yorkshire. Written Scheme of Investigation. Unpublished report. 2024/0122.

Stace, C. 2019. New Flora of the British Isles. 3rd edition. Suffolk: C&M Floristics.

Williams, D. 1973. Flotation at Siraf. *Antiquity* 47(188): 288.

Zohary, D. Hopf, M. and Weiss, E. 2012. Domestication of Plants in the Old World. Oxford: Oxford University Press.

### Online Resources

Digital Plant Atlas. Accessed January 2025. <https://www.plantatlas.eu>

Table 1: Summary of material from retent and flots, by count, abundance and weight.  
a (1-10), b (11-50), c (51-100), d (101-200), e (201-500), f (501-1000), g (>1000).

Material	Retent	Flot		
	Weight (g)	Abundance	Count	Weight (g)
Carbonised cereal grain		c	4	0.03
Carbonised seeds			21	0.07
Haz lenut shell (carbonised)			1	0.01
Chaff			1	0.01
Charcoal <2mm		g		
Charcoal >2mm	0.63	f	44	43.85
Clinker		b		
Coal		d		
Earthworm capsule		b		
Fungal spores		b		
Insect remains		b		
Modern roots		g		
Modern seeds			58	0.08



# maparch

MAP Archaeological Practice

Land off Hemingfield Road  
Hemingfield  
South Yorkshire

MAP Site Code 05-39-23  
Planning Reference- 2024/0122

Written Scheme of Investigation-Archaeological Evaluation  
by Trial Trenching



# maparch

## MAP Archaeological Practice

**Client** Hargreaves Land

**Work Type** Archaeological Evaluation by Trial Trenching

**Address** Land off Hemingfield Road

**LPA Archaeologist** Andy Lines - South Yorkshire Archaeology Service

**NGR** SE 39255 01856

**What3Words** /// snips.trainers.trombone

**Site Code** 05-16-24

**Planning Reference** 2024/0122

**Project Manager** Charlie Puntorno

Version History	Edited/QA by	Notes
A-250924	Max Stubbings	
B-141124	Max Stubbings	Amended Trench location as discussed with Andy Lines
C-181124	Max Stubbings	Amended Trench location in response to service drawings, discussed with Andy Lines

Land off Hemingfield Road  
Hemingfield  
South Yorkshire

Archaeological Evaluation by Trial Trenching

Contents	Page
Figure List	2
Appendices	2
1. Background	4
2. Site Information	5
3. Project Details	6
4. Fieldwork Methodology	9
5. Post-Investigation Assessment, Analysis and Reporting	13
6. Archive	15
7. Staffing	16
8. Bibliography	18

<b>Figure List</b>	<b>Page</b>
Figure 1: Site Location	4
Figure 2: Trench Location Plan	8

## **Appendices**

Appendix 1: Digital Data Management Plan	19
Appendix 2: Environmental Strategy	27
Appendix 3: Conservation Strategy	29
Appendix 4: Selection Strategy	30
Appendix 5: SYAS Standards for Archaeological Field Evaluation	37



## 1. Background

- 1.1 The site is located to the north and west of Hemingfield Road and south of the Dearne Valley Parkway (centred at SE 39255 01856, Fig. 1). Currently utilised as agricultural land, the site is bounded to the east by further arable land.




Figure 1: Site Location

- 1.2 An outline planning application has been made to Barnsley Metropolitan Borough Council for the 'demolition of existing structures and erection of residential dwellings with associated infrastructure and open space. All matters reserved apart from access into the site'.
- 1.3 The work will be monitored under the auspices of the Archaeologist at South Yorkshire Archaeology Service (henceforth SYAS), who also oversees the Barnsley area. SYAS will be consulted at least one week before the commencement of site works. Where necessary the regional Science Advisor at Historic England may also be contacted about the work.

- 1.4 MAP will adhere to the principles of the ClfA Code of Conduct: professional ethics in archaeology (ClfA. 2022) throughout the project and to the ClfA standards and Universal guidance for Archaeological Field Evaluations (ClfA. 2023).
- 1.5 The project will be continuously reviewed in order to monitor the projects progress towards meeting its aims, objectives and with adherence to the SYAS Standards for Archaeological Field Evaluation. As a minimum the results of the evaluation will be assessed as the fieldwork is taking place, to allow for any necessary changes to the agreed methodology. Any deviance from the methodology outlined in this document must be agreed by SYAS.

## 2. Site Information

### 2.1 *Land Use, Topology and Geology*

- 2.1.1 The site currently consists of two former arable fields, bisected by a public right of way.
- 2.1 Bedrock geology within the site boundary consists of Woolley Edge Rock (BGS. 2024). No superficial geology is recorded by BGS although Soilsmap (2024) records '*slowly permeable seasonally wet acid loamy and clayey soils*'.

### 2.2 *Archaeological Potential*

- 2.2.1 A Desk Based Assessment was carried out by MAP Archaeological Practice Ltd and should be consulted for a wider archaeological background.
- 2.2.2 Prehistoric activity is well recognised within the vicinity of the site, particularly at Wombwell Woods to the north-west of the site. Flints of Mesolithic date was recovered from land to the west of the woodland (Historic England Monument Number 52441), whilst implements have also been recovered from an outcrop within the woods (Historic England Monument Number 52441).
- 2.2.3 Iron Age and Romano-British activity is well recognised within Wombwell Woods, an area of which is designated as a Scheduled Monument (NHLE 1004796). The complex, which comprises settlement features, enclosures, a trackway and field systems, is visible as earthworks (Historic England. 2023) and can clearly be discerned in LiDAR data.
- 2.2.4 Archaeological work including Geophysical Survey, Watching Briefs and Trial Trenching was carried out in advance of the construction of the Dearne Valley Parkway. Trial Trenching, carried out to the

south of Wombwell Woods, and approximately 320m west of the site, targeted features which had been identified in the Geophysical Survey. Features which were interpreted as field boundaries, which did not conform to the current field system, were identified. Although no dating evidence was available, given the prevalence of prehistoric or Romano-British activity within the vicinity, it is likely that these features are comparable (WYAS. 1995)

2.2.5 Archaeological features, including pits, gullies and a ditch, of potential late prehistoric or Romano-British date have also been identified at School Street, approximately 250m south of the site. Although no datable material was recovered from the features, their stratigraphic relationships and the nature of their fills was suggestive of potential late prehistoric or Romano-British origin (ASWYAS. 2007).

2.2.6 A Geophysical Survey was carried out across the site which identified anomalies which are likely to be of archaeological origin, with former field boundaries and agricultural anomalies also noted (Magnitude. 2024). Features thought to be of archaeological origin include a ditch flanked trackway, ring ditches and possible enclosures.

2.2.7 Shallow coal mining works are recorded within the north-eastern corner of the site although this is not reflected in the results of the Geological Survey and therefore it is unlikely this activity impacted archaeological features.

### 3. Project Details

#### 3.1 *Aims and Objectives*

3.1.1 The aim of the Archaeological Trial Trenching is to determine the presence and/or absence of archaeological features. Should archaeological features be encountered, their extent, depth, character and/or significance will be investigated and recorded to enable an assessment of the archaeological potential. This will allow the Archaeologist at SYAS to make a reasoned decision regarding any required mitigation.

3.1.2 Based on known archaeological activity within the vicinity of the site, and the results of the Geophysical Survey, the evaluation has the potential to inform the following research questions outlined in the South Yorkshire Historic Environment Research Framework;

- QSY0029: Can we characterise different types of Iron Age and Romano-British field systems in different landscape zones and environments?
- QSY0030: What were the economic, social or political roles of Iron Age and Romano-British field systems?
- QSY0034: What were the reasons for variations in the form, shape, and size of Iron Age and Romano-British field systems and fields?
- QSY0040: What were the economic, social or political roles of linear trackways?
- QSY0041: What may we deduce from studies of trackways with respect to changes in the agrarian landscape? What can we say about any relationships or discontinuities between Iron Age and Romano-British routeways and roads?
- QSY0042: Can we identify more tangible physical traces of past human and animal movements through the landscape?
- QSY0043: Can any spatial patterning be identified within roundhouses in South Yorkshire?
- QSY0044: Can any clear traditions of the internal use of space within roundhouses and rectangular buildings be identified?
- QSY0045: Is it possible to distinguish between roundhouses occupied on a permanent basis, or examples inhabited seasonally?
- QSY0046: How can we better understand depositional patterns within and around roundhouses?

### 3.2 *Excavation Rationale*

Twenty two trenches are proposed, positioned in order to assess features identified in the results of the Geophysical Survey, but also in areas supposedly devoid of features (Fig 2). With the exception of Trench 3, 14 and 19 which measure 25m x 4m, all trenches measure 40m x 2m.



### 3.3 Output and Dissemination

3.3.1 It is anticipated that the project will produce the following output

Data type	Detail
Physical Archive	Drawn plans and sections- permatrace Site indices (context, photograph, drawing, samples) Finds collected during the evaluation Environmental material retained from samples collected during the evaluation
Digital Archive	Diggit derived data (PDF context sheets and indices. .xlsx indices) GIS ESRI Shapefile (.shp & .shx & .dbf, plus associated files) Photographs .jpg, .raw (to be deposited as .tiff). to include all photographs taken during the project Reports (.docx & PDF). WSI, evaluation report and all associated specialist reports
Reports	Printed evaluation report

3.3.2 All digital data will be curated in line with the attached Data Management Plan.

3.3.3 MAP undertake public engagement for all appropriate projects. This will be offered in numerous ways to reflect the nature of the archaeological works. It is likely that public engagement will be via site notices and discussions with the public during the duration of the fieldwork. A copy of the evaluation report will be submitted to the local Historic Environment Record for public access.

## 4. Fieldwork Methodology

### 4.1 Excavation Methodology

4.1.1 The positions of all trenches will be located using a Trimble GPS Rover and necessary precaution will be taken over underground services and overhead lines.

4.1.2 All overburden, topsoil and any subsequent subsoils will be carefully removed by mechanical excavator using a wide toothless blade, under archaeological supervision, to the top of archaeological features or layers. Excavated soils will be separated and placed either side of the trenching; all spoil will be stored and managed in line with the standards of the Construction Code of Practice for Sustainable Use of Soils on Construction Sites (DEFRA. 2009).

- 4.1.3 Minor adjustments may be undertaken to avoid previously unknown obstacles such as vegetation or services, or to enable machine manoeuvring. Trenches located to target specific features will not be moved without prior agreement of SYAS.
- 4.1.4 Should trenches require stepping or shoring to reach their required depth for reasons of access and egress, the base of the trench will reflect their original size specified in section 3.2. However, SYAS may also request an extension of any such trenching to investigate deep and/or significant archaeology pursuant to a better understanding at the evaluation stage; this would be within the contingency sums supplied to the Client.
- 4.1.5 Archaeological deposits will be cleaned and excavated by hand using appropriate tools. The stratigraphy of all trenches will be recorded, regardless of a lack of archaeological features.
- 4.1.6 The recommended excavation sampling policy, outlined in the Standards for Archaeological Field Evaluation is:
- An initial half section of all discrete features. Where justified further excavation may be deemed necessary;
  - linear features will be sampled a minimum of 20% along their length (each sample section to be not less than 1m), or a minimum of a 1m sample section, if the feature is less than 5m long;
  - All junctions/intersections and corners of linear features will be investigated, and their stratigraphic relationships determined – if necessary, using box sections. All termini will be examined;
  - Funerary contexts, buildings and industrial features will be subject to sufficient excavation to establish the objectives of the evaluation;
  - No archaeological deposit will be entirely removed unless this is necessary to meet the aims of the project.

## **4.2 Recording Methodology**

- 4.2.1 All archaeological deposits and features will be recorded in written format using DiggIt Archaeology, a digital recording system which is compatible with the MoLAS recording system. All indices will be produced using MAP's pro forma sheets.
- 4.2.2 Drawn records of archaeological material will be undertaken through hand drawn plans and sections, scaled appropriately to the excavated feature.

4.2.3 Digital photography will be undertaken in accordance with standards set by Historic England and the recipient archive. All digital photography will be undertaken using a high quality camera recommended to have no less than an APS-C or DX size sensor of 10 megapixels and to be capable of generating images in RAW to be converted to TIFF for archive and JPEG for reporting. Appropriately sized scales will be used in all photography.

### 4.3 *Sampling Strategy*

4.3.1 A sampling strategy for the recovery for environmental remains has been formulated in accordance with an Environmental Strategy written by an Environmental Consultant (Diane Aldritt, Appendix 2).

4.3.2 Where necessary provision will be made for relevant specialists to visit the site.

4.3.3 Bulk samples will be taken from all securely stratified deposits using a strategy which combines systematic and judgement sampling, but which also follows the methodologies outlined in the English Heritage (2011) '*Environmental Archaeology: A Guide to the Theory and Practice of Methods, from Sampling and Recovery to Post-excavation (Second Edition)*' guidance. As standard a 40-litre sample will be taken, where this is not possible, entire contexts may be sampled. Positive features will also be sampled; retention of structural material such as bricks will be implemented where necessary.

4.3.4 Sampling will also be considered for those features where dating by other methods (for example pottery and artefacts) is uncertain. Such sampling may be carried out at the request of SYAS or following advice from the Historic England Science Advisor and may include, but is not restricted to, radiocarbon dating, luminescence dating and archaeomagnetic dating.

4.3.5 Animal bones will be hand collected, and bulk samples collected from contexts containing a high concentrations of bone. Spot finds of other material will be recovered where applicable.

4.3.6 Flotation samples and samples taken for coarse-mesh sieving from dry deposits will be processed at the time of the fieldwork, or as soon as possible thereafter, partly to permit variation of sampling strategies.

### 4.4 *Human Remains*

4.4.1 Should any inhumation or cremation burials be encountered, their extent, number and state of preservation will be established and the Archaeologist at SAYS will be notified to discuss an

appropriate strategy for their management. Remains should not be removed or chased beyond the existing limits of excavation prior to agreement with the SAYS, and not without a licence.

4.4.2 It is considered best practice to not remove the remains during evaluation, however, this should be considered at a site-specific level. If it is deemed necessary to remove human remains, this will be carried out under the conditions of, and after the receipt of, licences for the removal of human remains (issued by the Ministry of Justice) and in accordance with the Burial Act (1857), '*Updated Guidelines to the Standards for Recording Human Remains*' (Brickley & McKinley. 2017), ClfA guidelines '*Excavation and Post-Excavation Treatment of Cremated and Inhumed Human Remains*' (McKinley & Roberts. 1993), and all Historic England and Advisory Panel on the Archaeology of Burials in England (APABE) guidance, to ensure that they are treated with due dignity. The preferred option would be for them to be adequately recorded using the aforementioned recording systems and photogrammetry, before lifting, and then carefully removed for scientific study, and long-term storage with an appropriate museum; however, the burial licence may specify reburial or cremation as a requirement.

#### 4.5 *Artefact recovery*

4.5.1 All stratified archaeological artefacts and ecofacts will be collected, except for modern (mid-20th century or later) finds from topsoil and subsoil contexts unless it is determined that they are of archaeological interest. All artefacts will be bagged and labelled by type and context.

4.5.2 Removal, packaging, and labelling of finds will be undertaken in accordance with '*First Aid for Finds*' and specific Historic England guidance as required.

4.5.3 Artefacts defined as treasure under the Treasure Act 1996 (as supplemented by the Treasure (Designation) Order 2002) will be treated in accordance with the Treasure Act 1996 Code of Practice. All finds of treasure must be reported to the local coroner within 14 days of discovery. In the first instance, it is recommended that details of the find are provided to the local Portable Antiquities Scheme Finds Liaison Officer to confirm that it constitutes treasure; they will be able to apply for a Treasure Reference Number and declare the find to the coroner. SYAS will also be notified. A short Treasure Report will be compiled for submission to the coroner.

4.5.4 Where recovery of treasure cannot be undertaken on the same working day as the discovery, suitable security measures will be taken to protect the finds from theft.

## 5. Post-Investigation Assessment, Analysis and Reporting

### 5.1 *Assessment & Analysis*

- 5.1.1 Upon completion of the evaluation, the artefacts, soil samples and stratigraphic information will be assessed as to their potential and significance for further analysis.
- 5.1.2 A rapid scan of all excavated material will be undertaken by conservators and finds researchers in collaboration. Material considered vulnerable will be selected for stabilisation after specialist recording.
- 5.1.3 Where intervention is necessary, consideration will be given to possible investigative procedures (e.g. glass composition studies, residues in or on pottery, and mineral preserved organic material).
- 5.1.4 Allowance will be made for preliminary conservation and stabilisation of all objects and an assessment of long term conservation and storage needs.
- 5.1.5 Assessment of artefacts will include inspection of X-radiographs of all iron objects, a selection of non-ferrous artefacts (including coins), and a sample of any industrial debris relating to metallurgy
- 5.1.6 Once assessed, all material will be packed and stored in optimum conditions, as described in First Aid for Finds.
- 5.1.7 Waterlogged organic materials will be dealt with, following Historic England documents, Guidelines for the care of waterlogged archaeological leather, and guidelines on the recording, sampling, conservation and curation of waterlogged wood.
- 5.1.8 Processing of all samples collected for biological assessment, or subsamples of them, will be completed. Bulk and site-riddled samples from dry deposits will have been processed during excavation, where possible.
- 5.1.9 The preservation state, density and significance of material retrieved will be assessed, following methods presented in Environmental Archaeology (Historic England. 2011). Unprocessed subsamples will be stored in conditions specified by the appropriate specialists.

5.1.10 Assessments for any technological residues will be undertaken. Any required samples for dating will be submitted to laboratories promptly, so as to ensure that results are available to aid development of specifications for subsequent mitigation strategies.

5.1.11 Basic stratigraphic information will be supplied to the project specialists' outlines in section 7.

## 5.2 Reporting

5.2.1 A brief, interim report may be required shortly after the completion of fieldwork.

5.2.2 On completion of the post-excavation assessment, an assessment report will be prepared, to include the following as a minimum:

- An introduction including background information (with planning application details, where appropriate);
- The original research aims and objectives and rationale for selected area of investigation;
- An archaeological and historical baseline;
- A description of results;
- A report of all find and sample categories to assessment level, by appropriate specialists, including their research potential;
- The results of any scientific dating;
- A discussion of the results including a phased interpretation of the site;
- A summary of the results in their local, regional, and national context, and the extent to which the work has addressed the project aims and objectives;
- An assessment of the effectiveness of the evaluation strategy, including earlier stages of work;
- Recommendations for any further investigation, specialist analysis or conservation, recording and/or preservation of in situ archaeological remains, to be determined in consultation with SYAS;
- Supporting illustrations, including as a minimum:
  - A detailed location map;
  - A detailed site plan showing all trenches, as excavated;
  - Plans for all trenches where archaeological features were identified;

- Detailed plans of archaeological features;
  - Detailed sections of archaeological features;
  - An overall (phased) site plan showing all archaeological features recorded;
  - Selection of photographs of work in progress;
  - Select artefact illustrations and/or photographs.
- Supporting tables of data;
  - Acknowledgements identifying those involved in the project.

5.2.3 Where an updated WSI is necessary, the updated document should contain:

- Any changes to the aims and objectives of the project;
- The requirement and content of the final analysis report;
- Any changes to the archive arrangements, including details of proposed specialist conservation;
- Any updates to the Selection Strategy and Data Management Plan.

5.2.1 Copies of the report will be submitted to the commissioning body and the Local Planning Authority within 3 months of the completion of the evaluation, unless an alternative timescale is agreed.

5.2.2 We will provide a physical and digital copy of the report to the Historic Environment Record. A digital copy will also be lodged with OASIS.

5.2.3 Printed copies of reports will be included with the physical archive to the recipient museum (see section 6).

5.2.4 Unless the individual/organisation commissioning the project wishes to state otherwise, the copyright of any written, graphic or photographic records and reports rests with MAP.

## 6. Archive

### 6.1 Working Archive

6.1.1 All material (whether digital or physical) recovered or generated through the duration of the field evaluation project will be appropriately and securely stored in a working project archive. This will be

undertaken in accordance with the selection strategy and digital data management plan set out at the commencement of the project (Appendix 1).

- 6.1.2 All physical documents or drawings will be indexed, collated, and stored in a secure location when not in use.
- 6.1.3 Secure digital security copies will be made of physical and born digital records at regular intervals, to be stored and backed up in a secure location. Documents and drawings will be scanned at an appropriate resolution (see Appendix 1).

## **6.2 *Archive Deposition***

- 6.2.1 The requirements for archive preparation and deposition must be addressed and undertaken in a manner agreed with the recipient museum, who will be contacted before commencement of fieldwork. The museum will also be contacted during a mid-point review of the project during which information will be passed to the museum regarding the archive and the proposed timescale for deposition and following the completion of work.
- 6.2.2 Guidance set out in the ClfA Toolkit for Selecting Archives (2019) will be followed, prior to the commencement of fieldwork in order to establish project-specific strategies for the retention or discarding of material. The retention of material will also be discussed with the Museum with regards to the significance and research potential of the archive.
- 6.2.1 At the time of writing Barnsley Museum has been contacted in regard to their Archive deposition strategy and to arrange an accession number. The timetable for deposition shall be agreed on completion of the site archive and narrative. A copy of the archive receipt will be provided to the SYAS.
- 6.2.2 The digital archive will be deposited with the Archaeology Data Service (ADS) at the University of York.

## **7. Staffing**

- 7.1 All Project Officers and Project Managers hold a valid First Aid at Work Certificate and Site Supervisor Safety Training qualifications.

7.2 At the time of writing the field work team is to be confirmed, however as a minimum the following contacts will be relevant for the duration of the project.

- Charlie Puntorno – Archaeology and Heritage Manager

Telephone – 07879791369

Email – charlie@maparchltd.co.uk

- Andy Lines- Archaeologist- SYAS

Telephone – 0114 2736354

Email – andrew.lines@sheffield.gov.uk

- Andy Hammon-Historic England Science Advisor

Telephone- 07747486255

Email- andy.hammon@historicengland.org.uk

7.3 The following Specialists have been contacted as are available to work on the project:

- Prehistoric pottery – T. Manby
- Medieval & Post-medieval pottery – M R Stephens (MAP)
- Roman pottery – Dr David Griffith
- Flint – F. Foulds
- Animal Bone – Jane Richardson
- Environmental Sampling – Diane Alldritt
- Conservation – York Archaeology
- Human Remains – York Osteoarchaeology
- Ceramic Building Material – Dr David Griffith
- Clay Tobacco Pipe – M R Stephens (MAP)

## 8. Bibliography

British Geological Society. Geology of Britain Viewer. Available at:  
<http://mapapps.bgs.ac.uk/geologyofbritain/home.html> [accessed 24.09.24]

ClfA. 2023. Standard for archaeological field evaluation

ClfA. 2023. Universal guidance for archaeological field evaluation

Magnitude Surveys. 2024. Geophysical Survey Report of Hemingfield Road, Barnsley

MAP. 2022. Land off Hemingfield Road, Hemingfield, South Yorkshire. Archaeology and Heritage Desk Based Assessment

West Yorkshire Archaeological Services. 1995. Dearne Towns Link Road: Archaeological Evaluation

Archaeological Services West Yorkshire Archaeological Services. 2007. Land off School Street, Hemingfield, South

## Appendix 1: Digital Data Management Plan

Project Administration	
Project Name	Land off Hemingfield Road
Site Code	5.39.23
Project Description (E.g., number of trenches, area of excavation)	Excavation of 22 archaeological trenches
OASIS ID	maparcha1-526721
Museum Name & Accession code (where applicable)	Experience Barnsley Accession Code TBC
Client/ Landowner (where applicable)	Hargreaves Land
Project Lead	TBC
Project Manager	Charlie Puntorno
Date & Version	VB 15.11.24

### Data Collection

Geophysical survey has previously been undertaken at the site and will be used to inform the evaluation strategy. The data images including interpretation are likely to be included within the project report with permission, but the original data copyright resides with the original researchers (Magnitude Surveys) and will not be deposited with this project archive.

Data to be Collected/ Created (to be updated throughout duration of project)		
Type	Format	Volume
GIS	ESRI Shapefile (.shp & .shx & .dbf, plus associated files) (Metadata to be deposited as .csv)	WSI= 2 shapefiles
CAD	.dwg, .dxf (Metadata to be deposited as .csv)	
Spreadsheets & databases	Excel (.xlsx) Access (.accdb) (to be deposited as .csv)	
Images	.jpg, .raw (to be deposited as .tiff)	WSI=1 .jpg
Text/ Documents	Word (.docx) PDF (.pdf)	WSI = 3.docx & 5 pdf

- All data will be collected in line with the project specific Written Scheme of Investigation, *Guides to Good Practice* produced by the ADS and MAP's guidance on the *Creation and Treatment of Documentary, Digital and Material Archives*.
- The digital archive will be stored in an appropriately named project specific folder which will be regularly backed up. All data raw data will be stored in the appropriate folder. Version control will be maintained throughout the project.

### Documentation and Metadata

- Data collected will include standard formats which maximise opportunities for use and reuse in the future
- Data documentation will meet the requirement of the Museum Deposition Guidelines, Digital Repository Guidelines and the methodology described in the Written Scheme of Investigation. Following the completion of the project all paper-based material will be digitised and included within the archive.
- A metadata form consistent with ADS examples will be completed for each dataset and included within the final archive. As a minimum the metadata will include a file name, keywords & dates, creator & date of creation, copyright holder, location (site address or coordinates as appropriate), software and version
- An archive catalogue documenting both physical and digital archive products will be maintained and submitted with both the Museum and Trusted Digital Repository (ADS).

### Ethics and Legal Compliance

- MAP staff must only participate in work which conforms to accepted ethical standards and which they are able to competently perform. Where there is any doubt, which should be raised with management.
- MAP places an emphasis on internal peer review of documents and the discussion of results. All Written Schemes of Investigations are reviewed by the relevant Local Authority Archaeologists prior to submission. Where confidentiality is requested by a client, this is strictly upheld by MAP.

- The project archive will include the names of all individuals who contributed to the project unless it is requested otherwise. No personal data will be held within the project archive.
- MAP have a GDPR compliant Privacy Policy underpins the management of all personal data. Such data is not retained in project specific folders and is not accessible to unauthorised staff nor will it be shared with any third-party companies.
- Unless otherwise agreed at the inception of a project, the copyright of all data collected throughout the project belongs to MAP. The inclusion of data derived from external specialists and/or contractors is secured at the point of agreement of their participation on the project.
- By depositing an archive with an HER or museum MAP gives permission for the material presented to be used by the recipient, in perpetuity, although MAP retains the right to be identified as the author of all project documentation and reports as specified in the Copyright, Designs and Patents Act 1988 (Chapter IV, section 79).
- All relevant licences and permissions to reproduce external data are discussed in the site-specific Written Scheme of Investigation and all subsequent reporting, including Desk Based Assessment. Where site specific licences are required (i.e. for the removal of human remains), licence numbers and dates will also be included within site reports and a copy of the licence held within the archive.

#### Data Security: Storage and Backup

- MAP's current IT infrastructure is divided between SharePoint for documents and an NAS (Network Attached Storage) drive for larger data files (acting as back up of locally held files on work laptops). Both require username and password intrinsic to the individual users.
- Digital Recording is currently provided by DiggItArchaeology.com, who provide access to their mobile app and web app via email and password login. The backup of recorded material is provided by DiggIt's use of the three-point server system with automatic backups working in tandem. DiggIt's data is encrypted in transit and stored and backed up on a MongoDB Atlas server cluster of 3 replicate nodes in the Republic of Ireland (in the GDPR-compliant EEA). In the rare event that one server is down, a

replicate node instantly replaces it with no perceptible change in behaviour or functionality. These servers are backed up daily, and the datacentres housing them are accredited to ISO 27001 (2005) or higher. In the very unlikely scenario that data must be restored from a backup, we estimate the Recovery Time Objective (RTO) for restoring this data to be approximately 10 minutes of downtime. At the close of the site material will be downloaded and stored using SharePoint.

- In regard to filing within the SharePoint and NAS, a folder template sets out the associated locations of files; these folders should be appropriately named and populated with file names for field data stored on the NAS. See section on “Naming Conventions”
- SharePoint is maintained/delivered under licence by Practical Networks with in-house maintenance by the Commercial Director. The NAS drive is a WD PR2100 and is maintained by the Archaeology and Geomatics Manager with weekly backups and checks of the data; field data such as photographs and survey data to be uploaded weekly by the Project Officer.
- Field and in-house access to the SharePoint and the NAS drive is limited/restricted by user email and password.
- Files such as databases, tables and documents required by the external specialists and in-house post-excavation team will be distributed using the SharePoint system. Any further data such as photographs, AutoCAD files, QGIS projects etc will be distributed via secure alternative means (WeTransfer or similar) to protect the integrity of the NAS Drive.

### **Selection and Preservation**

- A selection strategy and the DMP for each project will be considered from the inception of the work. The process of selection should be devised in consultation with LPA frameworks, guidance and individual stakeholders, reviewed by the Appointed Project Manager at each milestone of a project’s lifespan; inclusive a peer review and appropriate consultation with stakeholders to provide quality assurance.
- The strategy should dictate which parts of the archive, both digital and analogue, are relevant and would provide future generations with a soundly curated archive.

Documents and Data should be quality assured prior to deposition, checking for consistency and following any deposition guidance of the eventual repository

- All costs relating to the digital archiving have been factored into the original quote and intended repository will be notified. At each milestone costing considerations must be undertaken to ensure that deposition is not out of pocket or unexpectedly above factored levels.

### Data Sharing

- A summary of the site will be made available at the earliest opportunity, latterly curated and adapted at each major milestone to reflect most up to date information regarding the site.
- All reports relevant to the site will also be curated and added to the OASIS record, updated at pertinent milestones of the project; the final report must be lodged with the HER in the first instance.
- Any archive material must be authorised for dissemination by the relevant stakeholders, primarily this is likely to be the client; though any such action will only be temporary, and usually as a result of planning issues.

### Responsibilities

- The appointed Project Manager shall ensure the DMP is correctly followed, reviewed and adapted (where appropriate) at each milestone. In the unlikely event that the project changes hands, the responsibility will ultimately rest with the Managing Director, who will ensure the needs of the DMP are addressed and properly handed over to the next Project Manager.
- Curation of the field data, data synthesis/analysis, quality assurance should be the responsibility of senior figures of the project team, usually the Project Officer/Supervisor. They will make sure that all data is stored correctly and backed up to minimise any loss of integrity of the archive.
- Reports both internal and external shall be subject to MAP's ideal naming preferences of project files. It is the responsibility of each department to ensure their curated

report/work is correct, quality assured and seek clarification from the authors (external or otherwise) of any document which contains errors.

- All work will be latterly audited by the Project Manager working towards creating an archive and level of reporting which is both ethically sound, accurate and reliable for future use by anyone internal or external to the company.

## Naming Conventions

- Files and Folders should be named consistently throughout the project folder. The use of an \_ (underscore) should be used to separate words instead of spaces e.g. use Pott\_Asmnt instead of Pottery Assessment. File names vary according to the content of the file, the \_ rule still applies here.
- There should be no spaces in any file naming
- No symbols (e.g. #?,) should be used as they are not ADS compliant
- Full stops in file names are not accepted, except between file name and file type
- Abbreviate where possible, losing extraneous vowels and consonants, as file paths are cumulative and cannot exceed a certain number of characters
- Naming Examples.

### - Reports and digitised registers

Should follow the structure of: Site Code, Type of Work (Adding excavation Phase if required), Component, Version. Varied slightly for digitised registers as per example:

e.g. 05-08-20-TT\_FINALReport\_A210622

05-26-19-EXC\_PhB\_App01\_CtxtListing

### - Digital Photographs and Black & White Photographs

Should include the Site Code, Type of Work (Adding excavation Phase if required), and Frame No, varied slightly for B&W film:

e.g. 05-08-20-TT\_Digi\_001

05-26-19-EXC\_PhB\_BW\_FLM01-001

NB be aware that jpegs and raw (as well as selected archive tiff's) should be in separate folders and be concurrent with each other

- Scanned Site Registers  
Should be scanned in pdf format and be formatted as: Site Code, Type of Work (Adding excavation Phase if required), Register Name.  
e.g. 05-08-20-TT\_CtxtReg  
05-26-19-EXC\_PhsB\_DrawReg
  
- Scanned Context Sheets & other site sheets  
Should be scanned in pdf format and be formatted as: Site Code, Type of Work (Adding excavation Phase if required), Type of Sheet, Sheet Nos.  
e.g. 05-08-20-TT\_Ctxt-0001-0050  
05-26-19-EXC\_PhsB\_Ctxt0001-0050
  
- Site Drawings and Plans  
Should be scanned as TIFF's and be formatted as: Site Code, Type of Work (Adding excavation phase if required), Drw, Sheet No  
e.g. 05-08-20-TT\_Drw\_Sh-001  
05-26-19-EXC\_PhsB\_Drw\_Sh-001

NB. The phase of work or field numbers may only be relevant at the time the work was undertaken, if work is part of a larger continuing outline, check where the next tranche of numbers will start and bare that in mind or check with PM prior to archiving reports.

## List of Abbreviations

### Registers

Ctxt

Drw

Digi

BW

Env

SF

## Specialist Reports

Pott Pottery

ABn Animal Bone

FeR Iron Waste Residues

Crbn Carbonised Plant Remains

Cnsrv Conservation

## Appendix 2: Environmental Strategy

By Diane Alldrit

The on-site environmental sampling strategy will systematically seek to recover a representative sample of botanical, molluscan (both terrestrial and aquatic), avian and mammalian evidence from the full range of contexts encountered during the excavation. This will enable, at the assessment stage, the possibility for radiocarbon dating material to be obtained, and for an initial analysis of the economic and environmental potential of the site. In order to achieve this, a bulk sample (BS, Dobney *et al* 1992) comprising an optimum size of 40litre of sediment (where possible) should be taken from **every stratigraphically secure and archaeologically significant context**. In practice it may not always be possible to obtain 28l of sediment from certain features during the assessment stage, for instance from partially excavated pits or post-holes, in which case a single bucket sample, c.10 to 14litre should be taken at the site supervisors' discretion. Deposits of mixed origin, for instance topsoil, wall fills and obvious areas of modern contamination, should be avoided where possible, as these will contain intrusive material and not provide secure radiocarbon dates.

All buckets and other sampling equipment must be clean and free of adherent soil in order to prevent cross-contamination between samples. If dry soil is to be stored for any length of time it should be kept in cool, dry conditions, and away from strong light sources. However, it is preferable to process samples as soon as possible after excavation.

Bulk soil samples shall be processed using an Ankara-type water flotation machine (French 1971) for the recovery of carbonised plant remains and charcoal. The flotation tank should contain a >1mm mesh for collection of the retent or 'residue' portion of the sample (which may contain pottery, lithics and animal / bird bone, in addition to the heavier fragments of charcoal which do not float). The 'flot' portion of the sample, which may include carbonised seeds, cereal grain, charcoal and sometimes mollusc shell, should be captured using a nest of >1mm and >300micron Endicot sieves. Flotation equipment, including sieves, meshes, brushes and so forth must be meticulously cleaned between samples in order to prevent contamination of potential radiocarbon dating material. All material resulting from flotation will be dried prior to microscopic examination. Flotation is not suitable for the recovery of pollen or for processing waterlogged samples, which shall be discussed below.

Where there is potential for waterlogged preservation, shown for instance by the presence of wood and other organic or wet material, then a 5 to 10litre size sample should be taken (GBA sample, Dobney *et al* 1992). This material is to be retained for later processing using laboratory methods to enable the recovery of waterlogged plant material and insects. For assessment purposes a 1litre sub-sample of the organic sediment from each potential waterlogged sample shall be processed using laboratory wash-over methods, and once processed **kept wet**. All waterlogged samples awaiting processing should be kept damp, preferably stored in plastic sealable tubs, and in cool conditions. Where large waterlogged timbers are recovered these should be stored under refrigerated conditions and an appropriate conservator consulted.

There is the possibility that the waterlogged deposits may require parasite egg analysis. It is proposed that the 'squash' technique is adapted, this would require small lumps of raw sediment approximately 3mm in diameter taken from three separate points from within the sample and homogenised in a little water by shaking. After allowing coarse particles to settle for a few moments, a drop of the supernatant was removed. This work would be undertaken by either John Carrott or Harry Kenwood if necessary.

If sediment suitable for pollen analysis is encountered, for instance rich organic peaty deposits, or deep ditch sections with organic preservation, the archaeobotanical specialist is to be consulted prior to any sampling taking place. These deposits would require sampling with large kubiena tins and require the specialist to be on-site. Pollen analysis, even at assessment level, would subsequently impose a considerable cost implication should it be carried out.

The specialist is available to provide consultation and advice on the environmental sampling strategy throughout the course of the excavation and during post-excavation processing if required.

## References

Dobney, K. D., Hall, A. R., Kenward, H. K. and Milles, A. 1992 A working classification of sample types for environmental archaeology. *Circaea* 9 24-26.

French, D. H. 1971 An Experiment in Water Sieving. *Anatolian Studies* 21 59-64.

MAP. 2024 Land North of Grove Road, Retford, Nottinghamshire. Archaeology and Heritage Desk Based Assessment

## Appendix 3: Conservation Strategy

By Ian Panter of York Archaeological Trust

Artefacts from all categories and all periods will be recovered as a matter of routine during the excavation. When retrieved from the ground finds will be kept in a finds tray or appropriate bags in accordance with **First Aid for Finds**. Where necessary, a conservator may be required to recover fragile finds from the ground depending upon circumstances.

If waterlogged conditions are encountered a wide range of organic materials may be recovered, including wood, leather and textiles. Advice will be sought from a conservator to discuss optimum storage requirements before any attempt is made to retrieve organic finds and structural timbers from the ground.

After the completion of the fieldwork stage, a conservation assessment will be undertaken which will include the X-radiography of all the ironwork (after initial screening to separate obviously modern debris), and a selection of the non-ferrous finds (including all coins). A sample of slag may also be X-rayed to assist with identification and interpretation. Wet-packed material, including glass, bone and leather will be stabilised and consolidated to ensure their long-term preservation. All finds will be stored in optimum conditions in accordance with **First Aid for Finds** and **Guidelines for the Preparation of Excavation Archives for Long-Term Storage** (Walker, 1990).

Waterlogged wood, including structural elements will be assessed following the English Heritage guidelines, **Waterlogged wood: sampling, conservation and curation of structural wood** (Bruning 1996). The assessment will include species identification, technological examination and potential for dating.

The conservation assessment report will include statements on condition, stability and potential for further investigation (with conservation costs) for all material groups. The conservation report will be included in the updated project design prepared for the analysis stage of the project.

# Land off Hemingfield Road Hemingfield South Yorkshire

## Evaluation by Trial Trenching VA 05-39-23 Selection Strategy

### Project Information

#### Project Management

<b>Project Manager</b>	Charlie Puntorno <a href="mailto:Charlie@maparchltd.co.uk">Charlie@maparchltd.co.uk</a>	
<b>Archaeological Archive Manager</b>	Kelly Hunter <a href="mailto:kelly@maparchltd.co.uk">kelly@maparchltd.co.uk</a>	
<b>Organisation</b>	MAP Archaeological Practice	
<b>Stakeholders</b>		<b>Date Contacted</b>
<b>Collecting Institution(s)</b>	Barnsley Museums Archaeological Data Service	25.09.24
<b>Project Lead / Project Assurance</b>	Collections Team (Barnsley Museums) Collections Development Manager (ADS)	25.09.24
<b>Landowner / Developer</b>	Hargreaves Land	
<b>Other</b>		

#### Resources

##### Resources required

Describe the resources required to implement this Selection Strategy, particularly if unusual resources are required.

No additional resources required outside of the norm

#### Context

The full aims and objectives are outlined in the attached WSI. The primary aim of the project is to assess the archaeological potential of the site prior to development. The trial trenching follows a desk based assessment

The selection strategy will be guided by the aims and objectives of the project as outlined in the WSI.

MAP. 2024. Land off Hemingfield Rd, Hemingfield, South Yorkshire. Archaeology and Heritage Desk Based Assessment

South Yorkshire Historic Environment Research Framework. Available at <https://researchframeworks.org/syrf/> [accessed 25.09.24]

A full bibliography and details of best practice and guidance documents are provided in the WSI.

## 1 – Digital Data

### Stakeholders

Name the individual(s) responsible for the Digital Data Selection decisions (i.e. Archaeological Archive Manager, Project Manager, Collections Curator).

Charlie Puntorno (MAP- Archaeology and Heritage Manager), Max Stubbings (MAP- Archaeology and Geomatics Manager), Kelly Hunter (MAP, Post Excavation Manager)

### Selection

#### Location of Data Management Plan (DMP)

All digital data will be collected, stored and selected in lines with MAP's Data Management Plan (attached to the WSI), located on MAP's servers (available on request).

- 1.1 Strict version control will be applied throughout the project in line with the Data Management Plan (DMP). It is proposed that only the final version of all born digital documents (reports, databases, images-including those created by specialists) will be selected for inclusion in the Archive. Digital photographs will be assessed during post ex and selection based on the principles set out in the DMP and HE guidelines. All raw and processed survey data will be included in the archive.
- 1.2 The digital data will be reviewed following data gathering and analysis to check that data is being properly preserved and version control upheld in-line with the DMP. The final decision about selection for inclusion in the Archive will be made (by the Archaeology and Geomatics Manager) following the reporting stage of the project and enacted during archive completion. A metadata form consistent with ADS examples will be completed for each dataset and included within the final archive.
- 1.3 The following standards/ guidelines will guide the selection of digital data:
- 1.4 Map Archaeological Practice. 2022.. Data Management Plan.  
ADS Guides to good practice. <https://guides.archaeologydataservice.ac.uk/g2gp/Main>  
ADS Guidelines for Depositors <http://archaeologydataservice.ac.uk/advice/guidelinesForDepositors>  
ADS Guidance for the selection of material for deposit and archive  
Historic England (2015a) Digital Image Capture and File Storage

### De-Selected Digital Data

The procedure for dealing with De-selected digital data and what specialist advice informed this process should be recorded in your DMP. Please copy this information here or attach your DMP as an appendix to

this document.

All stakeholders will be consulted on the fate of all de-selected material. It is envisaged that the de-selected material will be retained on the MAP servers for 2 years following the completion of the project at which point they will be reviewed and deleted as necessary in line with the DMP.

### Amendments

Date	Amendment	Rationale	Stakeholders

## 2 – Documents

### Stakeholders

Name the individual(s) responsible for the Documents Selection decisions (i.e. Archaeological Archive Manager, Project Manager, Repository Representative).

Charlie Puntorno (MAP- Archaeology and Heritage Manager), TBC (MAP-Project Officer), Barnsley Museums Archives Team

### Selection

2.1 All original documentary material created during data gathering (including those created by specialists) will be selected for inclusion in the archive. Duplicates, photocopies of originals and research materials will be discarded during archive completion in line with the Clifton Park Museum's Deposition Standards.

2.2 The documentary archive will be reviewed following analysis an again at archive completion in order to select for the inclusion in the archive. The site derived archive will be reviewed and curated continuously by the on site Project Offer.

2.3 The following standards/ guidelines will guide the selection of digital data:

MAP Archaeological Practice. 2022. Data Management Plan.

Map. 2022. Post-excavation finds processing, retention and discard procedures

### De-Selected Documents

It is envisaged that the material de-selected from inclusion in the preserved archive will be duplicates or re-productions created during the analysis phase of the project. De-selected material will therefore, either be retained to by MAP or recycled.

### Amendments

Date	Amendment	Rationale	Stakeholders


### 3 – Materials

**Note:** This step should be completed for each material component of the archaeological archive. Copy this table for the various materials as required, providing the 'Material Type' and a section identifier (eg. '3.1') for each.

<b>Material type</b>	<p><b>Bulk finds</b> (pottery, CBM, animal bone, metal working debris, flint etc)  <b>Small finds including;</b> (Decorated/Stamped/Graffiti on pottery and CBM, Coins and Jettons, Metal jewellery, dress accessories (including buttons) and buckles personal objects, Metal tools and knives, Clay tools and work items, Decorated bone, worked bone and bone tools, Stone tools, querns, worked items and architectural fragments, Leather items). All finds regarded as treasure under the Treasure Act, will be reported and initially recorded as a small find.</p>	<b>Section 3.</b>	<b>1</b>
----------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------	----------

#### Stakeholders

Charlie Puntorno (MAP- Archaeology and Heritage Manager), Kelly Hunter (MAP-Post-Excavation Manager TBC (MAP-Project Officer), Barnsley Museums Archives Team

The following Specialists have been contacted as are available to work on bulk finds

Pottery - T G Manby (Prehistoric),  
M R Stephens (medieval and Post-medieval)  
P A Ware (Roman)  
Flint - P Makey  
Animal Bone – Jane Richardson  
Ceramic Building Material – Dr Phil Mills

#### Selection

3.1.1 In line with MAPS Post-excavation finds processing, retention and discard procedures, all artefacts (items made or used by humans) will be retained in the first instance during excavation. Excavators, especially novices, are instructed to err on the side of caution by retaining everything they think may even possibly be of interest.

All material gathered during the evaluation will be returned to the MAP offices for cleaning and assessment, under the management and guidance of the Post Excavation Manager. Where immediate conservation is required, finds will be transported to York Archaeology’s conservation department in York. All finds considered to be ‘small finds’ will be retained and, where appropriate, fully recorded on site.

Examples of ‘small finds’ include;

- Decorated/Stamped/Graffiti on pottery and CBM
- Coins and Jettons
- Metal jewellery, dress accessories (including buttons) and buckles personal objects
- Metal tools and knives
- Clay tools and work items
- Decorated bone, worked bone and bone tools

- Stone tools, querns, worked items and architectural fragments
- Composite Objects (organic/inorganic/metal)
- Medieval & Roman Glass
- Waterlogged wood, structures and objects: Structural wood and objects should be kept wet and advice sought immediately from a specialist.
- Leather items

3.1.2 Following analysis by relevant specialists, the entirety of the material archive will be returned to MAP. Following the analysis stage all stakeholders will assess the material and recommendations made by relevant specialists, including recommendations for retention or discard of material. No material will be discarded until all analysis and subsequent reporting (including publication where applicable) has been completed. The Heritage Manager at North Lincolnshire Museum will be kept informed of all decisions regarding the retention or discard of material, and the effect this will have on the final archive.

3.1.3 Advice will be sought by all relevant material specialists (listed above) prior to the archive completion stage of the project. A full list of relevant guidance and best practice documents are included within the WSI.

Map. 2022. Post-excavation finds processing, retention and discard procedures

## De-Selected Material

All material will be analysed by a relevant specialist during the assessment and reporting stages of the project.

All de-selected material will, with the agreement of all stakeholders, including developers/landowners, will be reburied or, where appropriate, recycled. A small amount of material may be retained by MAP for use as a reference and/or educational collection.

## Amendments

Date	Amendment	Rationale	Stakeholders

<b>Material type</b>	<b>Environmental remains</b>	<b>Section 3.</b>	<b>2</b>
----------------------	------------------------------	-------------------	----------

## Stakeholders

Kelly Hunter (MAP-Post-Excavation Manager), Tom Broomfield (MAP- Environmental Processing Supervisor), Barnsley Museums Archives Team

The following Specialists have been contacted as are available to work on environmental material  
Carbonised Plant Macrofossils and Charcoal-Diane Alldritt

Geoarchaeology- Kristina Krawiec (York Archaeology)  
 Pollen Dr Tom Hill (independent)  
 Diatoms Dr Tom Hill (independent)  
 Ostracods Dr John Whittaker (independent)  
 OSL Dr Phil Toms (University of Gloucester)  
 Plant macrofossils Stacey Adams (York Archaeology)  
 Insects Dr David Smith (University of Birmingham)

## Selection

3.2.1 All environmental samples will be processed by suitably experienced personnel, and all remains will be sent to relevant specialists (outlined above) for analysis. Specimens to be included in the working project archive may include: glass microscope slides (pollen samples, sediment thin sections), samples in vials (archaeobotanical remains eg seeds; pollen sample residues; insect remains; molluscs), resin-embedded sediment blocks and dendrochronology samples (dry wood blocks/cores).

3.2.2 The selection strategy for the retention of environmental material will be decided in collaboration with all relevant specialists throughout the duration of the project. No material will be discarded until the analysis and reporting stage of the project has been completed and any discarded material will be based on recommendations made by specialists. It is possible that material derived from environmental samples, or sub samples thereof, may be retained for future analysis, including scientific

3.2.3 A full list of relevant guidance and best practice documents are included within the WSI.  
 Dunne, J. (ed.) 2017 Organic residue analysis and Archaeology: guidance for good practice Swindon: Historic England  
 Dunne, J. (ed.) 2017 Organic residue analysis and Archaeology: supporting information Swindon: 8 Historic England  
 Historic England 2008 Guidelines for the Curation of Waterlogged Macroscopic Plant and Invertebrate Remains Swindon: Historic England  
 Historic England (2011) Environmental archaeology: a guide to the theory and practice of methods, from sampling and recovery to post-excavation (second edition) Swindon: Historic England  
 Historic England (2014) Animal bones and archaeology: guidance for dealing with archaeological animal bones and teeth, from project planning through to post-excavation Swindon: Historic England  
 Historic England 2015 Geoarchaeology: Using earth sciences to understand the archaeological record Swindon: Historic England


## De-Selected Material

All material will be analysed by a relevant specialist during the assessment and reporting stages of the project.

All de-selected material will, with the agreement of all stakeholders, will be discarded. material from samples will be retained by the specialists or by MAP for inclusion in their handling and teaching collections

## Amendments

Date	Amendment	Rationale	Stakeholders



# Archaeological Field Evaluation

## Standards & Guidance

### Contents

<b>1</b>	<b>Requirement for Archaeological Field Evaluation.....</b>	<b>2</b>
	Professional Standards .....	2
	Written Scheme of Investigation .....	2
	Monitoring.....	3
<b>2</b>	<b>Aims .....</b>	<b>4</b>
<b>3</b>	<b>Scope.....</b>	<b>5</b>
<b>4</b>	<b>Geoarchaeological Investigations &amp; Deposit Modelling.....</b>	<b>6</b>
	Desk-Based Deposit Modelling.....	6
	Field Survey.....	7
	Data Processing .....	7
	Report .....	7
	Dissemination & Archive.....	8
<b>5</b>	<b>Standards for Geophysical Survey .....</b>	<b>9</b>
	Survey .....	9
	Data Processing .....	9
	Report .....	10
	Dissemination & Archive.....	10
<b>6</b>	<b>Standards for Archaeological Evaluation Excavation.....</b>	<b>11</b>
	Evaluation Strategy .....	11
	Groundworks.....	11
	Recording .....	13
	Finds and Samples .....	14
	Post-Excavation.....	16
	Reporting.....	17
	Dissemination and Archive .....	18
<b>7</b>	<b>Standards for Public Engagement, Dissemination &amp; Publication .....</b>	<b>19</b>
	Public Engagement & Outreach.....	19
	Dissemination of Results .....	19
	Formal Publication.....	19
	Furthering Research.....	20
<b>8</b>	<b>Standards for Archaeological Archives.....</b>	<b>21</b>
	General.....	21
	Working Project Archive .....	21
	Final Archaeological Archive .....	22
<b>9</b>	<b>References .....</b>	<b>23</b>

## 1 Requirement for Archaeological Field Evaluation

- 1.1 An archaeological field evaluation is undertaken where there is reason to believe that archaeological remains may exist on the site, or where the significance of known remains is inadequately understood, such that the implications of a planning or other proposal cannot be adequately assessed.
- 1.2 SYAS should be consulted in advance of any field evaluation to agree a methodology.
- 1.3 Note: All references are correct at time of publication, and it is the responsibility of the undertaking body to review the guidance and ensure that they refer to the most current.

### Professional Standards

- 1.4 Archaeological work should be carried out using appropriate expertise and the archaeologists undertaking the work should be adequately qualified. It is good practice to use professionally accredited experts such as a ClfA Registered Organisation<sup>1</sup>. SYAS also maintain an open list of archaeological contractors who operate in the region.<sup>2</sup>
- 1.5 All archaeological work needs to comply with:
1. the Regional Statement of Good Practice for Archaeology in the Development Process;<sup>3</sup>
  2. the Chartered Institute for Archaeologist's (ClfA) standards and guidance;<sup>4</sup>
  3. Historic England's guidance on managing archaeological projects (MoRPHE)<sup>5</sup>
  4. Historic England's best practice guidance relevant to the project.<sup>6</sup>

### Written Scheme of Investigation

- 1.6 The undertaking body may be required to provide a Written Scheme of Investigation (WSI) to set out a proposed scheme of archaeological investigation in sufficient detail to demonstrate the works will be appropriate and proportionate to the known/potential remains and the anticipated level of impact.
- 1.7 The requirement and contents of a WSI on any given site should be confirmed with SYAS.
- 1.8 The WSI should be formed in reference to relevant standards, and as a minimum contain:
1. Site location (including map);
  2. Context of the project (including planning background and consultations);
  3. Project timetable/ work stages;
  4. Strategy for seeking preservation in-situ of identified features of importance;
  5. Monitoring arrangements;
  6. Description of the site identifying its geology, topography, condition etc.;
  7. Brief summary of the archaeological and historical background of the site and its environs;
  8. Detail implications (of 6 & 7 above) for archaeological and palaeo-environmental potential (of both buried and standing remains);

<sup>1</sup> A register of Registered Organisations is available online: <https://www.archaeologists.net/lookingforanarchaeologist>

<sup>2</sup> Available online: <https://www.sheffield.gov.uk/home/planning-development/south-yorkshire-archaeology-service>

<sup>3</sup> SYAS 2018

<sup>4</sup> ClfA 2020a

<sup>5</sup> Historic England 2015a

<sup>6</sup> Available online: <https://historicengland.org.uk/advice/find/a-z-publications/>

9. Aims and objectives with reference to the South Yorkshire Historic Environment Research Framework and other period specific or thematic research frameworks/strategies, as applicable;
  10. A table listing the rationale behind the location of each trench and their dimensions (including a plan that shows their location within the site);
  11. Summary of the specific outputs of the project (e.g. report, archives etc);
  12. Methodology for site investigation, sampling, assessment, analysis and reporting;
  13. Strategy for the deposition of the project archive (including a selection strategy and data management plan produced in accordance with ClfA guidance);
  14. Strategy for publication and dissemination of the results;
  15. Details of the competent person/persons or organisation undertaking the works.
- 1.9 Appropriate specialists, including the Historic England Science Advisor, should be consulted in formulating sampling strategies and methodologies specific to the site and project objectives. This should include an outline sediment sampling strategy based on deposit modelling, suspected archaeology, and previous nearby discoveries. Provision should be allowed to revise this strategy during the fieldwork, as appropriate, to account for initial results and unexpected discoveries.
- 1.10 A template Written Scheme of Investigation covering intrusive archaeological investigations is available<sup>7</sup>, providing additional guidance and allowing any deviations from these standards to be identified and justified.

### **Selection Strategy & Data Management Plan**

- 1.11 A proposed archive selection strategy must be included with the WSI, detailing the project-specific selection process, agreed by all stakeholders, for all records and materials arising from the work in creating the Archaeological Archive.
- 1.12 Where digital data is anticipated as an output of the project, the selection strategy must include a data management plan, setting out the methodology for data management from acquisition to deposition.
- 1.13 This should be produced in accordance with ClfA guidance.<sup>8</sup>

### **Monitoring**

- 1.14 SYAS will be responsible for monitoring the contractor's work. The contractor must give a minimum of one week's notice of the commencement of fieldwork in order that arrangements for monitoring can be made.
- 1.15 Minor changes to an agreed WSI must be submitted to SYAS for written approval. Major changes will require the preparation of an updated WSI for submission to the approving body (SYAS or planning authority as appropriate).

---

<sup>7</sup> See guidance for archaeological projects, available online: <https://www.sheffield.gov.uk/syas>

<sup>8</sup> Available online: <https://www.archaeologists.net/selection-toolkit> & <https://www.archaeologists.net/digital>

## 2 Aims

- 2.1 The purpose of field evaluation is to gain information about the archaeological resource within a given area or site (including its presence or absence, character, extent, date, integrity, state of preservation and quality), in order to make an assessment of its merit in the appropriate context, leading to one or more of the following:
1. the formulation of a strategy to ensure the recording, preservation, or management of the resource.
  2. the formulation of a strategy to mitigate a threat to the archaeological resource.
  3. the formulation of a proposal for further archaeological investigation within a programme of research.
- 2.2 The work will be undertaken in reference to general aims and specific objectives formulated with reference to the South Yorkshire Historic Environment Research Framework<sup>9</sup> and other period specific or thematic research frameworks/strategies, as applicable.
- 2.3 The level of detail included should be proportionate to the importance of any heritage assets affected, and no more than is sufficient to understand the potential impact of the proposal on archaeological significance.

---

<sup>9</sup> Available online: <https://researchframeworks.org/syrf/>

### 3 Scope

- 3.1 The field evaluation should investigate the whole of the proposal area, including those areas affected by temporary works such as construction compounds.
- 3.2 The evaluation strategy chosen will represent the best means for evaluating the site, establishing the importance and significance of any remains present, and will be selected to cause the minimum impact to archaeological remains present, operating with due regard to health and safety regulations.
- 3.3 The most common forms of field evaluation employed in the region include:
1. Geoarchaeological investigations and deposit modelling;
  2. Geophysical survey;
  3. Evaluation trenching;
  4. Shovel/test pitting.
- 3.4 Field evaluation is often an iterative process, and a combination of strategies may be required dependent on the site and project objectives. For example, after a geophysical survey, trial trenching is usually required.
- 3.5 Field evaluation should be undertaken at a stage when it can inform the design of appropriate mitigation measures, i.e., before the finalisation of any detailed designs and in advance of a planning application being made.
- 3.6 The Historic England Science Advisor can be consulted in respect to advice on appropriate approaches to fieldwork, sampling strategies and any archaeological science components.

#### Recommended Contingencies

- 3.7 Contingencies should be budgeted for and identified in the WSI, including, where relevant:

##### **Geoarchaeological Investigations and Deposit Modelling**

1. Further field survey, up to 10% of the total original boreholes and/or test pits;
2. Specialist analysis and scientific dating

##### **Archaeological Geophysical Survey**

1. Additional survey with a complementary technique, up to 10% of the original survey area.

##### **Archaeological Evaluation Excavation**

1. Additional trenching or trial pitting, up to 5% of the original sample area;
2. Additional specialist sampling and scientific dating;
3. Conservation of artefacts;
4. For the preparation and submission of a report including the results of post-excavation analysis, in the event that further archaeological fieldwork and follow-on reporting is not required;
5. Publication of results.

## 4 Geoarchaeological Investigations & Deposit Modelling

- 4.1 Geoarchaeological investigations and deposit modelling will be undertaken in accordance with standards and guidance published by Historic England.<sup>10</sup>
- 4.2 Deposit modelling is best deployed early in the planning process as it can be beneficial in identifying areas of archaeological interest/sensitivity; improving cost estimation through determining the depth and range of deposits anticipated at the site; and developing mitigation strategies.
- 4.3 Deposit models can be applied in any landscape where sediments accumulate, either through natural or anthropogenic processes, including sites of:
1. natural Quaternary (superficial) sediments;
  2. deep urban stratigraphy;
  3. other deep anthropogenic deposits, e.g. mining waste.
- 4.4 It is appropriate for the model to be constructed by a geoarchaeologist for large sites or those with complex, deep or significant deposits. On deeply stratified urban sites, they should work in partnership with an experienced urban archaeologist.
- 4.5 Deposit modelling is an iterative process and should be enhanced as additional data is collected during subsequent project stages.

### Desk-Based Deposit Modelling

- 4.6 Geotechnical borehole logs for a site and its environs should be obtained from existing sources, with readily accessible information including:
1. British Geological Survey geotechnical data (via Geoindex);
  2. Previous planning applications for the site and land around it which may include geotechnical surveys (via local authority planning portals);
  3. Archaeological reports and archived data for the site and land around it held by the Historic Environment Record and the Archaeological Data Service;
  4. Quaternary Research Association's regional field guides;
  5. Relevant published literature.
- 4.7 Data should be collected beyond the site boundary to reduce discrepancies in the model and contextualise the site.
- 4.8 All data should be reviewed, cleaned, and standardised prior to creating the deposit model. The quality of the data, and its spatial distribution, should be assessed to determine whether a model can be constructed or whether additional field survey (see below) is needed before modelling can take place.
- 4.9 The South Yorkshire Historic Environment Research Framework and other relevant period-specific and thematic research frameworks and strategies should be consulted in developing research questions for the deposit model.

---

<sup>10</sup> Historic England 2011, 2015e & 2020

## Field Survey

- 4.10 Where gaps exist or questions remain unanswered in any desk-based model, targeted geoarchaeological boreholes and/or test pits and/or deep geophysical survey should be undertaken as an early stage of evaluation.
1. enhance coverage of existing surveys and target areas of uncertainty
  2. enable inspection by a geoarchaeologist to enhance interpretation
  3. enable recovery of finds and samples, enhancing dating
- 4.11 The method of survey will be dependent on the aims of the survey, estimated depth of the sedimentary sequence, the likely sediment characteristics, and the nature of any sampling required. In developing the survey methodology, advice should be sought from appropriate specialists such as a geoarchaeologist and the Historic England Science Advisor.
- 4.12 Borehole should be drilled to the top of the bedrock (i.e., the full Quaternary sequence). Cores can be recorded on or off site, although all samples of potential further research interest should be retained for later project stages and stored in appropriate conditions.
- 4.13 Boreholes are also required to ground truth the results of deeply penetrating geophysical surveys, and to aid in its interpretation.
- 4.14 Where geotechnical site investigations are planned ahead of development, it is encouraged that they are designed in consultation with a geoarchaeologist in order to determine whether the surveys can be integrated, and/or whether they can be monitored by a geoarchaeologist.

## Data Processing

- 4.15 Depositional sequences from investigations within and around the site should be reviewed, and interpreted based on physical characteristics, and laterally equivalent deposits linked to identify stratigraphic layers across the site.
- 4.16 The surfaces of deposits derived from geophysical survey should be corroborated by ground truth boreholes.
- 4.17 The method used to prepare the deposit model will be based on the aims of the project, the desired graphical outputs, [data distribution and quality](#), and the size and complexity of the site and depositional sequence. For small or simple sites, a 2D diagram can be produced by hand or computer software. For complex sites, or where more sophisticated graphical outputs are warranted, such as 3D models, specialist software will be required. In either case, the key aim of any deposit modelling exercise is to generate outputs that are clear and informative for all end-users. Guidance from SYAS or Historic England's Science Advisor should be sought on the most appropriate outputs for any given site.

## Report

- 4.18 A report will be produced, containing:
1. Non-technical summary;
  2. Site location and description of geology and topographic setting;
  3. Aims and objectives of the deposit modelling exercise;
  4. Justification and rationale for the survey methodology;
  5. Data sources, distribution, and assessment of quality;
  6. Methods used to build the model;
  7. Chronological control;

8. Statement of reliability of the model and the confidence that can be placed in it;
9. Interpretation of the site-wide deposit sequence and supporting illustrations;
10. Recommendations for how the model should be used and archived;
11. Recommendations for further archaeological work, to be determined in consultation with SYAS;
12. Relevant illustrations which should, as a basic minimum, include appropriate annotations and explanations, be clearly related to base mapping, and might include:
  - (a) site location plan;
  - (b) distribution of data points;
  - (c) location of transects (schematic cross-sections);
  - (d) one or more transects, selected, and prepared to address the model objectives
  - (e) key surface plot (eg top of bedrock or pre-Holocene surface);
  - (f) isopach maps showing extrapolated thicknesses of key units;
  - (g) zones of different archaeological potential (character maps).
13. Index to and location of digital archive
14. References
15. Acknowledgements identifying those involved in the project, including SYAS

### Dissemination & Archive

- 4.19 The final report and results of the survey should be disseminated in accordance with the standards and guidelines set out in Section 7 below.
- 4.20 A project archive should be maintained and prepared in accordance with the standards and guidelines set out in Section 8 below.

## 5 Standards for Geophysical Survey

- 5.1 Archaeological geophysical survey will be undertaken in accordance with standards and guidance published by European Archaeological Council (EAC) and ClfA.<sup>11</sup>
- 5.2 The choice of geophysical technique should be formulated in consideration of a deposit model derived from a bespoke borehole survey/ test pitting, or from the desk-based analysis of the topographic and geological context of the site, its past and present land use, and the anticipated form of archaeological remains present. The Geophysical Survey Database<sup>12</sup>, in combination with the British Geological Survey Soil Parent Material Model<sup>13</sup>, should be consulted to determine effectiveness of specific techniques on local geology.
- 5.3 Where magnetometry is the chosen technique, a cart mounted system is preferred over a handheld system where terrain allows.
- 5.4 The survey area should be determined in consideration of the aims of the project, and in consultation with SYAS. Where magnetometry is the chosen technique 100% of the suitable area will be surveyed.
- 5.5 Where there is insufficient information to determine the effectiveness of a given technique (including where depth or type of sediment may prevent identification of features) then it may be necessary to trial several strategies.
- 5.6 The geophysical survey report should record the rationale for the survey area, choice of geophysical technique/s employed, and review the success of the methodology.

### Survey

- 5.7 The surveyed areas will be accurately tied into the National Grid to enable the surveyed area to be independently relocated by a third party.
- 5.8 For most sites, where a phased investigation is not proposed, the survey should be of sufficient resolution to enable the delineation of individual archaeological features. An appropriate resolution for most investigations is:
1. For magnetometry, a survey resolution of 0.5m x 0.25m;<sup>14</sup>
  2. For earth resistance, a survey resolution of 0.5m x 0.5m.<sup>15</sup>
- 5.9 Wherever possible, traverses should be oriented perpendicular to any known linear archaeological features (such as those identified from aerial photos) or else to the direction of recent ploughing.

### Data Processing

- 5.10 An unaltered copy of the raw data will be retained. A minimal amount of visual processing may be applied to a copy of the data, such as destaggering, in accordance with best practice guidance.<sup>16</sup>

---

<sup>11</sup> EAC 2016 & ClfA 2020b

<sup>12</sup> Available online: [https://archaeologydataservice.ac.uk/archives/view/ehgsdb\\_eh\\_2011/](https://archaeologydataservice.ac.uk/archives/view/ehgsdb_eh_2011/)

<sup>13</sup> Available online: <https://www.bgs.ac.uk/datasets/soil-parent-material-model/>

<sup>14</sup> EAC 2016, 64

<sup>15</sup> EAC 2016, 72

<sup>16</sup> EAC 2016

## Report

- 5.11 A report will be produced, containing:
1. Non-technical summary
  2. Introductory statements
  3. Aims and purpose of the evaluation
  4. Methodology
  5. Survey conditions
  6. Results
  7. Discussion of results
  8. Conclusion
  9. Plans/plots, including:
    - (a) a survey location plan demonstrating relationships to other mapped features and indicating the position of individual data grids (minimum scale 1:2500);
    - (b) a greyscale plot of minimally enhanced survey data (minimum scale 1:1000);
    - (c) a greyscale plot of improved survey data (minimum scale 1:1000);
    - (d) a greyscale plot of processed survey data (minimum scale 1:1000);
    - (e) a X-Y trace plot of improved magnetic data (for large sites a sample of the data might be plotted instead); and
    - (f) an interpretative plan and plans of results superimposed over first edition Ordnance Survey mapping and aerial imagery (minimum scale 1:1000).
  10. Index to and location of digital archive
  11. References
  12. Acknowledgements identifying those involved in the project, including SYAS

## Dissemination & Archive

- 5.12 The final report and results of the survey should be disseminated in accordance with the standards and guidelines set out in Section 7 below.
- 5.13 A project archive should be maintained and prepared in accordance with the standards and guidelines set out in Section 8 below.

## 6 Standards for Archaeological Evaluation Excavation

- 6.1 Archaeological excavation will be undertaken in accordance with ClfA standards and guidance.<sup>17</sup>
- 6.2 Detailed procedures for excavation and recording will be undertaken in accordance with professional best practice, such as that established in Historic England's *Excavation Recording Manual*.<sup>18</sup>
- 6.3 All records, finds and samples generated during the programme of works should be safely stored as part of a Working Project Archive (see Section 7).

### Evaluation Strategy

- 6.4 The form of evaluation should reflect the expected nature of the archaeological evidence, and it may be necessary to deploy several strategies. For example, trial trenching for large linear features, shovel testing for flint scatters.
- 6.5 For trial trenching, the location and amount of trenching required will be dependent upon the nature of the site and the amount and quality of data from any previous investigations:
1. Where non-intrusive investigations have been carried out, an appropriate level of trenching will be targeted to test anomalies, apparently blank areas, and any areas un-surveyed.
  2. Where no such work has been carried out, a minimum 5% sample of the site will be tested.<sup>19</sup>
- 6.6 Where there is potential for spreads of finds or deposits within the topsoil or subsoil, a programme of shovel/test pitting will be required. A suggested approach would comprise:
1. Shovel pits are to be set out across a 10m survey grid;
  2. Pits are to measure 0.25m x 0.25m and hand excavated to a depth of 30-50cm;
  3. Spoil is to be sieved and finds recorded by pit.
- 6.7 The rationale for the chosen strategy will be set out in the written scheme of investigation.

### Groundworks

#### Staking Out

- 6.8 Archaeological trenches/pits will be staked out using a real-time kinematic global navigation satellite system (RTK GNSS), or other suitably accurate survey method of equivalent accuracy, in accordance with the agreed locations set out in the WSI.
- 6.9 Minor adjustments may be undertaken to avoid previously unknown obstacles such as vegetation or services, or to enable machine manoeuvring. Trenches or trial pits located to target specific features should not be moved without prior agreement of SYAS.

---

<sup>17</sup> ClfA 2020c

<sup>18</sup> Available from Historic England's website: <https://historicengland.org.uk/content/docs/research/historic-england-archaeological-recording-manual-2018/>

<sup>19</sup> Research suggests this is the optimal minimum percentage to guarantee confidence in identifying archaeological remains across all periods (Hey & Lacy 2001, 55).

## Machine Excavation

- 6.10 All machine excavation should be undertaken by adequately qualified and experienced operators, under the supervision and direction of an archaeologist, and cease at the first archaeological horizon or when the natural geology is exposed.
- 6.11 Breaking ground, whether topsoil or hardstanding, should be undertaken with care, mindful of the potential presence of archaeological deposits.
- 6.12 Machine excavation will be undertaken by backactor excavator, using a toothless bucket of appropriate width, to reduce ground levels in level spits of no more than 0.20m. Excavated areas should not be smoothed with the back of the bucket. Under no circumstances will the machine be used to cut arbitrary trenches down to natural deposits.
- 6.13 Toothed buckets are only to be used in exceptional circumstances, and where express permission has been given by the archaeologist.
- 6.14 Care should be taken when excavating onto suspected occupation sites, or entranceways, in order that subtle features or deposits are not machined off. After the depth of the archaeological horizon has been established, it may be appropriate to initially machine to just above it to enable hand excavation to establish potential before further machine stripping.

### *Spoil*

- 6.15 Spoil should be scanned for metal artefacts using a metal detector capable of discriminating between metals, and operated by an experienced user, to enhance recovery of artefacts.

### *Deep Excavations*

- 6.16 Where necessary to execute the objectives of the project, trenches or trial pits may need to be stepped or shored to reach their final depth. The potential for deep excavation should be identified from geotechnical data, where available, at the outset of the project and appropriate measures included in the WSI.
- 6.17 The base of the excavation will reflect the size specified for the trench/pit.

### *Removal of Bulk Deposits and Obstructions*

- 6.18 With the prior agreement of SYAS, bulk deposits of limited archaeological interest may be machine excavated in spits (such as homogenous deposits of made ground or demolition material).
- 6.19 Large obstructions, such as boulders or engineering structures, will be left in-situ where it is safe to do so. Removal of such structures by machine will be undertaken where they are assessed to cover archaeological deposits, and only where a strategy has been agreed with SYAS on how disturbance of surrounding deposits or structures will be avoided.

### *Removal of Contaminated Deposits*

- 6.20 The risk of contamination should be established prior to work commencing, and appropriate measures implemented to reduce or avoid risks in accordance with Historic England best practice guidance.<sup>20</sup>

---

<sup>20</sup> Historic England 2017a

- 6.21 As soon as contaminated deposits are identified, excavation should immediately cease, and guidance be sought from the appropriate specialist/agency to establish risks and design a forward strategy for safe excavation.
- 6.22 Where hand excavation is not possible, machine excavation should be undertaken under the direction of an archaeologist. An appropriate strategy for recording will be agreed on a case-by-case basis with SYAS.

### **Investigation of Archaeological Features**

- 6.23 Archaeological deposits will be cleaned and excavated by hand, using appropriate tools, according to accepted principles of stratigraphic excavation. The stratigraphy of the area is to be recorded, even when no archaeological deposits have been identified.
- 6.24 All features will be investigated sufficient to determine its nature, extent, and significance:
1. discrete features will be half-sectioned in the first instance;
  2. linear features will be sampled a minimum of 20% along their length (each sample section to be not less than 1m), or a minimum of a 1m sample section, if the feature is less than 5m long;
  3. the deposits at junctions or interruptions in linear features will be sufficiently excavated for the relationship between components to be established. All termini will be investigated.
- 6.25 No archaeological deposit will be entirely removed unless this is necessary to meet the aims of the project.

### ***Weathering-out, Drying and Wetting***

- 6.26 Depending on the conditions of the site and geology, particularly on Sherwood/Bunter Sandstone sands and gravels, it may be necessary to allow a minimum of one week following stripping to improve visibility of archaeological deposits.
- 6.27 In dry conditions or on clayey soils it may be necessary to spray the site to show up changes in the composition of soils and identify features.
- 6.28 Waterlogged and organic-rich deposits should be kept covered and damp to reduce degradation once exposed.

### ***Features of Unexpected Importance***

- 6.29 Should features of unexpected importance or complexity be identified that would warrant special measures to record or protect them, then the supervising archaeologist should notify SYAS at the earliest opportunity to discuss an appropriate strategy for their management.

### **Recording**

- 6.30 A standard single context recording system will be used to keep a documentary record of all archaeological remains that are encountered. The individual contexts will be cross-referenced as appropriate to associated features that are exposed.
- 6.31 Stratigraphy will be recorded in all areas of monitoring, even where no archaeological deposits have been identified, and a Harris Matrix diagram compiled.
- 6.32 All records will be checked for consistency and stratigraphic relationships.

### *Drawn Record*

- 6.33 A range of survey methods may be applied depending on the nature of the archaeology encountered, including survey by hand, by total station, real-time kinematic global navigation satellite system (RTK GNSS), or photogrammetry. All measured survey will be undertaken in accordance with relevant guidelines.<sup>21</sup>
- 6.34 Hand-drawn and digital surveys will be annotated in the field to produce interpretative drawings with relevant context numbers and boundaries between features.
- 6.35 A drawing register will be maintained, recording the scale, location, date, subject, levels, and surveyor.
- 6.36 The extent of the excavated areas and archaeological features will be recorded in plan at an appropriate scale (1:500, 1:1250 or at most 1:2500), including the position of section lines, and tied into the National Grid.
- 6.37 All archaeological features will be drawn in plan and section at an appropriate scale (no less detailed than 1:50 for plans and 1:20 for sections) with Ordnance Datum heights on each drawing. At least one representative long section of each trench or trial pit will be drawn. Detailed plans will be made of key features and section, or elevation drawings provided of cut features and upstanding structures as appropriate.

### *Photography*

- 6.38 Photographic recording (film or digital) will be required showing the site in context, all excavated trenches and individual archaeological features, and including shots of work in progress.
- 6.39 Film photography will be undertaken using panchromatic black and white film no faster than ISO400, supplemented with colour slide film.
- 6.40 Digital photography will be undertaken in accordance with standards set by Historic England and the recipient archive.<sup>22</sup> All digital photography will be undertaken using a high-quality camera recommended to have no less than an APS-C or DX size sensor of 10 megapixels and to be capable of generating images in TIF (v6) or unprocessed RAW format.
- 6.41 A tripod will be used to allow stable longer exposures in low light conditions.
- 6.42 Metric scales of appropriate size will be discreetly placed in photographs to preserve a sense scale. Where colour is an important factor, colour control patches will be used.
- 6.43 A register recording the details of each image will be maintained, including subject, location, date, and photographer.

### Finds and Samples

- 6.44 Provisions should be made for relevant specialists to visit the site where required.
- 6.45 The Historic England Science Advisor can be consulted for advice on appropriate approaches to sampling and other archaeological science components.

---

<sup>21</sup> Including Andrews *et al*/2015 and Historic England 2017b.

<sup>22</sup> Historic England 2015c. and Archaeological Data Service 2009

### Artefact Recovery

- 6.46 All stratified archaeological finds will be collected, except for modern (mid-20<sup>th</sup> century or later) finds from topsoil and subsoil contexts unless it is determined that they are of archaeological interest. All artefacts will be bagged and labelled by context.
- 6.47 Removal, packaging, and labelling of finds will be undertaken in accordance with 'First Aid for Finds'<sup>23</sup> and specific Historic England guidance as required.

### Environmental/Sediment Sampling and Scientific Dating

- 6.48 All sampling must be undertaken to a bespoke strategy to be set out in the project WSI. It is to be produced in consultation with specialist advice, and in accordance with best practice guidance (including specific guidance on industrial residues, geoarchaeology, animal remains and dating, where appropriate).<sup>24</sup>
- 6.49 The classes of material to be sampled, and the methodology for collection and assessment, will be dependent on:
1. The nature of past environments, landscape processes and activities;
  2. The types of material to be recovered to address the objectives of the project;
  3. The types of material likely to survive given anticipated ground conditions
- 6.50 The sampling strategy should also identify a process for determining when scientific dating will be considered, and the most likely forms appropriate to the site (such as radiocarbon dating, luminescence dating, archaeomagnetic dating, or dendrochronology).
- 6.51 Provision should also be made in the WSI for the sampling strategy to be refined at suitable stages during the fieldwork programme, utilising appropriate specialists where necessary including the Historic England Regional Science Advisor.

### Human Remains

- 6.52 Should any inhumation or cremation burials be encountered, their extent, number and state of preservation will be established and SYAS will be notified to discuss an appropriate strategy for their management. Remains should not be removed or chased beyond the existing limits of excavation prior to agreement with SYAS.
- 6.53 Where it is deemed necessary, a licence for removal will be requested from the Ministry of Justice, and SYAS notified, and no development should take place until burials are removed or alternate arrangements made.
- 6.54 The treatment of human remains will be in accordance with the requirements of Civil Law and all relevant best practice guidance.<sup>25</sup> The remains will be recorded in-situ before lifting in accordance with best practice guidance.<sup>26</sup>

### Treasure

- 6.55 Artefacts defined as treasure under the Treasure Act 1996 (as supplemented by the Treasure (Designation) Order 2002) will be treated in accordance with the Treasure Act 1996 Code of Practice.<sup>27</sup> All finds of treasure must be reported to the local coroner within

<sup>23</sup> Watkinson and Neal 1998

<sup>24</sup> Historic England 2011, 2015d, 2018b, 2019 and 2022.

<sup>25</sup> APABE 2017

<sup>26</sup> Brickley, et al., 2004 and 2017 & Historic England 2018c

<sup>27</sup> DCMS 2008

14 days of discovery. In the first instance, it is recommended that details of the find are provided to the local Portable Antiquities Scheme Finds Liaison Officer to confirm that it constitutes treasure; they will be able to apply for a Treasure Reference Number and declare the find to the coroner on your behalf. SYAS should also be notified.

- 6.56 A short Treasure Report will be compiled for submission to the coroner.<sup>28</sup>
- 6.57 Where recovery of treasure cannot be undertaken on the same working day as the discovery, suitable security measures will be taken to protect the finds from theft.

### Post-Excavation

- 6.58 All finds are to be treated in accordance with current best practice guidance. Finds are to be cleaned and marked, according to accepted principles and in line with appropriate period/material guidelines.
- 6.59 For all categories of material recovered, including finds, palaeo-environmental, industrial and other specialist samples, an assessment by an appropriately experienced specialist will be undertaken in accordance with best practice guidance.<sup>29</sup>
- 6.60 Basic stratigraphic information will be supplied to the project specialists.
- 6.61 All sediment samples collected in accordance with the project sampling strategy should be processed, sorted, and assessed (excluding samples from obviously mixed deposits, etc.).
- 6.62 Scientific dating of suitable material should be undertaken during the evaluation phase where it would assist with meeting the aims of the project.
- 6.63 Advice from appropriate specialists should be sought on the storage and conservation of unstable artefactual remains (e.g. metallic, wood or leather).
- 6.64 Ferrous objects, and a selection of non-ferrous objects (including all coins), will be x-radiographed in accordance with Historic England guidance.<sup>30</sup>
- 6.65 The specialists will provide assessment reports describing the material, proposing selection for the permanent archive, and identifying recommendations for further detailed analysis and illustration in consideration of the project research objectives and any unanticipated research potential.
- 6.66 For ceramic assemblages, recording shall be carried out in a manner compatible with existing typological series in local pottery reference collections, e.g. the South Yorkshire / North Derbyshire Medieval Ceramics Reference Collection.<sup>31</sup>
- 6.67 The guidelines for handling Post Roman Ceramics produced by the Medieval Pottery Research Group are also to be followed, for relevant material: MPRG, 2001 "Minimum Standards for the Processing, Recording, Analysis and Publication of Post-Roman Ceramics" Medieval Pottery Res Group Occ Paper 2.

<sup>28</sup> A template treasure report can be requested from the Finds Liaison Officer

<sup>29</sup> Watkinson and Neal 1998, Historic England 2011 & Barclay *et al.* 2016)

<sup>30</sup> Historic England 2006

<sup>31</sup> Available online: [http://archaeologydataservice.ac.uk/archives/view/ceramics\\_eh\\_2003/](http://archaeologydataservice.ac.uk/archives/view/ceramics_eh_2003/)

## Reporting

- 6.68 As a minimum, an evaluation report to post-excavation assessment level will be produced. This will provide sufficient objective data to describe and document the results and an assessment of their importance including the research potential of the project archive.
- 6.69 Where, in consultation with SYAS, further investigation and specialist analysis is necessary to achieve the aims of the project, and this will not form part of a follow-on mitigation phase, then an updated written scheme of investigation (sometimes referred to as an updated project design) will be produced. This update will describe the additional work required and how it will be undertaken.

## **Evaluation Report**

- 6.70 An evaluation report shall contain:
1. An introduction including background information (with planning application details, where appropriate);
  2. The original research aims and objectives and rationale for selected area of investigation;
  3. An archaeological and historical baseline;
  4. A description of results;
  5. A report of all find and sample categories to assessment level, by appropriate specialists, including their research potential;
  6. The results of any scientific dating;
  7. A discussion of the results including a phased interpretation of the site;
  8. A summary of the results in their local, regional, and national context, and the extent to which the work has addressed the project aims and objectives;
  9. An assessment of the effectiveness of the evaluation strategy, including earlier stages of work (including geophysical survey);
  10. Recommendations for any further investigation, specialist analysis or conservation, recording and/or preservation of in situ archaeological remains, to be determined in consultation with SYAS;
  11. Supporting illustrations, including as a minimum:
    - (a) A detailed location map;
    - (b) A detailed site plan showing all trenches or trial pits, as excavated;
    - (c) Plans for all trenches where archaeological features were identified;
    - (d) Detailed plans of archaeological features;
    - (e) Detailed sections of archaeological features;
    - (f) An overall (phased) site plan showing all archaeological features recorded;
    - (g) Selection of photographs of work in progress;
    - (h) Select artefact illustrations and/or photographs.
    - (i) Supporting tables of data, including as a minimum:
  12. A detailed context index;
  13. An archive index;
  14. Acknowledgements identifying those involved in the project, including SYAS.

## **Updated Written Scheme of Investigation**

- 6.71 An updated written scheme of investigation shall contain:
1. Any changes to the aims and objectives of the project;
  2. Schemes of further investigation, conservation or specialist analysis;
  3. The requirement and content of the final analysis report;

4. Any changes to the archive arrangements, including details of proposed specialist conservation.
5. Any updates to the Selection Strategy and Data Management Plan.

### **Dissemination and Archive**

- 6.72 The reports and results of the evaluation should be disseminated in accordance with the standards and guidelines set out in Section 7.
- 6.73 A project archive must be maintained, prepared, and deposited in a publicly accessible repository in accordance with the standards and guidelines set out in Section 8.

## 7 Standards for Public Engagement, Dissemination & Publication

### Public Engagement & Outreach

- 7.1 Archaeological work is undertaken for public benefit and SYAS encourage opportunities for public engagement to be integrated from the outset.
- 7.2 As a minimum on all trenching/test pitting evaluation, the WSI will set out the steps taken towards establishing an engagement and outreach strategy. Where no measures are proposed, then the reason why must be clearly stated.
- 7.3 Measures to be considered include:
1. Illustrated notices displayed during fieldwork around the site (with the client's agreement), explaining what work is in progress and why, to keep members of the public informed (minimum of A3 size, with font at a minimum size of 16 point);
  2. Social media or newspaper updates;
  3. Site tours and public talks (e.g. by presenting a paper at South Yorkshire Archaeology Day and talking to local societies);
  4. Digital interpretation;
  5. Popular publications;
  6. Permanent public information board; and
  7. Any other opportunities that might be relevant for a given site.
- 7.4 A bespoke strategy shall be produced for each site.

### Dissemination of Results

- 7.5 Digital and physical copies of the report must be supplied to SYAS for incorporation into the South Yorkshire Historic Environment Record. Copies of select digital data must also be provided, including geophysical results (GeoTIFFs and shapefiles of interpretative plots) and trench/pit locations (shapefiles of extents and features).
- 7.6 Printed copies of reports will be included with the physical archive to the recipient museum.
- 7.7 Copies of the report, or details on where it can be accessed, should be provided to all external specialists involved in the project and, where relevant, the archaeologist responsible for any previous geophysical surveys at the site. This is to assist in the design and implementation of future projects.
- 7.8 The archaeological contractor should initiate or update an online OASIS form<sup>32</sup> at commencement of the project. Details of the results and archive are to be added, along with a copy of all formal reports, upon completion of the project.

### Formal Publication

- 7.9 A summary report of an appropriate length, accompanied by illustrations (at 300dpi resolution), must be prepared and submitted in digital format, for publication in *Archaeology in South Yorkshire* or an equivalent SYAS publication.
- 7.10 Where results warrant it, and following discussion with SYAS, formal publication in the form of a journal article or monograph should be produced

---

<sup>32</sup> Via the OASIS online portal hosted by the Archaeological Data Service <http://ads.ahds.ac.uk/project/oasis/>

### Furthering Research

- 7.11 Provision must be made for updating the South Yorkshire Historic Environment Research Framework where the results of a fieldwork project contribute towards agenda topics. This is to be achieved by adding 'comments' to relevant research questions briefly summarising the results and providing a bibliographic reference to the relevant report<sup>33</sup>..

---

<sup>33</sup> The research framework is accessible online: <https://researchframeworks.org/syrf/> - new users must register for a new account to add comments.

## 8 Standards for Archaeological Archives

### General

- 8.1 In accordance with regional policy,<sup>34</sup> the archaeological contractor must notify the relevant museum at project initiation, mid-point review and completion stages to discuss archaeological archiving requirements. The relevant form (Project Initiation Form/ Mid-point Review Form/ Completion Form) will be filled out and sent to the museum with a copy provided to SYAS. Template forms are available for download from the SYAS website.<sup>35</sup>
- 8.2 Details of archiving arrangements should be confirmed with the client and landowner at the outset, and a budget allowed for to cover the museum's expected deposition charge.

### Working Project Archive

- 8.3 All material (whether digital or physical) recovered or generated through the duration of the field evaluation project will be appropriately and securely stored in a working project archive. This will be undertaken in accordance with the selection strategy and digital data management plan set out at the commencement of the project (see paragraphs 1.11-1.13).

### Physical Records

- 8.4 Any physical documents or drawings will be indexed, collated, and stored in a secure location when not in use.
- 8.5 Film photography will be processed at regular intervals throughout the duration of a project.
- 8.6 Digital security copies will be made of physical records at regular intervals, to be stored and backed up in a secure location. Documents and drawings will be scanned at an appropriate resolution (no less than 300dpi for documents and drawings, 600dpi for photographic prints, and 4000dpi for negatives or slides) and to an appropriate format (e.g. a lossless format, such as TIF, for scale drawings), and scans checked for quality.<sup>36</sup> Standards adhered to should be included in the Data Management Plan. If digitised data is to form part of the final digital archive it should be treated as set out for Born Digital Records below.

### Born Digital Records

- 8.7 All digital records will be treated in accordance with a project data management plan.<sup>37</sup>
- 8.8 Digital records will be routinely downloaded, stored, and backed up in a secure location.
- 8.9 All digital records will be consistently labelled, files logically structured, and embedded with appropriate metadata (or have their metadata stored in an accompanying spreadsheet).<sup>38</sup>

---

<sup>34</sup> Turnpenny 2012

<sup>35</sup> See guidance for archaeological projects, available online: <https://www.sheffield.gov.uk/syas>

<sup>36</sup> For further guidance see: [Digitisation at The National Archives](#)

<sup>37</sup> ClfA guidance available online: <https://www.archaeologists.net/diqdigital>

<sup>38</sup> Archaeological Data Service 2009

## Final Archaeological Archive

### Selection Strategy

- 8.10 On the completion of fieldwork, the relevant specialists and recipient museum will be consulted to update the selection strategy set out in the WSI in accordance with best practice guidance.<sup>39</sup>
- 8.11 This should consider all documents, finds, samples, and digital files generated during the project, including illustrations.
- 8.12 The aim of this process is to produce a project archive that allows a full re-examination and interpretation of all the results of the project whilst avoiding replication, repetition, or the retention of materials not considered germane to future analysis.

### Archive Deposition

- 8.13 The final archive will then be assembled in accordance with Archaeological Archives Forum, ClfA, and museum guidelines.<sup>40</sup>
- 8.14 Agreement in principle for full transfer of title of finds to the recipient museum needs to be obtained at the outset. Confirmation of transfer of title from the landowner and confirmation of assignment of copyright, along with a full archive inventory, will be submitted with a project completion form<sup>41</sup> to the recipient museum. SYAS will be provided with a copy of the completion form, including the assigned accession number.
- 8.15 The recipient archive will be licensed to use the deposited material, in perpetuity, without restrictions; this licence will allow the archive to reproduce material, including for use by third parties, with the copyright owner suitably acknowledged.
- 8.16 It is preferred practice for generated material to be archived in its original medium (i.e. physical or digital). Digitising of physical records will only be considered where it retains the same level of accessibility and information as the original medium.
- 8.17 The physical archive will be deposited with the appropriate museum. A copy of the archive receipt will be provided to SYAS.
- 8.18 The digital archive will be deposited with a Trusted Digital Repository (CoreTrustSeal certified). For archaeological archives this is presently limited to the Archaeology Data Service (ADS) at the University of York. A link to the final digital archive will be provided to SYAS.

---

<sup>39</sup> AAF 2011, SMA 2020 & ClfA toolkit for selection archaeology: <https://www.archaeologists.net/selection-toolkit>

<sup>40</sup> AAF 2011, ClfA 2020e & Turnpenny 2012

<sup>41</sup> Utilising the proforma agreement available online: <https://www.sheffield.gov.uk/home/planning-development/south-yorkshire-archaeology-service/guidance-for-archaeological-projects>

## 9 References

- Advisory Panel on the Archaeology of Burials in England (APABE) 2017. *Guidance for Best Practice for the Treatment of Human Remains Excavated from Christian Burial Grounds in England*.
- Archaeological Archives Forum (AAF), 2011. *Archaeological Archives: a guide to best practice in creation, compilation, transfer and curation*.
- Archaeological Data Service (ADS), 2009. *Archaeology Data Service Guide to Good Practice* [online]. Available: <https://guides.archaeologydataservice.ac.uk/g2gpwiki/>
- Andrews, D., Bedford, J. & Bryan, P. 2015. *Metric Survey Specifications for Cultural Heritage (3<sup>rd</sup> edn)*. Historic England.
- Barclay, A., Booth, P., Brown, D.H., Evans, J., Knight, K. and Wood, I. 2016. *A Standard for Pottery Studies in Archaeology*. Prehistoric Ceramics Research Group, Study Group for Roman Pottery and Medieval Pottery Research Group.
- Brickley, M. & McKinley, J. (eds.) 2004. *Guidelines to the Standards for Recording Human Remains*. Institute of Field Archaeologists Paper no. 7. ClfA.
- Brickley, M. & Mitchell, P.D., 2017. *Updated Guidelines to the Standards for Recording Human Remains*. ClfA.
- Chartered Institute for Archaeologists (ClfA) 2021. *Code of Conduct: professional ethics in archaeology*.
- Chartered Institute for Archaeologists (ClfA) 2020a. *Standard and guidance for archaeological field evaluation*.
- Chartered Institute for Archaeologists (ClfA) 2020b. *Standard and guidance for archaeological geophysical survey*.
- Chartered Institute for Archaeologists (ClfA). 2020c. *Standard and Guidance for the archaeological Excavation*.
- Chartered Institute for Archaeologists (ClfA). 2020d. *Standard and guidance for the archaeological investigation and recording of standing buildings or structures*.
- Chartered Institute for Archaeologists (ClfA). 2020e. *Standard and Guidance for the creation, compilation, transfer and deposition of archaeological archives*.
- Chartered Institute for Archaeologists (ClfA). n.d. *Dig Digital* [online]. Available: <https://www.archaeologists.net/digdigital>
- Chartered Institute for Archaeologists (ClfA). n.d. *Toolkit for Selecting Archaeology* [online]. Available: <https://www.archaeologists.net/selection-toolkit>.
- Department for Levelling Up, Housing & Communities (DLUHC) 2021. *National Planning Policy Framework*
- Department for Digital, Culture, Media & Sport (DCMS) 2008. *Treasure Act 1996 Code of Practice (2<sup>nd</sup> Revision) England and Wales*.

- European Archaeology Council 2016. *EAC Guidelines for the use of Geophysics in Archaeology: Questions to Ask and Points to Consider*. EAC Guidelines 2.
- Hey, G. & Lacy, M. 2001. *Evaluation of Archaeological Decision-Making Processes and Sampling Strategies*.
- Historic England. 2006. *Guidelines on the X-radiography of Archaeological Metalwork*.
- Historic England, 2011. *Environmental Archaeology: A Guide to the Theory and Practice of Methods, from Sampling and Recovery to Post-excavation (second edition)*.
- Historic England, 2012. *The Geophysical Survey Database*.
- Historic England 2015a. *Management of Research Projects in the Historic Environment: The MoRPHE Project Manger's Guide*.
- Historic England 2015b. *Managing Significance in Decision-Taking in the Historic Environment: Historic Environment Good Practice Advice in Planning 2*.
- Historic England 2015c. *Digital Image Capture and File Storage: Guidelines for Best Practice*.
- Historic England. 2015d. *Archaeometallurgy: Guidelines for Best Practice*.
- Historic England. 2015e. *Geoarchaeology: Using Earth Sciences to Understand the Archaeological Record*.
- Historic England 2016a. *Understanding Historic Buildings: a guide to good recording practice*.
- Historic England 2016b. *Drawing for Understanding: Creating Interpretative Drawings of Historic Buildings*.
- Historic England. 2017a. *Land Contamination and Archaeology: Good Practice Guidance*.
- Historic England 2017b. *Photogrammetric Application for Cultural Heritage: Guidance for Good Practice*.
- Historic England 2018a. *3D Laser Scanning for Heritage: Advice and Guidance on the use of Laser Scanning in Archaeology and Architecture*.
- Historic England. 2018b. *Science for Historic Industries: Guidelines for the Investigation of 17th- to 19th-century Industries*.
- Historic England. 2018c. *The Role of the Human Osteologist in an Archaeological Fieldwork Project*.
- Historic England. 2019. *Animal Bones and Archaeology: Recovery to Archive*.
- Historic England. 2020. *Deposit Modelling and Archaeology: Guidance for Mapping Buried Deposits*.
- Historic England. 2022. *Radiocarbon Dating and Chronological Modelling: Guidelines and Best Practice*

Society for Museum Archaeology 2020. *Standards and Guidance in the Care of Archaeological Collections*.

South Yorkshire Archaeology Service (SYAS), 2018. *Yorkshire, The Humber & The North East: A Regional Statement of Good Practice for Archaeology in the Development Process*.

Turnpenny, M. 2012. *Renaissance Yorkshire: Archaeological archive deposition policy for museums in Yorkshire and the Humber*. MLA Renaissance Yorkshire.

Watkinson, D. and Neal, V. (eds). 1998. *First Aid for Finds*. United Kingdom Institute for Conservation of Historic & Artistic Works, Archaeology Section.