

OUTLINE EARTHWORKS STRATEGY REPORT

Monckton Coke & Chemical Works, Royston, Barnsley

For MHH Contracting Ltd

Date 20/11/2020

Ref **3014/ER001 Rev 2**

Report Details

Client	MHH Contracting Ltd
Report Title	OUTLINE EARTHWORKS STRATEGY REPORT
Project	Monckton Coke & Chemical Works, Royston, Barnsley
Ref.	3014/ER001
Bright Young Contact	info@brightyoung.co.uk

Quality Assurance

Issue No.	Status	Issue Date	Comments	Author	Technical Review	
2	APPROVAL	20/11/2020	-			
				Jeff Bright BEng CEng MStructE	David Young BSC AMICE	

Bright Young Consulting Ltd

Consulting Engineers
Sandal Business Centre
Asdale Road,
Wakefield
WF2
7JE

Tel 01924 249500

Company No 05809281

Contents

1. INTRODUCTION	2
Project Understanding	2
Agreed Scope of Works.....	2
Basis of Earthworks Strategy	2
• Topographical survey	3
Illustrative Masterplan	3
Target Development levels	3
Construction Build-ups.....	3
Earthworks Model Outputs.....	4
APPENDICES	5
APPENDIX A – Base information	6
APPENDIX B – Earthwork Model Outputs.....	7
APPENDIX C – Limitations	8

1. INTRODUCTION

Project Understanding

MHH Contracting Ltd are proposing a residential development at the former Monckton Coke Works site at Lund Hill, Royston.

Pegasus Group have been engaged by MHH to produce an illustrative masterplan for the redevelopment of the site.

Geo2 Limited have been engaged by MHH to produce a remediation assessment for the propose site redevelopment.

Bright Young Consulting Ltd (BYC) is engaged by MHH Contracting Ltd to provide an earthwork strategy report to provide an overview of bulk earthworks cut and fill requirements to achieve target development levels.

Agreed Scope of Works

The following scope of works is agreed

- Liaison with Geo2
- Production of earthworks strategy report
- Production of isopachyte drawings (as appendix to report)

Basis of Earthworks Strategy

A mound removal and isopachyte drawing has been produced based solely on the following information (copies are included with the appendix to the report). It should be noted that these drawings are not intended to be 'stand-alone' and must be read with the text of this report. In addition, it should be noted that the earthworks assessment is a volumetric assessment and does not extend to the consideration of ground conditions, soil types or remediation considerations.

Topographical survey by Landform Surveys dating from 10/07/20 as supplied to BYC

Illustrative masterplan by Pegasus Design – ref P19-1805_0100 dated 08/07/20.

BYC target development level assessment

BYC preliminary construction build-up assessment

Requirements to accommodate remediated ground beneath the designated public open space (POS) area in the centre of the site.

Topographical survey

The Landform Survey topographical survey of the site from 2015 that forms the basis of the volumetric assessment, subject to the following assumptions:

- No allowance for basements, voids or subsurface features has been made.
- Where areas are indicated as 'demolition site - no access' on the survey levels have been estimated.
- Where embankments are partially shown, additional embankments have been interpolated.

Illustrative Masterplan

The Illustrative Masterplan provided by Pegasus Design provides for the redevelopment of the site for residential use, the site being divided into 21 parcels of land separated by a new adopted access road system.

A central POS area is proposed along with a surface water attenuation feature at the northern extreme of the site.

Target Development levels

Target development levels for the site are driven by existing road levels along the eastern boundary, where a level of approximately 67.7 dictates the tie-in point for the new access road. The site falls naturally towards the proposed attenuation feature where the end point of the main spine road concludes at a proposed target level of 62.5 (approximately 400 – 500 above existing levels).

Allowing for primary surface water infrastructure along the spine road, all further adopted roads and target plot levels radiate from the spine road to provide suitable falls towards the attenuation feature.

Construction Build-ups

The following construction build-ups have been assumed throughout in producing an outline cut/fill assessment for the site:

Building footprints – allowance has been made for reduced levels to 750mm below finished floor levels (FFL) to allow for 300mm piling/vibro platforms at 450 below FFL.

Roadways – an allowance has been made for adopted road constructions from target finished levels of 500mm.

Gardens and soft landscaping areas – an allowance has been made for 1000mm of clean cover.

Earthworks Model Outputs

The earthwork model output is in two parts. Firstly, an assessment has been made for the mounded areas that sit above general site levels. These have been identified and quantified as three separate mounds – refer drawing 3014/101 r2.

Secondly, an isopachyte drawing has been produced to provide a visual aid to understand the cut and fill assessment for the bulk earthworks. This drawing (3014/102 r1) provides a colour coded visual representation of cut/fill depths – refer appendix B.

APPENDICES


Appendix A – Base information

Appendix B - Earthworks Model Outputs

Appendix C - Limitations

APPENDIX A – Base information

1. Landform Surveys topographical survey dated 10/07/15
2. Illustrative Masterplan by Pegasus Design – ref P19-1805_0100 dated 08/07/20



437548.612	412152.042	66.422
437549.713	412153.239	70.486
437550.814	412154.436	74.550
437551.915	412155.633	78.614
437553.016	412156.830	82.678
437554.117	412158.027	86.742
437555.218	412159.224	90.806
437556.319	412160.421	94.870
437557.420	412161.618	98.934
437558.521	412162.815	102.998
437559.622	412164.012	107.062
437560.723	412165.209	111.126
437561.824	412166.406	115.190
437562.925	412167.603	119.254
437564.026	412168.800	123.318
437565.127	412170.000	127.382
437566.228	412171.200	131.446
437567.329	412172.400	135.510
437568.430	412173.600	139.574
437569.531	412174.800	143.638
437570.632	412176.000	147.702
437571.733	412177.200	151.766
437572.834	412178.400	155.830
437573.935	412179.600	159.894
437575.036	412180.800	163.958
437576.137	412182.000	168.022
437577.238	412183.200	172.086
437578.339	412184.400	176.150
437579.440	412185.600	180.214
437580.541	412186.800	184.278
437581.642	412188.000	188.342
437582.743	412189.200	192.406
437583.844	412190.400	196.470
437584.945	412191.600	200.534
437586.046	412192.800	204.598
437587.147	412194.000	208.662
437588.248	412195.200	212.726
437589.349	412196.400	216.790
437590.450	412197.600	220.854
437591.551	412198.800	224.918
437592.652	412200.000	228.982
437593.753	412201.200	233.046
437594.854	412202.400	237.110
437595.955	412203.600	241.174
437597.056	412204.800	245.238
437598.157	412206.000	249.302
437599.258	412207.200	253.366
437600.359	412208.400	257.430
437601.460	412209.600	261.494
437602.561	412210.800	265.558
437603.662	412212.000	269.622
437604.763	412213.200	273.686
437605.864	412214.400	277.750
437606.965	412215.600	281.814
437608.066	412216.800	285.878
437609.167	412218.000	289.942
437610.268	412219.200	293.006
437611.369	412220.400	297.070
437612.470	412221.600	301.134
437613.571	412222.800	305.198
437614.672	412224.000	309.262
437615.773	412225.200	313.326
437616.874	412226.400	317.390
437617.975	412227.600	321.454
437619.076	412228.800	325.518
437620.177	412230.000	329.582
437621.278	412231.200	333.646
437622.379	412232.400	337.710
437623.480	412233.600	341.774
437624.581	412234.800	345.838
437625.682	412236.000	349.902
437626.783	412237.200	353.966
437627.884	412238.400	358.030
437628.985	412239.600	362.094
437630.086	412240.800	366.158
437631.187	412242.000	370.222
437632.288	412243.200	374.286
437633.389	412244.400	378.350
437634.490	412245.600	382.414
437635.591	412246.800	386.478
437636.692	412248.000	390.542
437637.793	412249.200	394.606
437638.894	412250.400	398.670
437639.995	412251.600	402.734
437641.096	412252.800	406.798
437642.197	412254.000	410.862
437643.298	412255.200	414.926
437644.399	412256.400	418.990
437645.500	412257.600	423.054
437646.601	412258.800	427.118
437647.702	412260.000	431.182
437648.803	412261.200	435.246
437649.904	412262.400	439.310
437651.005	412263.600	443.374
437652.106	412264.800	447.438
437653.207	412266.000	451.502
437654.308	412267.200	455.566
437655.409	412268.400	459.630
437656.510	412269.600	463.694
437657.611	412270.800	467.758
437658.712	412272.000	471.822
437659.813	412273.200	475.886
437660.914	412274.400	479.950
437662.015	412275.600	484.014
437663.116	412276.800	488.078
437664.217	412278.000	492.142
437665.318	412279.200	496.206
437666.419	412280.400	500.270
437667.520	412281.600	504.334
437668.621	412282.800	508.398
437669.722	412284.000	512.462
437670.823	412285.200	516.526
437671.924	412286.400	520.590
437673.025	412287.600	524.654
437674.126	412288.800	528.718
437675.227	412290.000	532.782
437676.328	412291.200	536.846
437677.429	412292.400	540.910
437678.530	412293.600	544.974
437679.631	412294.800	549.038
437680.732	412296.000	553.102
437681.833	412297.200	557.166
437682.934	412298.400	561.230
437684.035	412299.600	565.294
437685.136	412300.800	569.358
437686.237	412302.000	573.422
437687.338	412303.200	577.486
437688.439	412304.400	581.550
437689.540	412305.600	585.614
437690.641	412306.800	589.678
437691.742	412308.000	593.742
437692.843	412309.200	597.806
437693.944	412310.400	601.870
437695.045	412311.600	605.934
437696.146	412312.800	610.000
437697.247	412314.000	614.064
437698.348	412315.200	618.128
437699.449	412316.400	622.192
437700.550	412317.600	626.256
437701.651	412318.800	630.320
437702.752	412320.000	634.384
437703.853	412321.200	638.448
437704.954	412322.400	642.512
437706.055	412323.600	646.576
437707.156	412324.800	650.640
437708.257	412326.000	654.704
437709.358	412327.200	658.768
437710.459	412328.400	662.832
437711.560	412329.600	666.896
437712.661	412330.800	670.960
437713.762	412332.000	675.024
437714.863	412333.200	679.088
437715.964	412334.400	683.152
437717.065	412335.600	687.216
437718.166	412336.800	691.280
437719.267	412338.000	695.344
437720.368	412339.200	699.408
437721.469	412340.400	703.472
437722.570	412341.600	707.536
437723.671	412342.800	711.600
437724.772	412344.000	715.664
437725.873	412345.200	719.728
437726.974	412346.400	723.792
437728.075	412347.600	727.856
437729.176	412348.800	731.920
437730.277	412350.000	735.984
437731.378	412351.200	740.048
437732.479	412352.400	744.112
437733.580	412353.600	748.176
437734.681	412354.800	752.240
437735.782	412356.000	756.304
437736.883	412357.200	760.368
437737.984	412358.400	764.432
437739.085	412359.600	768.496
437740.186	412360.800	772.560
437741.287	412362.000	776.624
437742.388	412363.200	780.688
437743.489	412364.400	784.752
437744.590	412365.600	788.816
437745.691	412366.800	792.880
437746.792	412368.000	796.944
437747.893	412369.200	801.008
437748.994	412370.400	805.072
437750.095	412371.600	809.136
437751.196	412372.800	813.200
437752.297	412374.000	817.264
437753.398	412375.200	821.328
437754.499	412376.400	825.392
437755.600	412377.600	829.456
437756.701	412378.800	833.520
437757.802	412380.000	837.584
437758.903	412381.200	841.648
437759.004	412382.400	845.712
437760.105	412383.600	849.776
437761.206	412384.800	853.840
437762.307	412386.000	857.904
437763.408	412387.200	861.968
437764.509	412388.400	866.032
437765.610	412389.600	870.096
437766.711	412390.800	874.160
437767.812	412392.000	878.224
437768.913	412393.200	882.288
437769.014	412394.400	886.352
437770.115	412395.600	890.416
437771.216	412396.800	894.480
437772.317	412398.000	898.544
437773.418	412399.200	902.608
437774.519	412400.400	906.672
437775.620	412401.600	910.736
437776.721	412402.800	914.800
437777.822	412404.000	918.864
437778.923	412405.200	922.928
437779.024	412406.400	926.992
437780.125	412407.600	931.056
437781.226	412408.800	935.120
437782.327	412410.000	939.184
437783.428	412411.200	943.248
437784.529	412412.400	947.312
437785.630	412413.600	951.376
437786.731	412414.800	955.440
437787.832	412416.000	959.504
437788.933	412417.200	963.568
437789.034	412418.400	967.632
437790.135	412419.600	971.696
437791.236	412420.800	975.760
437792.337	412422.000	979.824
437793.438	412423.200	983.888
437794.539	412424.400	987.952
437795.640	412425.600	992.016
437796.741	412426.800	996.080
437797.842	412428.000	1000.144
437798.943	412429.200	1004.208
437800.044	412430.400	1008.272
437801.145	412431.600	1012.336
437802.246	412432.800	1016.400
437803.347	412434.000	1020.464
437804.448	412435.200	1024.528
437805.549	412436.400	1028.592
437806.650	412437.600	1032.656
437807.751	412438.800	1036.720
437808.852	412440.000	1040.784
437809.953	412441.200	1044.848
437811.054	412442.400	1048.912
437812.155	412443.600	1052.976
437813.256	412444.800	1057.040
437814.357	412446.000	1061.104
437815.458	412447.200	1065.168
437816.559	412448.400	1069.232
437817.660	412449.600	1073.296
437818.761	412450.800	1077.360
437819.862	412452.000	1081.424
437820.963	412453.200	1085.488
437822.064	412454.400	1089.552
437823.165	412455.600	1093.616
437824.266	412456.800	1097.680
437825.367	412458.000	1101.744
437826.468	412459.200	1105.808
437827.569	412460.400	1109.872
437828.670	412461.600	1113.936
437829.771	412462.800	1117.000
437830.872	412464.000	1121.064
437831.973	412465.200	1125.128
437833.074	412466.400	1129.192
437834.175	412467.600	1133.256
437835.276	412468.800	1137.320
43		



APPENDIX B – Earthwork Model Outputs

Bright Young Consulting drawing 3014/101 r1 – Mounds

Bright Young Consulting drawing 3014/102 r1 - Isopachyte



NOTES

1. BASIS OF DRAWING

Drawing to be read in conjunction with following:


•

Topographical Survey - Landform Surveys topographical survey dated 10/07/2015 - sheets 001 and 002


•

Illustrative Masterplan - P19-1805_0100 - 08/07/20


2. LEGEND



MOUND 1



MOUND 2



MOUND 3

NOTE - MOUNDS ARE TO BE REMOVED AND ASSESSED FOR REUSE AS EARTHWORKS MATERIALS OR FOR OFF SITE DISPOSAL

	2	ISSUED FOR INFORMATION	20/11/20
	1	ISSUED FOR INFORMATION	16/11/20
Checked	Rev #	Description	Date

Client

MHH CONTRACTING LTD

Job Title

PROPOSED RESIDENTIAL DEVELOPMENT AT FORMER MONCKTON COKE WORKS, LUND HILL, ROYSTON

BRIGHT

YOUNG

Consulting Limited

The Media Centre, 7 Northumberland Street, Huddersfield, HD1 1RL

Email: info@brightyoung.co.uk

Web: www.brightyoung.co.uk

Tel: 01484 487950

Fax: 01484 603519

Drawing Title


PRELIMINARY EARTHWORKS MODEL

EXISTING MOUNDS TO BE REMOVED


Scale	Date	Drawn	Checked
-------	------	-------	---------

Drg No.	3014/101	Rev	2
---------	----------	-----	---

NOTE - DRAWING TO BE READ IN CONJUNCTION WITH BYC EARTHWORKS STRATEGY REPORT 3014/ER001 REV 1 -16/11/2020



- NOTES
- BASIS OF DRAWING
 - ASSUMED CONSTRUCTION THICKNESS (INCLUDING CAPPING LAYERS, PILING PLATFORMS AND CLEAN COVER).
 - ISOPACHYTE LEGEND



	1	ISSUED FOR INFORMATION	16/11/20
Checked	Rev #	Description	Date

Client

MHH CONTRACTING LTD

Job Title

PROPOSED RESIDENTIAL DEVELOPMENT AT FORMER MONCKTON COKE WORKS, LUND HILL, ROYSTON

BRIGHT YOUNG The Media Centre, 7 Northumberland Street, Huddersfield, HD1 1RL
Email: info@brightyoung.co.uk
Web: www.brightyoung.co.uk
Consulting Tel: 01484 487950
Limited Fax: 01484 603519

Drawing Title

PRELIMINARY EARTHWORKS MODEL

EARTHWORKS ISOPACHYTE

Scale	Date	Drawn	Checked
-------	------	-------	---------

Drg No.	3014/102	Rev	1
---------	----------	-----	---

APPENDIX C – Limitations

The discussion, conclusions and recommendations contained in this Report represent the professional opinions of Bright Young Consulting Limited (BYC), based upon the information listed in the Report, exercising the duty of care required of an experienced Engineering Consultant. BYC does not warrant the accuracy of the information or data forming the basis of the report and will not be responsible for any opinions which BYC has expressed, or conclusions which it has reached in reliance upon information which is subsequently proven to be inaccurate.

This Report was prepared by BYC for the sole and exclusive use of the Client and for the specific purpose for which BYC was instructed. Nothing contained in this Report shall be construed to give any rights or benefits to anyone other than the Client and BYC, and all duties and responsibilities undertaken are for the sole and exclusive benefit of the Client and not for the benefit of any other party. In particular, BYC does not intend, without its written consent, for this Report to be disseminated to anyone other than the Client or to be used or relied upon by anyone other than the Client. Use of the Report by any other person is unauthorised and such use is at the sole risk of the user. Anyone using or relying upon this Report, other than the Client, agrees by virtue of its use to indemnify and hold harmless BYC from and against all claims, losses and damages (of whatsoever nature and howsoever or whensoever arising), arising out of or resulting from the performance of the work by BYC.