A	FTH	27.04.17	Architect's layout revised	ARP

ARP ASSOCIATES
CHARTERED CONSULTING ENGINEERS

Northwest House • 5/6 Northwest Business Park • Servia Hill • Leeds LS6 2QH
Telephone: 0113 2458498 • Fax: 0113 2443864 • E-Mail: leeds@arpassociates.co.uk

TITLE

INDICATIVE DRAINAGE LAYOUT SHEET 2 OF 3

PROJECT

CARRS LANE, CUDWORTH

CLIENT

BDW YORKSHIRE WEST

Scale	Date	Drawn / Chk.
1/500 @ A1	AUG 15	DJG / WMW

Drg. No. 1048/69/SK01.02 — Rev A

N O T E S

K E Y

- Proposed Storm Water Manhole
- Proposed Storm Water Sewer
- Foul Water Manhole
- Proposed Foul Water Sewer
- Proposed Combined Sewer
- Storm water rising main

Notes

– drainage runs shown are approximate and are subject to change at detailed design stage.

– no tress to be planted within 5m of drainage.

– all levels and pipe sizes are approximate and may vary at detailed design stage. Phasing of the development will also have an impact.

– all foul drainage to be 150mmø.

– an allowance should be made for 30 No. demarcation chambers, approximately 1.5m deep.

Control manhole
Discharge – 27.5 l/s
Head – 1.13m