



NOTES

- | | |
|----|---|
| 1 | All works shall be carried out in accordance with the Specification for Highway Works unless otherwise instructed in writing by the Local Authority Highway Inspecting Officer/Engineer. |
| 2 | All Statutory Subordinate contracts and frames to be laid to suit new carriageway and footway levels to be constructed. |
| 3 | The contractor shall obtain all necessary street opening notices and licences before the commencement of the works on the highway and shall be maintained throughout the duration of the works. |
| 4 | Final surfacing should not be laid until all the works by the Statutory Undertakers are completed and the Strategic CCTV coverage required by Barnetley MBC and any other relevant roadworks are completed in accordance with Highway Regulations. |
| 5 | All services are to be located on site before any works are carried out. |
| 6 | The contractor is to hand dig any third party pits to locate any services which may be affected by the proposed works. |
| 7 | All existing electrical disconnections and any works involving electrical equipment is to be carried out by a qualified, approved electrical engineer. |
| 8 | Extents of carriageway to be in agreed with Highway Inspecting Officer on site. |
| 9 | The contractor shall complete the Local Authority Highway Inspection Officer's Engineer at least 24 hours in advance of the completion of the work to enable the contractor to arrange a site inspection. The extent of carriageway to be agreed. Costs to be borne by the Developer. |
| 10 | After planning operations carriageway to be to jointly repaired and the extents of any additional deepening to be agreed with Highway Inspecting Officer on site prior to surfacing. Costs to be borne by the Developer. |
| 11 | Prior to commencement of construction, the setting out lines are to be agreed with the Local Authority Highway Inspecting Officer/Engineer on site. |
| 12 | Traffic management to be in accordance with the Safety at Streetworks and Road works. A Copy of the Specification and is to be the Contractors responsibility to implement and maintain. |
| 13 | The Contractor is to provide and maintain a pedestrian route to works at all locations at all times. |
| 14 | All paving details to be to existing level. |
| 15 | All carriageway and footway (newwork) to be class D400. |
| 16 | All carriageway newwork to be based on M80 epoxy resin. |
| 17 | All damaged kerbs, channelling and girding to be replaced in accordance with Highway Authority Inspecting Officer/Engineer. |
| 18 | Voids formed in the existing carriageway by the removal of the kerbs, where compaction is difficult to achieve (up to 750mm width) shall be filled with S74 concrete up to binder course level. |
| 19 | All damaged or work carriageway and footway new work to be replaced. |
| 20 | Existing gullies and connections within the extents of the works are to be cleaned and jetted through. |
| 21 | Calcium chloride emulsion shall be applied to all surfaces receiving bituminous materials. |
| 22 | Track coats to be applied to all prepared surfaces and binder course. The rate of spread of track coats shall be agreed with the Highway Inspecting Officer/Engineer and SQA. |
| 23 | Grass to be sown and to be cleared in the carriageway channels in the vicinity of pedestrian crossings. |
| 24 | Roads to be swept regularly, application of weedkiller and removal of all weeds to be maintained throughout the duration of the works. |

E	Updated to suit S278 comments rec'd 03.09.20	GH	CH	28.09.20
D	Updated to suit S278 comments rec'd 03.12.19 (Crossing to the north amended to specify stick on tactics, area to the west of footpath amended to footway construction)	GH	CH	31.03.20
C	Updated to suit S278 comments	GH	CH	21.12.18
B	Updated to suit S278 comments	GH	CH	21.08.18
A	First Issue.			
REV	DESCRIPTION	SIG	CHK	DATE

BARRATT & DAVID WILSON HOMES
YORKSHIRE WEST

LAND OFF CARRS LANE, CUDWORTH,
BARNSELY, SOUTH YORKSHIRE

S278 LAYOUT (SHEET 2 OF 3)

Eastwood & Partners
CONSULTING ENGINEERS

St. Andrew's House
23 Kingfield Road
Sheffield
S11 9AS

Tel 0114 255 4554
Fax 0114 255 4330

mail@eastwoodandpartners.com
www.eastwoodandpartners.com

EOP

SCALE WHEN PLOTTED AT A0 1:100			DRAWING STATUS APPROVAL	
DRAWN GH	CHECKED CH	DATE 07.11.17	DRAWING NUMBER 39094/081	REV E