



Penistone Library

Bat Emergence Survey Report

Barnsley Metropolitan Borough Council

15/08/2025

Report Ref. ER-7396-03

Report reference	ER-7396-03 Bat Emergence Survey Report
Author	Christopher Shaw BSc (Hons), CEcol, MCIEEM Associate Ecologist
Technical Review	Josh Birchall BSc (Hons), MCIEEM Principal Ecologist
QA	David Lovett MBiolSci (Hons) ACIEEM Ecologist
Authorised	Christopher Shaw BSc (Hons), CEcol, MCIEEM Associate Ecologist
Date	15/08/2025
Report duration	In accordance with CIEEM (2019), unless otherwise stated the findings of this report remain valid for a period of 18 months. After this period advice should be sought on the scope of any updating work required.
Records	As good practise Brooks Ecological may submit records of bats found during this survey effort to the Local Ecological Record Centre, at/or after the time of planning application.



Brooks Ecological Ltd has prepared this report for the sole use of Barnsley Metropolitan Borough Council. The information which we have prepared and provided is in accordance with the CIEEM's Code of Professional Conduct. We confirm that the opinions expressed are our true and professional bona fide opinions. This report does not constitute legal advice. The report is in accordance with the agreement under which our services were performed. No warranty, express or implied, is made as to the advice in this report or any other service provided by us. This report may not be relied upon by any other party except the person, company, agent or any third-party for whom the report is intended without the prior written permission of Brooks Ecological Ltd. This report presents a snapshot of the site at the date it was surveyed; the conditions and the species recorded present, or likely absent, can change rapidly. Resurvey is recommended to any third-party seeking reliance on this report. The content of this report may, in part, be based upon information provided by others and on the assumption that all relevant information has been provided by those parties from whom it has been requested. Information obtained from any third-party has not been independently verified by Brooks unless otherwise stated in the report. This report is the copyright of Brooks Ecological Ltd. Unauthorised reproduction or usage by any person is prohibited.

Unit A, 1 Station Road, Guiseley, Leeds, LS20 8BX
Phone: 01943 884451
01943 879129
www.brooks-ecological.co.uk
Registered in England Number 5351418

Executive Summary

The survey objectives were to ascertain the presence or likely absence of bat roosts at the proposed development site, and to characterise any roosts found.

An Emergence survey was carried out in August 2025, during optimal conditions; this recorded no evidence of roosting within the former Penistone Library building. As such, the likely absence of roosts can be reasonably concluded.

Contents

Introduction.....	1
Methods	1
Survey Results	4
Conclusion & Recommendations	5
References.....	6

Introduction

1. Subsequent to recommendations set out in the Preliminary Roost Assessment, Brooks Ecological was commissioned to carry out a Bat Emergence Survey at the proposed development Site at Penistone Library.
2. The objective of the survey was to ascertain the presence or likely absence of bat roosts on-Site. An emergence survey was determined to be the most appropriate survey method to confirm presence or likely absence.
3. An analysis of the site context and desk study regarding records of Local bat populations has been carried out and is detailed within Brooks Ecological PRA Report ER-7396-02.
4. Within the above report the Site was assessed as providing features with Low bat roost suitability; in accordance with current best practice guidelines, buildings of low suitability need a single evening emergence survey to confirm the presence or likely absence of roosting bats. The Survey extent can be seen in Figure 1, below.

Figure 1 Site Location



Methods

5. Survey and assessment were directed by Christopher Shaw BSc (Hons) MCIEEM. Chris has over 13 years' experience of carrying out bat surveys in a professional capacity and is registered to use the Class Survey Licence WML CL18 (Bat Survey Level 2) and Bat Mitigation Class Licence WML CL21 Annex B.
6. Brooks Ecological specialises in bat surveys ranging from individual buildings through to complex sites requiring numerous visits with large teams. The survey effort, number of personnel and number of visits required to be able to properly evaluate the building(s) use by bats is informed by findings of Brooks Ecological Preliminary Roost Appraisal. We also refer to the Bat Conservation Trust Survey Good Practice Guidelines (2023). However, these guidelines are not prescriptive, and we approach each site individually as required using our professional judgement and significant experience base.
7. In this case, a single visit with a team of four surveyors was deemed necessary to fully evaluate the potential use of the Site for roosting.
8. Surveys were carried out with surveyors positioned around the building to cover all aspects where bats could potentially emerge or return, and to establish activity levels around the Site.
9. The surveyors were in place at least 15 minutes before sunset and left once all species of bat would be expected to have left a roost and patterns of activity within the Site had been appraised.
10. Emergence surveys were undertaken in August, during optimal survey conditions. Survey conditions are summarised below/overleaf:

Table 1 Survey Conditions (recorded from Met Office at time of survey).

Survey	Date	Sunset	Ambient Conditions	Invertebrate Activity
1	11/08/25	20:43	21°C/20°C; 70% humidity; no rainfall; wind (5mph); 80% cloud cover	Moderate

Equipment

11. Brooks Ecological makes use of the most appropriate combination of the following equipment during emergence surveys. Where applicable the equipment has been last calibrated in February of 2025.
 - Heterodyne detector: Magenta Bat 4
 - Full spectrum detector: Titley Scientific Anabat Scout or EM Touch 2 Pro
 - Night vision aids: Nightfox, Thermal Eye T2Pro, FlirOne for iOS, Flir Ax5
 - Remote detector: Wildlife Acoustic Song Meter SM4 Bat FS
12. A still shot from night vision aids used, showing the field of view at the darkest point of the survey, has been included in reporting.

Limitations

13. There were no limitations to the survey.

Box 1 *Bat roosts*

Bats roost in buildings and trees in different locations depending upon time of year and environmental factors such as position of the sun, proximity to heat sources and feeding grounds. The following types are commonly referred to:

Transitional roosts

Bats frequently gather early in the season (March to April) before dispersing to summer roosts. Bats can be found in high numbers in these roosts for a very short period. Transitional roosts can also be found shortly before hibernation in August to October when bats (depending upon species) can gather in roosts not used earlier in the season.

Maternity roosts

These are among the most important roosts and are normally occupied from May to August. Depending on the species involved, some maternity roosts can contain a very significant proportion of the local population.

Summer (non-breeding) roosts

Small groups of non-breeding female and male bats can gather in these roosts or bats from a local population may choose to roost individually. There are normally a large number of suitable locations for summer non-breeding roosts and these may be routinely used or used only on an occasional basis. Irregularly used summer roosts can be very hard to find without unreasonable survey effort.

Mating roosts

Around September bats will gather in roost to mate; these are often in different locations than summer or breeding roosts.

Hibernation roosts

As bats in hibernation roosts are highly vulnerable to disturbance and bats can be present in large numbers these are considered to be among the most important bat roosts. Many species of bats roost in large and nationally important hibernation roosts associated with underground sites, many of which are well known and protected. However, the most common bat in the UK (the common pipistrelle) is largely unaccounted for in winter but thought to disperse and roost individually or in small groups in thermally stable cracks and crevices in thick walls or trees.

Box 2 *Legal background*

Bats are afforded full protection under The Wildlife and Countryside Act (1981) plus amendments, and the Conservation of Habitats and Species Regulations 2010. Under these Acts it is an offence among others, to recklessly kill, injure or disturb bats. It is also an offence to destroy or obstruct a roost even if bats are not in occupancy at the time of the action.

There are no defences against contravention of the Habitats Regulations 2010 which means that it is important for detailed and well-designed bat surveys to be carried out, prior to carrying out activities that may impact upon bat roosts such as demolition of buildings or removal of trees.

Where bats are found within a potential development site, a license from Natural England may need to be secured if works that could otherwise contravene legislation are to be carried out. These licences are only issued where Natural England is satisfied that works are unavoidable and would not have a negative impact on the favourable conservation status of bats. A Natural England license requires that the potential development site has full planning permission and that bats were a material consideration of the planning permission.


Survey Results

14. Surveyors were positioned to cover all features with bat roost suitability.
15. Overall, bat activity was considered to be low, with only a small number of common bat species recorded foraging within neighbouring gardens.
16. The first contact was recorded at 21:03, with a solitary common pipistrelle seen foraging over gardens to the northwest. This is thought to have emerged from neighbouring residential properties to the north and remained foraging over the gardens and close to the library building for the duration of the survey. This was joined by a second common pipistrelle bat from 21:14 onwards.
17. At 21:06, a solitary common pipistrelle was recorded foraging around a mature tree to the southeast, and along the edge of the adjacent allotments. This bat arrived from offsite to the south and was later joined by a second bat around 21:21.
18. The survey was concluded when patterns of activity around the Site had been discerned, and all species would have been expected to have emerged.
19. No roosts were identified, or suspected, within the surveyed building.

Figure 2 View of the building from the Night Vision Aid



Figure 3 Summary of bat activity observed during emergence survey.



Conclusion & Recommendations

20. Survey has demonstrated a likely absence of roosting within the former Penistone Library building, and as such, the proposed works present little risk of impacting upon bats or their roosts.

Standard Precaution

21. Although no evidence of roosting has been found and the likely absence of roosting has been concluded, it must be noted that bats frequently move between roost sites, can be very casual in their choice of roosting location, and can turn up unexpectedly at any time.
22. On this basis the developer should always be mindful of bats as a potential constraint and have a protocol in place should any bats be seen or suspected during works: works should stop, a suitably licenced ecologist consulted, and their advice followed.

Enhancement

23. The NPPF puts emphasis on development delivering biodiversity enhancement above and beyond mitigating or compensating for any impacts. To this end any new development at the Site could include integral bat roost features to offer suitable habitat in the long term.

References

- Chartered Institute of Ecology and Environmental Management (CIEEM). 2019. *Advice note: on the lifespan of ecological reports and surveys*. Winchester: Chartered Institute of Ecology and Environmental Management. [Online]. Available from: <https://cieem.net/resource/advice-note-on-the-lifespan-of-ecological-reports-and-surveys/>
- Collins, J. 2023. *Bat Surveys for Professional Ecologists: Good Practice Guidelines (4th edition)*. London: The bat Conservation Trust.
- Department for Levelling Up, Housing and Communities. 2023. *National Planning and Policy Framework*. London: Her Majesty's Government. [Online]. Available from: https://assets.publishing.service.gov.uk/media/65819679fc07f3000d8d4495/NPPF_December_2023.pdf
- Government Circular 06/05: Office of the Deputy Prime Minister (ODPM) 2005. *Biodiversity and Geological Conservation – Statutory Obligations and Their Impact Within the Planning System*. London: Her Majesty's Government. [Online]. Available from: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/7692/147570.pdf
- His Majesties Government. 2024. *Bat Licenses*. [Online]. [Accessed 15th January 2024]. Available from: <https://www.gov.uk/government/collections/bat-licences#bat-mitigation-licences>
- His Majesties Government. 2024. *European Protected Species policies for mitigation licenses*. [Online]. [Accessed 15th January 2024]. Available from: <https://www.gov.uk/guidance/european-protected-species-policies-for-mitigation-licences>
- Institute of Lighting Professionals (ILP) and Bat Conservation Trust (BCT). 2018. *Guidance Note GN08/23: Bats and Artificial Lighting At Night*. Rugby: Institute of Lighting Professionals. [Online]. Available from: <https://theilp.org.uk/publication/guidance-note-8-bats-and-artificial-lighting/>
- Mitchell-Jones, A.J. and McLeish, A.P. 2004. *Bat Workers Manual (3rd Edition)*. Peterborough: Joint Nature Conservation Committee (JNCC). [Online]. Available from: <https://hub.jncc.gov.uk/assets/e5888ae1-3306-4f17-9441-51a5f4dc416a>
- Reason, P.F. and Wray, S. 2023. *UK Bat Mitigation Guidelines: a guide to impact assessment, mitigation and compensation for developments affecting bats*. Version 1.1. Ampfield: Chartered Institute of Ecology and Environmental Management. [Online]. Available from: <https://cieem.net/wp-content/uploads/2023/09/Bat-Mitigation-Guidelines-2023-V1.1.pdf>
- The Conservation of Habitats and Species Regulations 2010. (No. 490)*. London: Her Majesty's Government. [Online]. Available from: <https://www.legislation.gov.uk/uksi/2010/490/contents/made>
- The Royal Society for the Protection of Birds (RSPB). *Magenta Bat 4 (heterodyne) detector*. [Online]. [Accessed 4th January 2024]. Available from: <https://shopping.rspb.org.uk/wildlife-friendly-garden/wildlife-garden-cameras-detectors/bat-detectors/magenta-bat-4-bat-detector.html>
- Titley Scientific. 2024. *Anabat Scout Active Bat Detector*. [Online]. [Accessed 4th January 2024]. Available from: <https://www.titley-scientific.com/uk/anabat-scout.html>
- Wildlife Acoustics. *Echo Meter Touch 2 Pro for Android*. [Online]. [Accessed 4th January 2024]. Available from: <https://www.wildlifeacoustics.com/products/echo-meter-touch-2-pro-android-2>
- Wildlife and Countryside Act 1981. (c.69, Schedule 9)*. London: Her Majesty's Government. [Online]. Available from: <https://www.legislation.gov.uk/ukpga/1981/69/schedule/9>