N

Do not scale from this drawing.

SAFETY HEALTH AND ENVIRONMENTAL INFORMATION

IN ADDITION TO THE HAZARD/RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING RISKS AND INFORMATION.

RISKS LISTED HERE ARE NOT EXHAUSTIVE. REFER TO DESIGN ASSESSMENT FORM NO.

CONSTRUCTION

DEMOLITION

FOR INFORMATION RELATING TO USE, CLEANING AND MAINTENANCE SEE THE HEALTH AND SAFETY FILE

IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROVED METHOD STATEMENT.

POST CONSTRUCTION CCTV SURVEYS OF NEW PRIVATE DRAINAGE AND ADOPTED SEWER TO BE CARRIED OUT BY CONTRACTOR.

LOCATION, DEPTH, SIZE & CONDITION OF EXISTING SEWER TO BE CONFIRMED BY CONTRACTOR AS PART OF THE DETAILED DRAINAGE DESIGN.

SURFACE WATER DISCHARGE TO BE RESTRICTED TO 18.1 l/sec DURING THE CRITICAL 30 YR RAINFALL EVENT BY A HYDROBRAKE WITHIN THE OUTLET CONTROL MANHOLE (OCMH).

SURFACE WATER OUTFALL TO BE INVESTIGATED

LEGEND

- FOUL SEWER
- SURFACE WATER SEWER
- RISING MAIN
- EX. FOUL SEWER
- EX. SURFACE WATER SEWER
- FREE DRAINING POROUS DRIVEWAY
- DETENTION BASIN
- BASIN STONE TRENCH

Rev.	Date	Description	Drawn	Checked	Approved

Notes:

Client: BALMORAL www.balmoral-group.com

Project Title: PROPOSED RESIDENTIAL DEVELOPMENT AT HOUGH LANE WOMBWELL, BARNSLEY

Drawing Title: CONCEPTUAL DRAINAGE LAYOUT

FAIRHURST
88 Queens Road,
ABERDEEN, AB15 4YQ
Tel: 01224 321 222 Fax: 01224 323 201

Scale at A1:	Status:	
1:500	For Information	
Drawn: AG	Checked: KT	Approved: ASK
Date: 01/09/17	Date: 01/09/17	Date: 01/09/17
Drawing No.: 117436/2000		Revision: –