Application for works to trees

subject to Tree Preservation Order

under the Town and Country Planning Act 1990

at

1 Meadow Drive, Darfield, Barnsley.

N.B For the avoidance of doubt please be aware that some items identified for removal may not be subject to a preservation order and are included below to provide an accurate account of the full works which are proposed.

# List of Proposed works.

**Trees and Hedges to be Removed ( location depicted in red on plan)**

T1 Acer pseudoplantus (Sycamore), T2 Acer pseudoplantus (Sycamore), T3 Acer pseudoplantus (Sycamore), T4 Acer pseudoplantus (Sycamore), T5 Quercus spp(Oak), T7 Acer pseudoplantus (Sycamore), T10 Cupressus spp (Fir ),H1 (miscellaneous bush), H2 ( miscellaneous bush).

**Grounds for Removal**

T1 , T2, T3, T4, T5 have all suffered Ring Barking damage, confirmed by independent report provided to BMBC forestry officer as well as visual site inspection by forestry officer.

T7 poor specimen of species removal of which will benefit remaining trees and allow the provision of improved location for replacement planting scheme for T1 to T5 (inclusive).

T10 ornamental fir (not subject to TPO) which on visual inspection appears to have been badly pruned and affect future growth and formation.

H1, H2 garden shrubs (not subject to TPO) not adding any significant benefit to the location or environment, space would be better allocated to providing an improved location for replacement planting scheme for T1 to T5 (inclusive).

**Tree Maintenance Works**


T6 (Lime), T8 (Sycamore), T9 (Sycamore) all to have crown lift to 5m with crown clean.

**Replacement Planting Proposal (location depicted in blue on location plan)**

T1,T2, T3, T4, T5 to be replaced at a ratio of 2:1.
3 oak heavy standard size with girth of at least 12-14 cm, 3.5 – 4m height.
3 beech standard size with girth 8-10cm, 2.5-3m height.
4 lime standard size with girth 8-10cm, 2.5-3m height.

T7, T10 to be replaced at a ratio of 1:1.
1 beech standard size with girth 8-10cm, 2.5-3m height.
1 sweet chestnut standard size with girth 8-10cm, 2.5-3m height.

**Although every attempt has been made to provide an accurate assertion as to the replacement species and location of the intended replacement planting the ground conditions may dictate the accessibility of the site for the purpose of replanting, therefore it may be necessary to vary the exact location slightly as ground and access conditions allow at the prevailing time of planting. It may be necessary at the time of replacement to plant a greater size of the same species or alter native species of the same size as outlined in the above proposal subject to availability during the relevant planting season.**


T15
T14
T13
T20
T1
T2
T3
T4
T5
T6
T7
T8
Pinfold Lane
Meadow Drive