



ATTENTION IS DRAWN TO THE REQUIREMENTS OF
THE CONSTRUCTION DESIGN AND MANAGEMENT
REGULATIONS 2015 AND THE DUTIES AND
RESPONSIBILITIES CONTAINED THEREIN

Key	Description
	50mm Surface Course AC10
	60mm Surface Course Block Paviers
	Grass Verge
	25mm 0-6mm DBM Footway
	25mm 0-6mm DBM Vehicular Crossing
	60mm Block Paviers 675mm Wide Hard Margins
	2m Wide Black Paved Ramp
	Tactile Crossing Paving

- Refer to typical section Drawing No 0425/87/04.01, 0425/87/04.02 & 0425/87/04.03 for typical highway details.
- Dropped kerbs and tactile paving are required at the junctions to facilitate the movement of wheelchairs etc. The dropped kerbs to be laid with a 6-mm upward.
- Adaptable sewers are not to be constructed under or within 1.0 metres of any footpath/kerb line / service strip.
- Off-site drainage already built must have invert levels checked prior to connection of the site drainage.
- Gully positions shown are subject to adjustment on site to ensure full drainage and the absence of ponding.
- No walls are to be constructed 1m of the highway drains located in gardens or verge.
- No water should be allowed to discharge from any private drives onto the adoptable highway.
- All highway works are to be the subject of a Section 38 Agreement of the highways Act 1980.
- All public sewers to comply with the requirements of the Water Authorities publication "Code for Adoption" together with any additional specific requirements of the drainage authority.
- All public sewers are to be the subject of a Section 104 Agreement of the Water Industry Act 1991.
- Any coated base material in carriageway left exposed for more than seven days to be sealed using bituminous sealing grit.
- Highway boundary to be indicated by black edgings laid flush or change of material on Private drives.
- All vertical forces of joints including box edges material shall be treated with "Oxy-bi" or other approved product. This includes kerbs, and precast products. Overbanding will not be accepted with Barnsley Council.

C	RJ	23.12.22	Revised to new planning layout 11.10.22	RJ	MI
B	JMG	20.07.22	S278 information added	RJ	MI
A	DJG	28.06.22	Revised to suit new layout		
/	DJG	27.05.22	Issued for approval	MI	MI
Rev	By	Date	Revision	Chk	Apvd

ARP ASSOCIATES
Chartered Consulting Engineers

Northwest House • 5 & 6 Northwest Business Park • Servia Hill, Leeds • LS9 2QH
☎ 0113 245 5698 • ✉ 0113 244 3864 • 📧 leeds@arpassociates.co.uk • 🌐 www.arpassociates.co.uk

ARP Associates is a trading division of ARP Geotechnical Ltd, a company registered in England and Wales with company number 3771811, whose registered office is at 5/6 Northwest Business Park, Servia Hill, Leeds LS9 2QH

TITLE SURFACING &
KERBING LAYOUT
SHEET 1 OF 2

PROJECT

GYPSY LANE,
WOMBWELL

CLIENT

MILLER HOMES
(YORKSHIRE) LTD

DRAWING STATUS
PRELIMINARY

Scale 1:500 @ A1	Date MAY 22	Drawn DJG
		Chk. MI

Drg. No. 0425/87/02.03	Rev C
---------------------------	----------