


Refer to DEP Arboricultural Report for detail of existing trees



- KEY**
- SOFT LANDSCAPING**
- Existing Trees and Vegetation Retained
 - Existing Trees and Vegetation Removed
 - Proposed Ornamental Trees
 - Proposed Native Standard Trees
 - Proposed Replacement Trees - Planted as extra heavy standard 14-16cm girth specimens, 350-400cm height
 - Proposed Native Shrub Mix
 - Proposed Native Hedgegrov
 - Proposed Shrubs
 - Proposed Wildflower Meadow
 - Proposed amenity turf grass
 - Proposed shade tolerant grass mix

Refer to DEP dwg no 5098.03 - Planting Plan for full details of site planting

DRAFT



DEP LANDSCAPE ARCHITECTURE LTD
 2 COMMERCIAL STREET
 MANCHESTER, M15 4RQ
 T: 0161 2419878
 E: info@dep.co.uk
 W: www.dep.co.uk

Replacement Tree Planting Schedule

Trees						
Abb	Species	Specification	Height	Girth	Total	
A p	Acer pseudoplatanus	Extra Heavy Std: 5 brks: 3x: RB Clear Stem 175-200	350-400cm	14-16cm	3 No.	

Planting Notes

1. Tree procurement, planting and management shall be in accordance with BS 8545:2014 Trees: from Nursery to Independence in the landscape-Recommendations.
2. Trees shall be first class examples of their species or variety, free from all pests and diseases, with good fibrous root systems and materially undamaged (refer to relevant sections of BS3936 Parts 1-4 'Specification of Nursery Stock').
3. All planting is to be in general compliance with BS4428: 1989 'Code of Practice for general landscape operations (excluding hard surfaces).'
4. Extra heavy standard trees are to be double staked using short stakes (at 600mm above ground level) and secured with a cross bar and rubber webbing tie and spacer.
5. For the replacement trees; One number 80 litre bag of tree planting compost (non-peat based) is to be incorporated into tree pits. Compost must be mixed thoroughly with topsoil. Trees shall be planted in tree pits of the following minimum sizes (or large enough to comfortably accommodate the root ball, whichever is the largest):
 Extra heavy standard 1000x1000x750mm deep
6. Water trees on the same day of planting and there after as necessary (min once a week in periods of drought) to ensure the establishment of the plants during the 12months defects period.
7. The contractor must ascertain for himself/herself the exact location of underground services and maintenance points.

Client
Sourced Capital

Project
Land off Roughbichworth Lane

Description
Replacement Tree Planting Plan R13

Status
Planning

Scale
1:250@A1

Drawn
TR

Job number
5098

Drawing number
06

Date
Feb 24

Revision
-

Copyright DEP Landscape Architecture Ltd

All levels and dimensions to be checked on site by contractor prior to commencement; Any variations to be reported to the client. This drawing is to be read in conjunction with all others relating to the project and all information derived accordingly; any anomalies to be reported to the client. Do not scale from this drawing. Use figured dimensions only. Work shown on this drawing to be carried out in accordance with current British Standards and Codes of Practice.

© Copyright to DEP Landscape Architecture Limited. The information shown on this drawing shall not be reproduced or copied in any form without prior written consent from DEP Landscape Architecture Limited.