



GRANT OF OUTLINE PLANNING PERMISSION

TOWN AND COUNTRY PLANNING ACT 1990

APPLICATION NO. 2017/1605

To Pegasus Group
Pavilion Court
Green Lane
Garforth
LS25 2AF

DESCRIPTION Residential development of up to 7 dwellings (Outline All Matters Reserved)

LOCATION Land Off Market Street, Goldthorpe, Rotherham, S63 9NQ

Permission is granted for the proposals which were the subject of the Application and Plans registered by the Council on 03 January 2018 and described above.

The approval is subject on compliance with the following conditions:

- 1 Application for approval of the matters reserved in Condition No. 2 shall be made to the Local Planning Authority before the expiration of three years from the date of this permission, and the development, hereby permitted, shall be begun before the expiration of two years from the date of approval of the last of the reserved matters to be approved.
Reason: In order to comply with the provision of Section 92 of the Town and Country Planning Act 1990.
- 2 The development hereby permitted shall not be commenced unless and until approval of the following reserved matters has been obtained in writing from the Local Planning Authority:-
 - (a) the layout of the proposed development.
 - (b) scale of building(s)
 - (c) the design and external appearance of the proposed development.
 - (d) means of access
 - (e) landscaping**Reason: In order to allow the Local Planning Authority to assess the details of the reserved matters with regard to the development plan and other material considerations.**

- 3 Detailed plans shall accompany the reserved matters submission indicating existing ground levels, finished floor levels of all dwellings and associated structures, road levels and any proposed alterations to ground levels. Thereafter the development shall proceed in accordance with the approved details.
Reason: To enable the impact arising from need for any changes in level to be assessed in accordance with Core Strategy Policy CSP 29, Design.
- 4 The parking/manoeuvring facilities shall be surfaced in a solid bound material (i.e. not loose chippings) and made available for the manoeuvring and parking of motor vehicles prior to the development being brought into use, and shall be retained for that sole purpose at all times.
Reason: To ensure that satisfactory off-street parking/manoeuvring areas are provided, in the interests of highway safety and the free flow of traffic and in accordance with Core Strategy Policy CSP 26, New Development and Highway Improvement.
- 5 Pedestrian intervisibility splays having the dimensions of 2 m by 2 m shall be safeguarded at the drive entrance/exit such that there is no obstruction to vision at a height exceeding 1m above the nearside channel level of the adjacent highway.
Reason: In the interest of road safety in accordance with Core Strategy Policy CSP 26, New Development and Highway Improvement.
- 6 All surface water run off shall be collected and disposed of within the site and shall not be allowed to discharge onto the adjacent highway.
Reason: In the interests of highway safety in accordance with Core Strategy Policy CSP 40, Pollution Control and Protection.
- 7 Prior to any works commencing on-site, a condition survey (including structural integrity) of the highways to be used by construction traffic shall be carried out in association with the Local Planning Authority. The methodology of the survey shall be approved in writing by the Local Planning Authority and shall assess the existing state of the highway. On completion of the development a second condition survey shall be carried out and shall be submitted for the written approval of the Local Planning Authority, which shall identify defects attributable to the traffic ensuing from the development. Any necessary remedial works shall be completed at the developer's expense in accordance with a scheme to be agreed in writing by the Local Planning Authority.
Reason: In the interest of road safety in accordance with Core Strategy Policy CSP 26, New Development and Highway Improvement.
- 8 Vehicular and pedestrian gradients within the site shall not exceed 1:12 to ensure safe and adequate access.
Reason: In the interest of road safety in accordance with Core Strategy Policy CSP 26, New Development and Highway Improvement.
- 9 No development shall take place, including any works of demolition, until a Construction Method Statement has been submitted to, and approved in writing by, the Local Planning Authority. The approved Statement shall be adhered to throughout the construction period. The Statement shall provide for:
-The parking of vehicles of site operatives and visitors
-Means of access for construction traffic
-Loading and unloading of plant and materials
-Storage of plant and materials used in constructing the development
-Measures to prevent mud/debris being deposited on the public highway
Reason: In the interests of highway safety, residential amenity and visual amenity and in accordance with Core Strategy Policy CSP 26, New Development and Highway Improvement, and CSP 29, Design.

- 10 No development shall take place unless and until full foul and surface water drainage details, have been submitted to and approved in writing by the Local Planning Authority. The details relating to surface water drainage shall include:-
- a) evidence to demonstrate that surface water disposal via infiltration or watercourse are not reasonably practical ;
 - b) evidence of existing positive drainage to public sewer and the current points of connection; and
 - c) the means of restricting the discharge to public sewer to the existing rate less a minimum 30% reduction, based on the existing peak discharge rate during a 1 in 1 year storm event, to allow for climate change.
- Thereafter no part of the development shall be occupied or brought into use until the approved scheme has been fully implemented. The scheme shall be retained throughout the life of the development unless otherwise agreed in writing with the Local Planning Authority.
- Reason: To ensure the proper drainage of the area in accordance with Core Strategy Policies CSP 3 and 4 Flood Risk and Drainage**
- 11 No building or other obstruction including landscape features shall be located over or within 4 (four) metres either side of the centre line of the public sewer i .e. a protected strip width of 8 (eight) metres, that crosses the site . If the required stand -off distance is to be achieved via diversion or closure of the sewer, the developer shall submit evidence to the Local Planning Authority that the diversion or closure has been agreed with the relevant statutory undertaker and that prior to construction in the affected area, the approved works have been undertaken .
- Reason: In order to allow sufficient access for maintenance and repair work at all times in accordance with CSP4.**
- 12 Details shall accompany the reserved matters submission of sound insulation works. The scheme of works shall;
- a) Be based on the findings of the noise impact report, reference 11183, submitted with the application.
 - b) Be capable of achieving the following noise levels:
Bedrooms: LAeq (8 hour) - 30dB (2300 to 0700 hours);
Living Rooms & Bedrooms: LAeq (16 hour) - 35dB (0700 to 2300 hours);
Bedrooms: LAFmax - 45dB (2300 to 0700 hours).
 - c) Where the above noise criteria cannot be achieved with windows partially open, include a system of alternative acoustically treated ventilation to all habitable rooms. The approved scheme of sound insulation works shall be installed prior to the occupation of any of the dwellings and retained thereafter.
- Reason: In the Interests of Residential Amenity and to accord with Core Strategy Policy CSP 40 'Pollution'**

Informative(s)

Pursuant to article 31(1)(cc) of the Town and Country Planning (Development Management Procedure) Order 2010 (as amended), the Local Planning Authority have, where possible, made a pre-application advice service available, complied with our Planning Service Charter for Business and otherwise actively engaged with the applicant in dealing with the application.

Please be aware that the Council monitors construction sites and open land within the vicinity such sites in an attempt to prevent fly tipping (i.e. unauthorised deposit of waste on land), which is illegal under the Environmental Protection Act 1990. The penalties for fly-tipping can include:

- *a fine of up to £50,000 and*
- *up to six months imprisonment on conviction*

Therefore, if necessary, please ensure that all demolition waste and waste associated with the construction of the approved development is disposed of via approved methods and that documents are retained to prove this.

Informative
Sequence

The proposed development lies within an area that has been defined by The Coal Authority as containing potential hazards arising from former coal mining activity. These hazards can include: mine entries (shafts and adits); shallow coal workings; geological features (fissures and break lines); mine gas and previous surface mining sites. Although such hazards are seldom readily visible, they can often be present and problems can occur in the future, particularly as a result of development taking place.

It is recommended that information outlining how the former mining activities affect the proposed development, along with any mitigation measures required (for example the need for gas protection measures within the foundations), be submitted alongside any subsequent application for Building Regulations approval (if relevant). Your attention is drawn to The Coal Authority Policy in relation to new development and mine entries available at:

<https://www.gov.uk/government/publications/building-on-or-within-the-influencing-distance-of-mine-entries>

Any intrusive activities which disturb or enter any coal seams, coal mine workings or coal mine entries (shafts and adits) requires a Coal Authority Permit. Such activities could include site investigation boreholes, digging of foundations, piling activities, other ground works and any subsequent treatment of coal mine workings and coal mine entries for ground stability purposes. Failure to obtain a Coal Authority Permit for such activities is trespass, with the potential for court action.

Property specific summary information on past, current and future coal mining activity can be obtained from: www.groundstability.com

If any of the coal mining features are unexpectedly encountered during development, this should be reported immediately to The Coal Authority on 0345 762 6848. Further information is available on website at: www.gov.uk/government/organisations/the-coal-authority

The granting of planning permission does not in any way infer that consent of the landowner is given. Therefore the consent of all relevant landowners is required before proceeding with any development including that of the Council as landowner.

If it should transpire that the applicant does not own any of the land included in this consent then it is the responsibility of the applicant to seek all necessary consents and approvals of the landowner.

Public Rights of Way may be affected during the construction stage of this development, and you should contact Mrs Sarah Ford (tel: 01226 772696) or Mr Mike Gibson (tel: 01226 772569) to discuss the possible need for a temporary closure or diversion.

Please note that the indicative layout provided with this application is not acceptable and further design work is required which may result in a reduction in the total number of units.

Signed 
Joe Jenkinson

Dated 29 May 2018

Head of Planning and Building Control

The grant of this consent does not constitute or imply permission, approval or consent by the Local Authority for any other purpose.

NOTES:-

Appeals to the Secretary of State

If you are aggrieved by the decision of the Council to grant permission for the proposed development subject to conditions then you can appeal to the Secretary of State for the Environment, Transport and Regions under Section 78 of the Town and Country Planning Act. If you want to appeal, then you must do so within six months of the date of this notice, using a form which you can get from The Planning Inspectorate, Room 3/24 Hawk Wing, Temple Quay House, 2 The Square, Temple Quay, Bristol, BS1 6PN.

The Secretary of State can allow a longer period for giving notice of an appeal, but he will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal. The Secretary of State need not consider an appeal if it seems to him that the Local Planning Authority could not have granted planning permission for the proposed development or could not have granted it without the conditions it imposed, having regard to the statutory requirements, to the provisions of the development order and to any directions giving under the order. In practice, the Secretary of State does not refuse to consider appeals solely because the Local Planning Authority based its decision on a direction given by him.

Purchase Notices

If either the Local Planning Authority or the Secretary of State for the Environment, Transport and Regions refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor can he render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted. In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of part VI of the Town and Country Planning Act 1990.

Compensation

In certain circumstances compensation may be claimed from the Local Planning Authority if permission is refused or granted subject to conditions by the Secretary of State on appeal or on reference to the application to him. These circumstances are set out in Sections 114 and related provisions of the Town and Country Planning Act 1990.