

Elevations

150MM (Min) UPSTAND - CODE 4 LEAD FLASHING

MATCHING GREY COLOUR, CONCRETE PASTINES.

Side Layout

MATCHING REIL DRAGWIRE BRICKWORK - POSSIBLE 25MM DEEP

Front

EXTERNAL STAIRS REQUIRED DUE TO LEVEL.


Rear

WHITE UPVC DOORS & RAINWATER GOODS.

Side

The drawings are prepared for the purpose of Planning Application 8/10/18

Ext. Step Detail 1:20



ALL RELEVANT DETAILS FOR THIS PROJECT
HAVE BEEN DESIGNED IN ACCORDANCE WITH
THE ACCREDITED CONSTRUCTION DETAILS

TO PROVIDE ADDITIONAL
BLOCK WARNING AS SHOWN
TO ENSURE
ADEQUATE
SUPPORT TO
CONC. FLGS.

S.D. 04 1:5

Seperating Wall


60MM TH. "GYPROC THERMAL
SUPER" INSULATED PLASTER
+ 5MM SKIM ~ TO PROVIDE
0.30 "U" VALUE ~ FIXED ON
EXT. & INT. S.

speed $\times \frac{1}{\text{time}}$

INSURATION	25/100
------------	--------

Block Floor

S.D.05 1:5 Front Pier.



Denotes movement joists at 6.0 m max. to stonework,
12.0 m to brickwork (refer to A4 detail). 

C	REAR SITTING ROOM BLENDED	11-1
B	B/REG. ALTS. ADDED	09-1
A	B/REG. INFO ADDED	08-1
Rev	Notes	Date

Planning: 2010/0880
B/Regs: 10/12063/BR

Garry Greetham Associates Ltd
Residential Design Consultant
Westwood House
18 Carr Lane
Tankersley
Barnsley S75 3BE
Tel (01226) 746573

PROJECT	Side Extension		
CLIENT	Mr. & Mrs. P. Addy		
TITLE	Property as Proposed		
ADDRESS	5 Wrens Way, off Herons Way Birdwell, Barnsley. S70 5SQ.		
DRAWN BY	ggg		
SCALE	1:100; 1:50	DATE	July 10
DRAWING No	724-03		REV C

Member of the Chartered Institute of Architectural Technicians