



PLANT PALETTE



Palette name: **240411 -Goldthorpe**
 Client: Align Property Partners
 Project:
 Location:
 Date: 11/04/24
 Created by: Sue Barnes - Boroughbridge office



Trees

| Botanical Name | Common Name | Description | Images |
|---|--------------------------------------|--|--------|
| <p>Acer campestre 'Queen Elizabeth'</p> | <p>Field Maple 'Queen Elizabeth'</p> | <p>Strong growing forming a broad oval to rounded crown with its upward, slightly open branching. The lobed leaves emerge light green often with red tips, maturing to dark green then turning bright yellow in autumn. Yellow-green flowers in small loose clusters are produced in April followed by winged fruit called 'keys' which mature from green to brown, possibly red-tinged in August-September. Grows to a height of 10-12m with a 6-8m spread.</p> | |

| | | | |
|---|--|--|--|
| <p>Acer rubrum 'Armstrong'</p> | <p>Red Maple 'Armstrong'</p> | |  |
| <p>Amelanchier x grandiflora 'Robin Hill'</p> | <p>Snowy Mespilus 'Robin Hill'</p> | <p>This is the tree form of the typically bush <i>Amelanchier</i>, a deciduous small tree with a lightly branching crown as part of an upright growth habit; Opens in early spring with young red leaves and a mass of clusters of white flowers. Fruit consisting of small round berries turn red in July then bluish-black are attractive to birds. Has good autumn colour consisting of fiery orange and red shades. Grows to 8m with a 5m spread. AGM</p> |  |


| | | | |
|---|---------------------------------|---|---|
| <p>Liquidambar styraciflua 'Lane Roberts'</p> | <p>Sweet Gum 'Lane Roberts'</p> | <p>AGM</p> |  |
| <p>Prunus padus 'Albertii'</p> | <p>Bird Cherry 'Albertii'</p> | <p>This form of Bird Cherry has a relatively dense compact crown ovate in form. Fragrant white flowers in racemes, shorter than those of the form 'Watereri', are produced in abundance at the end of April into May. A fine tree for avenues on broad grass verges. Grows to 8-10m high with a spread of circa 4-5m.</p> |  |

| | | | |
|--|---------------------------------------|---|--|
| <p>Sorbus aucuparia 'Cardinal Royal'</p> | <p>Rowan 'Cardinal Royal'</p> | <p>A fairly vigorous upright grower which produces a profusion of brilliant red fruits in generous clusters. Grows to a height of 12m with a 5m spread.</p> | |
| <p>Sorbus x thuringiaca 'Fastigiata'</p> | <p>Fastigate Bastard Service Tree</p> | <p>This is clearly a medium-sized tree with a broad domed, densely branched crown. When young, it has a deceptively narrow upright dense head, only later becoming rounded once fully established. The foliage is partly divided and partly entire, dull green above and grey beneath. Fruits are red and are held into early winter. Grows to a height of 8m with a 6m spread.</p> | |

Tilia cordata
'Winter
Orange'

Small-
leaved
Lime
'Winter
Orange'



This Small-Leaved Lime is most notable for its distinctive red buds and orange shoots in winter. A medium to large tree with a conical form broadening with age, with rounded green leaves turning yellow in autumn. In July white scented flowers are produced. Grows to a height of circa 12-15m with a spread of circa 8-10m. [AGM](#)



Shrubs

| Botanical Name | Common Name | Description | Images |
|----------------------------|-------------------------------|---|--------|
| <p><i>Aralia elata</i></p> | <p>Japanese Angelica Tree</p> | <p>A relatively small but spreading deciduous shrub with architectural merit. The bi-pinnate leaves are very large and produce good yellow-orange-red autumn colour. Large heads of small white flower buds emerge in around early to mid-August opening in the latter half of the month into September and possibly lasting through to early October. These are followed by equally small, black, fleshy fruit. Stems are quite prickly.</p> | |

| | | | |
|---|----------------------------------|---|--|
| <p><i>Berberis darwinii</i></p> | <p>Darwin's Barberry</p> | <p>One of the best flowering evergreens. Small glossy foliage with an abundance of orange-yellow flowers produced in April into May followed by equal amounts of purple-blue berries. Grows eventually to 3 metres high with a 3 metre spread. AGM</p> |  |
| <p><i>Berberis x frikartii</i> 'Amstelveen'</p> | <p>Barberry 'Amstelveen'</p> | <p>This dense, low growing shrub makes a broad mound up to 1m high. Spiny, glossy evergreen foliage, white below. Yellow flowers, blue-black fruit. Excellent groundcover. AGM</p> |  |

| | | | |
|--|-------------------------------------|---|---|
| <p>Cornus alba 'Sibirica'</p> | <p>Westonbirt Dogwood</p> | <p>Very bright rich crimson-red shoots provide a striking feature in winter. Green foliage and clusters of white flowers in June followed by small white or bluish-white berries. AGM</p> |  |
| <p>Cornus sanguinea 'Midwinter Fire'</p> | <p>Dogwood 'Midwinter Fire'</p> | <p>This Dogwood of compact form has light to mid-green leaves with bronzed young leaves. In winter, the light yellow-orange stems and red young shoots are particularly striking. Small flat cymes of white flowers are produced in June followed by blue-black fruit. Autumn leaves are orange-yellow.</p> |  |

| | | | |
|--|-------------------------------|---|--|
| <p>Cornus stolonifera 'Flaviramea'</p> | <p>Yellow-stemmed Dogwood</p> | <p>Yellow green shoots with green foliage. Up to 2.5 metres, but less if cut back hard every other year. Good in moist soils. AGM</p> | |
| <p>Elaeagnus x ebbingei</p> | <p>an Oleaster</p> | <p>Fast growing, vigorous evergreen up to 3m high. Large dark green foliage silvery below giving the overall appearance of grey-green, especially in breezy conditions. Small silvery creamy-white fragrant flowers in autumn followed by green fruit ripening to red in spring. Good screening and shelter plant. Will stand sea winds, but not waterlogged soil. AGM</p> | |

| | | | |
|---|---------------------------------|--|--|
| <p>Elaeagnus x ebbingei 'Limelight'</p> | <p>Oleaster 'Limelight'</p> | <p>Mature foliage boldly splashed with yellow and yellow-green.</p> | |
| <p>Mahonia x media 'Winter Sun'</p> | <p>Mahonia 'Winter Sun'</p> | <p>Similar to <i>Mahonia japonica</i> 'Charity' with pinnate evergreen sharply pointed foliage and fragrant upward spreading racemes of yellow flowers from October, possibly late September to around mid-January, but is less tall and slightly later flowering. Although evergreen, leaves can turn red over the winter before dropping in spring to make way for new growth. AGM</p> | |

| | | | |
|--|--|--|--|
| <p>Osmanthus heterophyllus 'Aureomarginatus'</p> | <p>False Holly 'Aureomarginatus'</p> | <p>Evergreen, holly-like foliage edged and speckled with yellow.</p> |  |
| <p>Osmanthus heterophyllus 'Purpureus'</p> | <p>Purple False Holly</p> | <p>No description created</p> |  |

| | | | |
|---|-----------------------------------|---|--|
| <p>Pyracantha coccinea 'Red Column'</p> | <p>Firethorn 'Red Column'</p> | <p>Strong upright growth with thorny branches. Clusters of non-fragrant scented white flowers at the beginning of June followed by large bright crimson-red berries.</p> | |
| <p>Pyracantha 'Golden Charmer'</p> | <p>Firethorn 'Golden Charmer'</p> | <p>Vigorous, fairly upright shrub with thorny arching branches. Clusters of non-fragrant scented white flowers at the beginning of June followed by orange-yellow fruit in autumn. Relatively good scab resistance.</p> | |

| | | | |
|------------------------------------|----------------------------------|--|--|
| <p>Pyracantha 'Sappho Red'</p> | <p>Firethorn 'Sappho Red'</p> | <p>Clusters of non-fragrant scented white flowers at the beginning of June followed by carmine red berries. Claimed to be resistant to fire-blight, as are the other 'Sappho' cultivars.</p> | |
| <p>Rubus cockburnianus</p> | <p>White-stemmed Bramble</p> | <p>A vigorous, deciduous shrub with green fern-like leaves with white undersides. Purple, thorny stems and leaf stalks are covered with a white dusty bloom. Black fruits in autumn.</p> | |

| | | | |
|---|---|--|--|
| <p>Rubus cockburnianus 'Goldenvale'</p> | <p>White-stemmed Bramble 'Goldenvale'</p> | <p>A strong-growing, deciduous shrub with bright yellow, fern-like leaves, especially striking when young turning yellow-green towards the end of the season. Leaves have white undersides. Purple, thorny stems and leaf stalks are covered with a white dusty bloom. AGM</p> | |
| <p>Stephanandra incisa 'Crispa'</p> | <p>Lace Shrub</p> | <p>Dwarf, mounding deciduous ground cover for sun or light shade. Small green crinkled leaves with white flowers in June. A tough plant.</p> | |

| | | | |
|-----------------------------------|--------------------------------|---|--|
| <p>Viburnum tinus 'Eve Price'</p> | <p>Laurustinus 'Eve Price'</p> | <p>A more compact, dense growing form with more pink in the buds and flowers. Blue-black berries by autumn. AGM!</p> |  |
|-----------------------------------|--------------------------------|---|--|

Grasses

| Botanical Name | Common Name | Description | Images |
|------------------------------------|----------------------------------|---|--|
| <p>Carex oshimensis 'Evergold'</p> | <p>Japanese Sedge 'Evergold'</p> | <p>An evergreen forming dense clumps of grass-like yellow foliage striped green-yellow. Brown flower spikes covered white in March. AGM!</p> |  |