




All play equipment, surfacing, fencing and gates shall conform to the relevant parts of EN 1176 and EN1177 and shall be erected / installed in accordance with these standards, the Fields in Trust Guidelines, the safety standards published by the Royal Society for the Prevention of Accidents (RSPA) and with the manufacturer's instructions as appropriate.

Safety surfacing to be without safety surfacing laid in accordance with suppliers recommendation for PPH for each individual piece of play equipment.

Edging to tarmac to be a suitable flexible edge such as Aluwaced or similar approved.

The feeding stall be 2.4 m high paladin fencing around the youth provision such as Zaun Duo5 Sports or similar, galvanised and powder coated green, Comprising 50 mm x 200 mm mesh with dual gmm horizontal wires at 200mm centres and single 5mm wires at 200mm centres. Panels fixed to posts with full height 40mm x 5 mm clamp bar with bolt fixings at 800mm centres with EPDM inserts. Posts to be set at 2525 centres and post section to be 80x40mm.

Duo8 mesh welded inside the frame, with slide latch. Gate supplied with rubber bump stop and 2 x suitable gate posts.

Fencing and junior play provision to be 1.2m high, both topped with railings of fully welded construction and not dipped galvanised to BS 1414, hot dipped powder coated if green, RAL 6005. Individual panels shall be 7.27m long with 2m intermediate ground supports per panel set at equal spacings. The measured distance between the highest point of the bow and the top horizontal bar shall not exceed 50mm. Vertical bars shall be 10mm diameter at a maximum of 10mm centres. No gaps between bars / vertical rails shall be greater than 89mm to prevent neck entrapment. Horizontal rails shall be 40 x 10mm. Posts shall be 100 x 100 x 10mm. All panels shall be made of 1.5mm thick mild steel. Panels are to be undertaken to ensure that maintenance / replacement of panels can be carried out without the need to remove or reset rails and the fence line shall be installed using standard panels / components. In the event that the layout required non-standard panel lengths these shall be manufactured to the required dimensions - on site modification is not acceptable.

Pedestrian gate to be hydraulic Mono Hinge self cleaning gate and have a maximum clear opening of 1.2m as supplied by MGC Machinery Galvanising Company Ltd, tel 07925 477893 or similar approved and finished in yellow, RAL 1016 Double leaf combined pedestrian/maintenance gate to be as above. Both gates shall be installed so that there is a 20mm gap between the gate and adjacent posts to prevent hinge entrapments and a ground clearance of 75mm to prevent toe entrapments. One of the pedestrian gates to be installed to open inwards and one to open outwards.

All fixings shall be hot dipped galvanised (unless of stainless steel) and shall be of a design such that they do not cause damage to the polyester powder coating during installation and shall be coating in accordance with the requirements of EN 1176. Bolts shall have a dome head and minimum 10mm diameter. Nuts shall have a locking system and be of the shear off type or require a special tool to prevent unauthorised removal.

Seats shall be the Riva Timber and Steel Seat from Townscapes, steel zinc plated adn polyester powder coated grey. Tel: 01623 513355 (Ref: ST/G0167). Seats shall be supplied with extended legs for ground fixing into concrete foundations.

Litter bins shall be Townscapes Birch Mild Steel Litter Bin ref. BIN/0093 On Ground Fix, zinc Plated Galvanised Steel Finished in Black.

A suitable 'Welcome' sign shall be installed at the main pedestrian access. The exact wording and details of the sign shall be agreed between the client and the local authority prior to fabrication and all construction shall be in accordance with the requirements of the local authority.

<i>Sue Farmer BA MA D Phil</i> Barratt Homes Yorkshire West	client
--	--------

BARNSLEY

Westgate Hall
 Wakefield Road
 Donley Dale
 Huddersfield HD5 9JL
 telephone 01484 860881
 fax 01484 860856
 Isdon 01484 860690
 email enquiries@barncity.co.uk
www.barnsley.co.uk

drawing title		scale	date	drawn by	drawing no
PLAY PROVISION DETAILS		1:100		SEL	R/1667/6

draw the provide DETAILS				
scale	date	drawn by	drawing no	
1:100 Sept 2016 @M		SFL	R/1667/6	