

A. CONNECTION JUNCTION SHALL MATCH DIAMETERS OF EXISTING DRAIN OR SEWER AND THE PROPOSED PIPE CONNECTING TO IT.

B. PROPRIETY COUPLINGS SHALL BE FITTED IN ACCORDANCE WITH MANUFACTURERS INSTRUCTIONS.

C. SLEEVES (AND BUSHINGS IF REQUIRED) SHALL BE MADE FROM SYNTHETIC ELASTOMER CONFORMING TO THE PERFORMANCE REQUIREMENTS OF B.S.2494.

D. CLAMPING BANDS SHALL BE MANUFACTURED FROM 300 SERIES AUSTENITIC STAINLESS STEEL.

JUNCTION CONNECTION



SADDLE CONNECTION
NOT TO BE USED

GENERAL NOTE

THE CONTRACTOR MAY USE EITHER OF THE ABOVE CONNECTIONS EXCEPT WHERE:–

1. THE CONTRACT SPECIFIES A PARTICULAR TYPE OF CONNECTION, OR
2. THE EXISTING DRAIN DIAMETER IS LESS THAN 225mm,OR IN THE CASE OF PUBLIC SEWERS 375mm DIAMETER OR LESS.

IN THESE CASES THE SADDLE CONNECTION SHALL NOT BE USED.

BARNSLEY
Metropolitan Borough Council
Environment and Development
G. J .Birkett, BTech(Hons), C.Eng.,M.I.C.E.
Assistant Director Highways & Engineering.
Central Offices, Kendray street, Barnsley. S70 2TN
Tel. (01226) 770770 Fax. (01226) 772222

STANDARD DETAIL

Title: CONNECTION TO EXISTING DRAIN

No.	Amendments	Date
A	ORIGINAL ISSUE	6/93
B	GENERAL NOTE AMEND.	10/93
C	CONCRETE GRADE	8/94
D	SADDLE NOT TO BE USED ADDED	11/09

Drawing No. BCD/510D

Date OCTOBER 1993