

2017/0197.




PROPOSED SIDE ELEVATION

Electrical installation by member of competent person scheme and certified to BS 7671.

Heating alterations by gas safe engineer and certified on completion.





PROPOSED SIDE ELEVATION




outer leaf in matching brickwork tied 5 per m.s. with stainless steel ties 750 mm crs horizontal 450 crs vertical 225 cms at reveals & 100 mm turbo blocks or equal 100 mm rockwool full cavity fill

If existing ground floor has 50 mm cavity then 37.5 Kingspan backed p.board to inner leaf to achieve U. Value.







FRONT ELEVATION




PROPOSED FRONT ELEVATION



REAR ELEVATION




SITE PLAN



BLOCK PLAN 1/500.


EXISTING FIRST FLOOR



16

EXISTING GROUND FLOOR


PROPOSED FIRST FLOOR




PROPOSED GROUND FLOOR



PROPOSED REAR ELEVATION



PROPOSED SIDE ELEVATION



SECTION A-A'

SECTION B-B'

BMSC
CORPORATE MAIL ROOM
10 APR 2017
Received by:
ORIGINAL COPY

PROPOSED EXTENSIONS 14 BLACK HORSE DRIVE, SILKSTONE COMMON S75 4SD FOR MR & MRS. Mc GARRY. Scales:- 1-50 & 1-100.