




KEY

- S38 ROAD
- S38 FOOTPATH
- SECTION 278 WORKS
- SEWER EASEMENTS
- GULLY
- BOUNDARY

PAVEMENT FOUNDATION:
CBRS ARE TO BE TAKEN ON THE ROAD FORMATION LEVELS AT 20M INTERVALS, USING A 60MM DIAMETER PLATE - THE RESULTS OF WHICH ALONG WITH A LOCATION PLAN IS TO BE SUBMITTED TO BMBC HIGHWAYS ENGINEER

WHERE CARRIAGEWAY CROSS WATERCOURSE ADDITIONAL CBR TESTS ARE TO BE CARRIED OUT AND REPORTED TO ENGINEER AND BARNESLEY MBC
REFER TO DRAWING QD1386-03-10 FOR EXPECTED EXTENT OF SOFT ALLUVIAL SOILS

© This drawing is the property of Queensberry Design Limited and the information can only be used in accordance with the terms and conditions of the licence agreement. All other issues of this drawing are uncontrolled and are not to be used.

QUEENSBERRY DESIGN
ARCHITECTURAL, CIVIL, ELECTRICAL, MECHANICAL & ENVIRONMENTAL CONSULTANTS
NORTH EAST OFFICE
SUITE 20, THE FARMHOUSE, THE FARM, GATESHEAD, NE11 9NN
TEL: 0191 489 8888
WWW.QUEENSBERRYDESIGN.CO.UK

KEEPMOAT HOMES

THURNSCOE PHASE 3

SECTION 38 LAYOUT

Rev	Date	Revision Details	Drawn	Checked
1	18.10.20	LAYOUT REV A ADDED - SECTION 38 AMENITIES WAGE	ND	AL
2	08.10.20	SECTION 38 COMMENTS ADDED	ND	ND
3	15.09.20	BUILD OUTS ADDED - SECTION 38 COMMENTS ADDED	ND	ND
4	06.04.20	FIRST ISSUE	ND	ND

Drawn: ND
Checked: AL
Date: 03.04.2020
Drawing Number: QD1386-16-01
Drawing Status: APPROVAL
Scale: 1:500 - A0
Rev: C