Branching Out Tree Services

Tree survey completed 20th November 2011 for Andrew Swift at A and E Garage in Grimethorpe

The following survey was completed by Craig Duggan.
A fully qualified self employed tree surgeon with 13 years experience.

Tree 1,
A Sycamore
1.45m circumference at chest height
15m approximate height
10m approximate crown spread
This tree has light damage due to scaring in bark, potential hazard as a climable tree for members of the public, low amenity value to the surrounding area.
Close to public footpath and road.

Tree 2
A Sycamore self seeded
0.75m circumference at chest height
2m approximate crown spread
10m approximate height

Tree 3
A Sycamore self seeded
0.55m circumference at chest height
3m approximate crown spread
10m approximate height

Tree 4
A Sycamore self seeded
0.4m circumference at chest height
2m approximate crown spread
10m approximate height

Tree 2,3 and 4, are a cluster that is self seeded and holds no amenity value to the area

Tree 5
A Cherry tree
0.5m circumference at chest height
6m approximate crown spread
4m approximate height

Tree 6
A Cherry tree

0.3m circumference at chest height
3m approximate crown spread
4m approximate height

Tree 5 and 6 are small self set trees which have a heavy lean due to growing in the shade of Tree 1, they hold no amenity value to the surrounding area.

Completed by
Craig Duggan
(Cs30, Cs31, Cs32, Cs35, Cs38, Cs39, Cs40, Cs41, unit 1, unit 2 A and B unit 5 certified)
Director
Branching Out Tree Services