

DETAIL B

50 x 48 sash
top rail

silicon seal with putty
weatherproofing by glazer



48 x 18 lambs tongue glazing
bar

Slimlite glazing
Inner pane 4mm Low E
4mm cavity KRYPTON filled
Outer pane 4mm

48 x 18 lambs tongue glazing
bar





silicon seal with putty
weatherproofing by glazer

50 x 48 sash
bottom rail

DETAIL A

01 Typical section Casement window - type 2

1:2



DETAIL C

02 Typical plan Casement window type 2

1:2



W02 & W03 - Casement window Type - 2

Specification:
All timbers to be vac-vac treated primed; painted/ undercoat and 2 coats gloss Heritage exterior gloss paint.
4mm Low E/4mm cavity,gas/4mm clear u-value 1.96 BSEN673
Accept no alternative for Slimlite.
Slimlite Tel:0131 551 2931.
Provide stippolite glazing to bathroom windows.

Toughened glass where glazing below 800mm

Ironmongery
Side hung windows - storm proof hinge
1 No brass London Window Stay 250mm
1 No brass latch fastener - London window Latch Ref 751RPB
Jim Lawrence Ironmongery 01473 826685

Prior to production measure existing window structural opening sizes and existing horizontal sliding sash window to adapt the detail.
Supply and fit ironmongery prior to delivery on site.

External grade timber Igdigbo or Europeran Redwood

18mm Lambs tongue glazing bar rebate for Slimlite double glazed units to be fitted to manutacturers guidelines
4mm Low E/4mm cavity,gas/4mm clear u-value 1.96 BSEN673
Accept no alternative for Slimlite.
Slimlite Tel:0131 551 2931.

LInseed putty to glazing. Arkbokol sealant to frame hidden out of view with trowel mastic externally.

03 Casement window Type 2

1:10

KEY PLAN



Notes:
.

Glazing notes amended.							
P2	PHepp	7.7.17	BST	7-7-17			
Planning and listed buildings application							
P1	PHepp	29.6.17	SBL	29.6.17	LS	29.6.17	
COMMENT							
REV	DRAWN	DATE	CHECKED	DATE	APPROVED	DATE	

THIS DRAWING IS PRODUCED FOR USE IN THIS PROJECT ONLY AND MAY NOT BE USED FOR ANY OTHER PURPOSE. NPS PROPERTY CONSULTANTS LTD ACCEPT NO LIABILITY FOR THE USE OF THIS DRAWING OTHER THAN THE PURPOSE FOR WHICH IT WAS INTENDED IN CONNECTION WITH THIS PROJECT AS RECORDED IN THE 'PURPOSE FOR ISSUE' AND 'FILE STATUS CODE'.

THIS DRAWING MAY NOT BE REPRODUCED IN ANY FORM WITHOUT PRIOR WRITTEN AGREEMENT OF NPS PROPERTY CONSULTANTS LTD.

© CROWN COPYRIGHT AND DATABASE RIGHTS 2017 ORDNANCE SURVEY LICENCE NUMBER 100022264

RESPONSIBILITY IS NOT ACCEPTED FOR OTHERS SCALING DIRECTLY FROM THIS DRAWING. DO NOT SCALE FROM THIS DRAWING, USE WRITTEN DIMENSIONS ONLY.

0mm 100 200 300 600mm
1:10
0mm 20 40 60 120mm
1:2

ORIGINAL SHEET SIZE A1

CLIENT
Berneslai Homes

TITLE
118 Wath Road; Elsecar; Barnsley.
Window detail type 2

PROJECT
Listed Buildings Consent - Replacement doors and windows

nps group
NPS Barnsley Ltd
Gateway Plaza, Sackville St, Barnsley, South Yorkshire, S70 2RD.
Tel: 01226 774605; Email: barnsley@nps.co.uk
web:www.nps.co.uk

SCALES	DISCIPLINE	PROJECT NUMBER
1:10 / 1:2	ARCHITECT	18-1-1013
DRAWING NUMBER		REV CODE
NPS-DR-A-(00)-141		P2
STATUS CODE	PURPOSE OF ISSUE	DRAWN BY
S4	PLANNING APPROVAL	PHepp

File Path: G:\Working Documentation - Projects\Design Folder\2018_Projects\07-17-18-1-1013 Wath Road Door and Window replacement LBC\2.02_Drawings\1.0_Architects\04_Sheet\1811013-NPS-XX-00-DR-A-141 Window detail type 2.dwg, Saved: 07 July 2017 16:23:48, By: Heppenstall , Philip

Date Plotted: 21 July 2017 13:19:35

© COPYRIGHT NPS GROUP 2017