



**KEY**

- Ref. 3 TREE REFERENCE
- Ref. G1 GROUP REFERENCE
- Ref. H1 HEDGE REFERENCE
- Ref. H1 HEDGE REFERENCE
- CATEGORY A (GREEN) TREES  
Trees of high quality with an estimated remaining life expectancy of at least 40 years
- CATEGORY B (BLUE) TREES  
Trees of moderate quality with an estimated remaining life expectancy of at least 20 years
- CATEGORY C (GREEN) TREES  
Trees of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150mm
- CATEGORY U (RED) TREES  
Trees in such a condition that they cannot be realistically be retained as living trees in the context of the current land use for longer than 10 years
- ROOT PROTECTION AREA (RPA)  
Minimum area around a tree deemed to contain sufficient roots and rooting volume to maintain the tree's stability, and where the protection of the tree's roots and soil structure is treated as a priority
- # CATEGORY A TREE GROUP OR HEDGE
- ☁ CATEGORY B TREE GROUP OR HEDGE
- ☁ CATEGORY C TREE GROUP OR HEDGE
- # DENOTES TREE POSITION PLOTTED DURING TREE SURVEY USING GLOBAL NAVIGATION SATELLITE SYSTEM (GNSS) FOR TREES NOT SHOWN ON THE TOPOGRAPHICAL SURVEY OR ESTIMATED USING DISTANCE FROM KNOWN TOPOGRAPHICAL SURVEY FEATURES
- (THO) DENOTES TREE PROTECTED BY TREE PRESERVATION ORDER
- ▨ SIMPLIFIED SHADOW ARC  
(Projection based on midsummer at midday)



**PRELIMINARY ISSUE**

**Tetra Tech Leicester**  
 Executive Park, Avonby Way, Anby,  
 Leicester, United Kingdom, LE7 7GR  
 Tel: +44 (0)11 6234 9000  
 www.tetratechurpoc.com

**Tetra Tech**

Project Name: STRATA STERLING BARNLSLEY WEST LIMITED  
 Project Name: BARNLSLEY WEST

Issue Title: TREE CONSTRAINTS PLAN

POI	PRELIMINARY FIRST ISSUE	28.05.2021	NR	GM	EJ
POI	PRELIMINARY FIRST ISSUE	28.05.2021	NR	GM	EJ

Drawn by: NR, May 21, 09:15  
 Checked by: EJ, May 21, 15:00  
 Approved by: EJ, May 21, 15:00  
 Scale: 0:AI, 53  
 Status: 53  
 Project Number: P001 - TTE - 00 - ZZ - DR - S - TCP21  
 Issue Number: P01

© Copyright Tetra Tech